

AMERICAN JOURNAL *of* ENOLOGY AND VITICULTURE

VOLUME 66 **2015** NUMBER 3

CONTENTS

Research Articles

- A Headspace Gas Detection Tube Method to Measure SO₂ in Wine without Disrupting SO₂ Equilibria
J.M. Coelho, P.A. Howe, and G.L. Sacks 257 - 265
- Anthocyanin Composition of Merlot is Ameliorated by Light Microclimate and Irrigation in Central California
M.G. Cook, Y. Zhang, C.J. Nelson, G. Gambetta, J.A. Kennedy, and S.K. Kurtural 266 - 278
- Sensory Analysis of Riesling Wines from Different Sub-Appellations in the Niagara Peninsula in Ontario
J.J. Willwerth, A.G. Reynolds, and I. Lesschaeve 279 - 293
- Metabolomic Measurements at Three Time Points of a Chardonnay Wine Fermentation with *Saccharomyces cerevisiae*
C.L. Richter, A.D. Kennedy, L. Guo, and N. Dokoozlian 294 - 301
- Characterization of Winery Wastewater for Reuse in California
M.C. Buelow, K. Steenwerth, L.C.R. Silva, and S.J. Parikh 302 - 310
- Soil Nutrient Availability under Cover Crops: Effects on Vines, Must, and Wine in a Tempranillo Vineyard
E.P. Pérez-Álvarez, E. García-Escudero, and F. Peregrina 311 - 320
- Review of Thirteen Years of CTS Winery Laboratory Collaborative Data
P.A. Howe, S.E. Ebeler, and G.L. Sacks 321 - 339
- Grapevine Anatomy as a Possible Determinant of Isohydric or Anisohydric Behavior
E. Gerzon, I. Biton, Y. Yaniv, H. Zemach, Y. Netzer, A. Schwartz, A. Fait, and G. Ben-Ari 340 - 347
- Foliar Reflective Film and Water Deficit Increase Anthocyanin to Soluble Solids Ratio during Berry Ripening in Merlot
K. Shellie 348 - 356
- Impact of *Oenococcus oeni* on Wine Hydroxycinnamic Acids and Volatile Phenol Production by *Brettanomyces bruxellensis*
S. Chescheir, D. Philbin, and J.P. Osborne 357 - 362

continued next page

Influence of Soil on Root Distribution: Implications for Quality of Tocai Friulano Berries and Wine <i>D. Tomasi, F. Battista, F. Gaiotti, D. Mosetti, and G. Bragato</i>	363 - 372
Elemental Profiling of Malbec Wines under Controlled Conditions Using Microwave Plasma-Atomic Emission Spectroscopy <i>J. Nelson, H. Hopfer, G. Gilleland, D. Cuthbertson, R. Boulton, and S.E. Ebeler</i>	373 - 378
<i>Brettanomyces bruxellensis</i> Aroma-Active Compounds Determined by SPME GC-MS Olfactory Analysis <i>C.M.L. Joseph, E.A. Albino, S.E. Ebeler, and L.F. Bisson</i>	379 - 387
Effect of Various Treatments and Filtration Methods on Eliminating Residues of Casein-based Fining Agents from Wine <i>M. Webber-Witt, M. Deckwart, C. Carstens, L. Eichhorn, K. Brockow, V. Schaefer, A. Paschke-Kratzin, and M. Christmann</i>	388 - 392
Research Notes	
Influence of Grape Maturity and Maceration Length on Polysaccharide Composition of Cabernet Sauvignon Red Wines <i>M. Gil, M. Quirós, F. Fort, P. Morales, R. Gonzalez, J.M. Canals, and F. Zamora</i>	393 - 397
Analysis of Rotundone in Japanese Syrah Grapes and Wines using Stir Bar Sorptive Extraction (SBSE) with Heart-Cutting Two-Dimensional GC-MS <i>H. Takase, K. Sasaki, H. Shinmori, A. Shinohara, C. Mochizuki, H. Kobayashi, H. Saito, H. Matsuo, S. Suzuki, and R. Takata</i>	398 - 402