

AUTHOR INDEX

A

- Akiyoshi, M., see J. R. McLeod. 20:196-197.
- Amerine, M. A., see C. S. Ough. 20:127-139. 20:101-107..
- , and C. S. Ough. *Fermentation of Grapes Under Anaerobic Conditions. II. White Grapes; with Some Further Tests on Red Grapes.* 20:251-253.
- , and ———. *Acidification of Grapes from Region IV.* 20:254-256.
- Antcliff, A. J., see P. May. 20:237-250.

B

- Beelman, R. B., see J. F. Gallander. 20:140-145.
- Berg, H. W., see G. M. Cooke. 20:1-6.
- , see J. R. McLeod. 20:196-197.
- , see C. S. Ough. 20:101-107. 20:118-119.
- Bertino, J. J., see G. S. Stoewsand. 20:48-55.
- Brown, T., see A. Caputi, Jr. 20:152-154.

C

- Cahoon, G. A., see J. F. Gallander. 20:140-145.
- Camirand, W. M., see A. D. King, Jr. 20:146-151.
- Caputi, A. Jr., T. Brown, and M. Ueda. *Residual Polyvinylpyrrolidone in Wine.* 20:152-154.
- , see G. L. Hill. 20:227-236.
- Carlton, A. R., see J. J. Kissler. 20:40-47.
- Christianson, P. *Seasonal Changes and Distribution of Nutritional Elements in Thompson Seedless Grapevines.* 20:176-190.
- Cooke, G. M. and H. W. Berg. *Varietal Table Wine Processing Practices in California. I. Varieties, Grapes and Juice Handling and Fermentation.* 20:1-6.

- Crowell, E. A. and J. F. Guymon. *Studies of Caprylic, Capric, Lauric, and Other Free Fatty Acids in Brandies by Gas Chromatography.* 20:155-163.
- , see J. F. Guymon. 20:76-85.

D

- Dave, B. A. and R. H. Vaughn. *Production of Vinegar by Aspiration.* 20:56-65.....

F

- Filipello, F., see E. Meidell. 20:164-168.
- Finkle, B. J., see S. H. Kelly. 20:221-226.

G

- Gallander, J. F., G. A. Cahoon, and R. B. Beelman. *Free Amino Acids in Musts of Eight Eastern Grape Varieties.* 20:140-145.
- Grnacarevic, M. *Drying and Processing Grapes in Afghanistan.* 20:198-202.
- Guymon, J. F. and E. A. Crowell. *Gas Chromatographic Determination of Ethyl Esters of Fatty Acids in Brandy or Wine Distillates* 20:76-85.
- , see E. A. Crowell. 20:155-163.

H

- Hill, G. L. and A. Caputi, Jr. *The Determination of Sodium and Potassium in Wine by Atomic Absorption Spectrophotometry.* 20:227-236.
- Hrazdine, G., J. P. Van Buren, and W. B. Robinson. *Influence of Molecular Size of Gelatin on Reaction with Tannic Acid.* 20:66-68.

J

- Jurd, L. *Review of Polyphenol Condensation Reactions and Their Possible Occurrence in the Aging of Wines.* 20:191-195.

K

- Kelly, S. H. and B. J. Finkle. *Action of a Ring-Cleaving Enzyme in Preventing Oxidative Darkening of Juices.* **20**:221-226.
- Kepner, R. E., A. D. Webb, and L. Maggiora. *Some Volatile Components of Wines of Vitis Vinifera Varieties Cabernet-Sauvignon and Ruby Cabernet. II. Acidic Compounds.* **20**:25-31.
 ———, see A. D. Webb. **20**:16-24.
- King, A. D., Jr., W. M. Camirand and K. L. Mihara. *Submerged-Culture Production of Botrytis Cinerea Mycelium* **20**:146-151.
- Kissler, J. J. and A. B. Carlton. *The Potential of Wine-Grape Production in the San Joaquin Delta Area of California.* **20**:40-47.
- Kramling, T. E. and V. L. Singleton. *An Estimate of the Nonflavonoid Phenols in Wines.* **20**:86-92.

M

- Maggiora, L., see R. E. Kepner. **20**:25-31.
 ———, see A. D. Webb. **20**:16-24.
- Mattick, L. R., L. D. Weirs, and W. B. Robinson. *The Effect of pH on the Precipitation of the Anthocyanins of Wine as Their Lead Salts.* **20**:206-212.
- May, P., N. J. Shaulis, and A. J. Antcliff. *The Effect of Controlled Defoliation, in the Sultana Vine.* **20**:237-250.
- McLeod, J. R., M. Akiyoshi, and H. W. Berg. *A New Bentonite.* **20**:196-197.
- Meidell, E. and F. Filipello. *Quantitative Determination of Hydroxymethylfural in Sherries and Grape Concentrate.* **20**:164-168.
- Mennett, R. H. and T. O. M. Nakayama. *The Absorption of Hydroxybenzoic Acids by Poly-N-Vinyl Pyrrolidinone.* **20**:169-175.
- Meyer, J. *Effect of Fruit Cane Severance of Grapevines on Must and Wine Yield and Composition.* **20**:108-117.
- Mihara, K. L., see A. D. King, Jr. **20**:146-151.

N

- Nakayama, T. O. M., see R. H. Mennett. **20**:169-175.

O

- Ough, C. S. *Substances Extracted During Skin Contact with White Musts. I. General Wine Composition and Quality Changes with Contact Time.* **20**:93-100.
- , *Ammonia Content of California Grapes.* **20**:213-220.
- , see M. A. Amerine. **20**:251-253; 254-256.
- , H. W. Berg and M. A. Amerine. *Substances Extracted During Skin Contact with White Musts. II. Effect of Bentonite Additions During and After Fermentation on Wine Composition ad Sensory Quality.* **20**:101-107.
- , and H. W. Berg. *Pressure of Fermentation of Red Wines.* **20**:118-119.
- , M. A. Amerine and T. C. Sparks. *Studies with Controlled Fermentations. XI. Fermentation Temperature Effect on Acidity and pH.* **20**:127-139.

R

- Robinson, W. B., see G. S. Stoewsand. **20**:48-55.
- , see G. Hrazdina. **20**:66-68.
- , see L. R. Mattick. **20**:206-212.

S

- Shaulis, N. J., see P. May. **20**:237-250.
- Singleton, V. L., see T. E. Kramling. **20**:86-92.
- Sparks, T. C., see C. S. Ough. **20**:127-139.
- Stoewsand, G. S., J. J. Bertino, and W. B. Robinson. *Response of Growing Chicks to Varietal Wines and Juices.* **20**:48-55.

U

- Ueda, M., see A. Caputi, Jr. **20**:152-154.

V

- Van Buren, J. P., see G. Hrazdina. **20**:66-68.
 Vaughn, R. H., see B. A. Dave. **20**:56-65.

W

- Webb, A. D., R. E. Kepner, and L. Maggiora. *Some Volatile Components of Wines of Vitis Vinifera Varieties Cabernet-Sauvignon and Ruby Cabernet. I. Neutral Compounds.* **20**:16-24.

- _____, see R. E. Kepner. **20**:25-31.
 Weeks, C. *Production of Sulfur Dioxide-Binding Compounds and of Sulfur Dioxide by Two Saccharomyces Yeasts.* **20**:32-39.
 Weirs, L. D., see L. R. Mattick. **20**:206-212.
 Winkler, A. J. *Effect of Vine Spacing in an Irrigated Vineyard on Vine Physiology, Production and Wine Quality.* **20**:7-15.

 SUBJECT INDEX

A

- Acetaldehyde**, production by yeast. **20**:35-36.
Acid, added to musts. **20**:254-256.
 amino, free, in Eastern U. S. grape musts. **20**:140-144.
 free, in table grape varieties. *abstract.* **20**:261.
 as quality-determining factor in wine. *abstract.* **20**:259.
 fatty, ethyl esters, quantitative, in distillates. **20**:76-84.
 free, quantitative, in distillates. **20**:155-163.
 hydroxybenzoic, absorption by poly-N-vinyl pyrrolidinone. **20**:169-174.
 α -ketoglutaric, production by yeast. **20**:34.
 malic, in grapes. *abstract.* **20**:70.
 decomposition in wine. *abstract.* **20**:
 N-dimethylaminosuccinamio, on Concord grapes. *abstract.* **20**:126.
 nonvolatile, in Concord juice. *abstract.* **20**:71.
 2-pyrrolidone-5-carboxylic, in grape juice. *abstract.* **20**:262.
 pyruvic, production by yeast. **20**:34.
 tartaric, added to musts. **20**:259.
 and hydrogen ion concentration. *abstract.* **20**:120.
 skin-juice contact time effect, white wine. **20**:95-99. **20**:102-103.
 synthesis in grapes. *abstract.* **20**:261.
 titratable, controlled fermentation, temperature effect. **20**:127-137.
 total, cane severance harvest effect on. **20**:108-114.
 pressure fermented red wine. **20**:119.
 skin-juice contact time effect, white wine. **20**:94-99. **20**:102-103.
 vanillic, Cabernet aroma. **20**:30.
 volatile, Cabernet aroma. **20**:25-31.
Aeration, vinegar production. **20**:59-61.
Acidification, of musts. **20**:
Afghanistan, grape processing in. **20**:198-202.
Aging, corks compared with screw caps. *abstract.* **20**:74.
Ammonia, content in California grapes. **20**:213-220.
Anthocyanins, postulated polyphenol reactions and occurrence in aging of wine. **20**:191-194.
Aroma, acidic compounds, Cabernet. **20**:25-31.
 isolation of. **30**:29-30.
 neutral compounds, Cabernet. **20**:16-24.
 volatile. *abstract.* **20**:69.
 sweet fruit wines. *abstract.* **20**:72.

- B**
- Bentonite**, as white wine additive, skin-juice contact time effect. **20**:101-106.
F-1, new, testing results. **20**:196-197.
fining and protein content. *abstract*. **20**:120.
- Botrytis cinerea Pers.**, growth in pure culture. **20**:146-150.
- Brandy**, aged and unaged, butyl esters of fatty acids, quantitative. **20**:156-163. **20**:158.
distillate, ethyl esters of fatty acids, quantitative. **20**:76:84. **20**:158.
- °**Brix**, cane severance harvest effect on. **20**:108-114.
- Browning**, phenolic changes during. *abstract*. **20**:257.
pressure fermented red wines. **20**:119.
- Buffer**, capacity, wines. *abstract*. **20**:73.
- C**
- Cabernet, Sauvignon**, wine, aroma materials. **20**:16-24. **20**:25-31.
ruby, wine, aroma materials. **20**:16-24. **20**:25-31.
- Carbon dioxide**, systems, Russian studies. *abstract*. **20**:123. **20**:124.
- Cellar**, practice, table wine, varietal, processing survey. **20**:1-6.
use of plastics. *abstract*. **20**:121. **20**:122.
use of stainless steel. *abstract*. **20**:205.
- Chicks**, growth in, effect of wines. **20**:48-55.
- Chromatography**, gas. Cabernet wine aroma identification. **20**:16-31.
free fatty acids quantitative determination in distillates. **20**:155-163.
quantitative determination of ethyl esters of fatty acids in distillates. **20**:76-84.
volatile aromas in pomace brandies. *abstract*. **20**:120.
paper. free amino acid in Eastern U. S. grape musts. **20**:140-144.
- Colorimetric**, method, rapid, in determining hydroxymethylfurfurals. **20**:164-168.
tristimulus, wines. *abstract*. **20**:74.
- D**
- Darkening**, of juices, prevention. **20**:221-226.
- Defoliation**, controlled, effects in Sultana. **20**:237-250.
- E**
- Enzymes**, activity in sugar metabolism of grapes. *abstract*. **20**:260.
to prevent oxidative darkening of juices. **20**:221-226.
changes during fruit development. *abstract*. **20**:260.
- Esters**, butyl, of fatty acids, quantitative, in distillates. **20**:155-163.
ethyl, of fatty acids, quantitative, in distillates. **20**:76-84. **20**:155-161.
- F**
- Fermentation**, anaerobic. **20**:251-253.
continuous, pumping over. *abstract*. **20**:73. *review*. **20**:124.
controlled, temperatures effect on acidity, pH. **20**:127-137.
pressure, red wines. **20**:118.
and sulfur dioxide production. Germany. *abstract*. **20**:122.
symposium international d'oenologie. *review*. **20**:71.
table wine, survey. **20**:1-6.
temperature of musts and wine quality. *abstract*. **20**:122.
white grapes, skin juice contact time effect. **20**:93-106.
with bentonite added. **20**:101-106.
- Fining**, bentonite and polyacrylamide for calcium removal. *abstract*. **20**:74.
wines, theory. **20**:66-68.
use of F-1 bentonite. **20**:196-197.
use of polyvinylpyrrolidone. **20**:152-154.
- Formaldehyde**, use in phenolic nonflavonoid estimates in wines. **20**:86-91.
- Fusel oil**, in Armagnac brandy and in whiskey. *abstract*. **20**:203.

G

- Gelatin**, tannic acid complexes. **20:66-68.**
- Grapes**, canned, effects of hormones. *abstract.* **20:69.**
- concentrate, determining hydroxymethylfurfurals in. **20:164-168.**
- Eastern U. S. grape musts, free amino acids in. **20:140-144.**
- harvest with cane severance, effects on musts and wine. **20:108-116.**
- juice, biological stabilization. *abstract.* **20:71.**
and concentrate preparation. *abstract.* **20:70.**
colloidal system and pasteurization. *abstract.* **20:124.**
varietal, processing practice survey. **20:1-6.**
- maturity studies. Germany. *abstract.* **20:121.**
- processing of in Afghanistan. **20:198-202.**
- quality, function of vine spacing. **20:12.**
in San Joaquin Delta. **20:47.**
- sampling methods. *abstract.* **20:69.**
- table wine, white, skin-juice contact time effect in fermentation. **20:93-106.**
with bentonite added. **20:101-106.**
- Grapevines**, see also **Vineyards.**
- behavior of oligosaccharides in. Russian. *abstract.* **20:204.**
- berry number variation. *abstract.* **20:121.**
- biology of. *review.* **20:126.**
- cost, spacing effect. **20:13-14.**
- crop production, function of spacing. **20:11.**
- physiology, function of spacing. **20:9.**
- pruning and development rate. *abstract.* **20:204.**
- in Spain. *review.* **20:125.**
- Thompson Seedless, mineral nutrients and seasonal change. **20:176-188.**
- and wine in San Joaquin Delta area. **20:40-47.**

H

- Harvest**, mechanical, with cane severance, effect on must and wine. **20:108-116.**
- Histamine**, in beverage. *abstract.* **20:203.**
- Hydroxymethylfurfural**, quantitative determination method. **20:164-168.**

I

- Invertase**, insoluble, an artifact of extraction. *abstract.* **20:261.**
- Infrared spectrophotometry.** see *Spectrophotometry.*

J

- Juices**, darkening, prevention. **20:221-226.**

L

- Law**, new German wine law. *abstract.* **20:258.**

M

- Malic**, acid in grapes. *abstract.* **20:70.**
- Malvin**, in wine, in Germany. *abstract.* **20:121.**
- Mandeville Island**, test plot, wine vineyard. **20:40-47.**
- Maturity**, grape, table wine survey. **20:2-3.**
grape, full ripeness concept. *abstract.* **20:259.**
- Mechanical harvesting**, of grapes. see **Harvest.**
- Metabolism**, sugar, enzymes involved. *abstract.* **20:260.**
- Microbiology**, winemaking. *abstract.* **20:75.**
- Mineral elements**, in vine nutrition, seasonal change. **20:176-188.**
- Musts**, cane severance harvest effect on. **20:108-114.**
free amino acids in Eastern U. S. grapes. **20:140-144.**
white, skin-juice contact time effect. **20:93-106.**

N

- Nitrogen**, controlled fermentation, temperature effect. **20**:129-134.
total, skin-juice contact time effect. **20**:94-97. **20**:101-105.
- Nitrogenous substances** in grapes. *abstract*. **20**:261.
- Nutrition**, grapevine, mineral elements and seasonal change. **20**:176-188.

O

- Oxidation**, submerged, vinegar production. **20**:56-65.

P

- p-Ethylphenol**, Cabernet, aroma materials. **20**:21-22.
- pH**, and *Botrytis cinerea Pers. growth* **20**:146-149.
cane severance harvest effect on. **20**:108-114.
controlled fermentation, temperature effect. **20**:127-137.
effect on anthocyanin precipitation. **20**:206-212.
phenolic nonflavonoid content in table wines. **20**:90.
pressure fermented red wines. **20**:119.
skin-juice contact time effect. **20**:94-96. **20**:102-103.
- Phenols**, cane severance harvest effect on. **20**:108-114.
flavonoid and nonflavonoid estimate technique, table wine. **20**:86-91.
in grapes and wine. *abstract*. **20**:260.
poly-, postulated reactions in wine. **20**:191-194.
removal from wine described by Freundlich system. **20**:169-174.
total, skin-juice contact time effect. **20**:95-97. **20**:102-103.
- Pigments**, postulated polyphenol reactions and occurrence in aging of wine. **20**:191-194.
- Polyvinylpyrrolidone**, in wine, residuals. **20**:152-154.

poly-N-vinyl pyrrolidone, absorption of hydroxybenzoic acid. **20**:169-174.

- Potassium**, determination in wine. **20**:227-236.
- Processing**, table wines, varietal, survey. **20**:1-6.
- Pyruvic**, acid, production by yeast. **20**:34.

S

- Saccharomyces cerevisiae**, fermentation with. **20**:34-36.
oviformis, fermentation with. **20**:34-36.
- San Joaquin Delta**, as wine vineyard area **20**:40-47.
- Sensory analysis**, bentonite, F-1. **20**:197.
cane severance harvest effect on. **20**:108-116.
handbook of. *review*. **20**:124.
pressure fermented red wines. **20**:118.
quantity of ethyl esters of fatty acids in distillates. **20**:84.
skin-juice contact time effect, white wine. **20**:95-100.
with bentonite added. **20**:101-106.
- Sherry**, quantitative determination of hydroxymethylfurfural in. **20**:164-168.
- Sodium**, determination in wine. **20**:227-236.
- Soil**, Ryde series, suitability for grapes. **20**:42-44.
- Spectrophotometry**, atomic absorption, to determine sodium and potassium in wine. **20**:227-236.
infrared, in ethyl esters of fatty acids determination. **20**:81.
in Cabernet wine aroma identification. **20**:28.
wines and brandies. *abstract*. **20**:74.
- Sugar**, reducing, controlled fermentation temperature effect. **20**:137.
effect on hydroxymethylfurfural formation, in sherry. **20**:164-168.
- Sulfur dioxide**, binding compounds, production by yeasts. **20**:32-39.
effect on fermentation. **20**:35-36.
production by yeasts. **20**:34.

T

- Tannin**, postulated polyphenol reactions and occurrence in aging of wines. **20**:191-194.
protein complexes. **20**:66-68.
- Taste testing**. see **Sensory analysis**.
- Temperature**, effect on *Botrytis cinerea* Pers. growth. **20**:146-149.
effect on controlled fermentation. **20**:127-137.
fermentation, quality. *abstract*. **20**:74.
seasonal effect of differences on nutrient element changes. **20**:176-187.
- Thompson Seedless**, vine, mineral nutrient elements, seasonal changes. **20**:176-188.

V

- Vanillic**, acid, Cabernet aroma. **20**:30.
- Vinegar**, distilled, production by aspiration. **20**:56-65.
- Vineyards**, see, also, **Grapevines**.
spacing effect, unirrigated. **20**:7-14.
- Vitis**, see, also, **Grapes**.
- Vitis labrusca**, juice, effect on chicks. **20**:52-53.
wines, effect on chicks. **20**:52-53.
- Wine**, aging of, postulated polyphenol reactions. **20**:191-194.
of California. guide. *review*. **20**:125.
cane severance harvest effect on. **20**:108-116.
carbon dioxide systems. Russian studies. *abstract*. **20**:123. **20**:124.
controlled fermentation, temperature effect. **20**:127-137.

- copper content. *abstract*. **20**:122.
critical survey. *review*. **20**:125.
distillates, ethyl esters of fatty acids in, quantitative. **20**:76-84.
phenols, nonflavonoids in, estimate method. **20**:76-91.
effect on chick growth. **20**:48-55.
malo-lactic fermenting bacteria, inoculation of. **20**:203.
polyvinylpyrrolidone in, residual. **20**:152-154.
popular book. *review*. **20**:73.
quality function of vine spacing. **20**:12.
red, pressure fermentation. **20**:118-119.
science of. *review*. **20**:205.
table, nonflavonoid phenols in, estimate technique. **20**:76-91.
processing practices, survey. **20**:1-6.
white, skin-juice contact time, effects of. **20**:93-106.
bentonite added. **20**:101-106.

World production of wines. *abstract*. **20**:262.

Y

- Yeast**, and deacidification of musts. *abstract*. **20**:120.
growth in controlled fermentation, temperature effect. **20**:127-137.
quantity of ethyl esters of fatty acids in distillates. **20**:81-84.
of free fatty acids in distillates. **20**:155-163.
and sulfur dioxide production. **20**:34-38.