

INDEX

VOLUME 30, 1979

AUTHORS

A

- Abo-donia, S. A. See A. G. Sachde. 30:205-7, 272-4.
- Adler, I. L. Abstract. 30:161.
- Akiyoshi, M. See H. W. Berg. 30:55-7.
- Alley, C. J. Grapevine propagation. XI. Rooting of cuttings: effects of indolebutyric acid (IBA) and refrigeration on rooting. 30:28-32.
- , R. A. Neja, and T. A. West. Grapevine propagation. X. Effects of tape color, wax type, bud covering and early vine topping on late spring chip and T-budded vines at Greenfield, Monterey County, California, 1976. 30:1-2.
- Amerine, M. A. See H. W. Berg. 30:55-7.
Reviews. 30:74,75,260,261.
- Anelli, G. See C. S. Ough. 30:8-10.
- Archer, T. E., and W. O. Gauer. Levels of cryolite on Thompson Seedless grapes and raisins. 30:202-4.
- Arnold, R. A., and A. C. Noble. Effect of pomace contact on the flavor of Chardonnay wine. 30:179-81.
- Aronson, H. Aseptic sampling valves. 30:76-8.
- Asher, R. See Y. Peleg. 30:174-8.
- Ashton, G. C. See C. Buteau. 30:139-45,146-51.
- Augustyn, O. P. H. See C. J. van Wyk. 30:167-73.

B

- Baranowski, J. D. See C. W. Nagel. 30:198-201.
- Barlass, M. Abstract. 30:325.
- Bell, A. A., C. S. Ough, and W. M. Kliever. Effects on must and wine composition, rates of fermentation, and wine quality of nitrogen fertilization of *Vitis vinifera* var. Thompson Seedless grapevines. 30:124-9.
- Berg, H. W., M. Akiyoshi, and M. A. Amerine. Potassium and sodium content of California wines. 30:55-7.
See C. A. Corison. 30:130-4.
Abstracts. 30:71,160,256,324.
- Bergman, E. L. See G. A. Romberger. 30:106-10.
- Blennerhassett, R. M., and J. A. Considine. Propagation of *Vitis champini* Planchon cv Ramsey, storage and field practices. 30:79-80.
- Boulton, R. The heat transfer characteristics of wine fermentors. 30:152-6.
Abstract. 30:71.
- Bowers, K. W. See R. E. Steinhauer. 30:236-40.

- Bradt, O. A. See R. V. Chudyk. 30:253-5.
- Bridle, P. See A. G. H. Lea. 30:289-300.
- Brown, R. C. See Y. Peleg. 30:174-8.
- Buechsenstein, J., and C. S. Ough. Comparison of citric, dl-malic, and fumaric acids as wine acidulants. 30:93-7.
- Buteau, C., C. L. Duitschaever, and G. C. Ashton. Vinification of three white grape varieties by three different methods. I. Fermentation process and wine composition. 30:139-45.
- , ——, and ——. Vinification of three white grape varieties by three different methods. II. Sensory evaluation of the wines. 30:146-51.

C

- Caputi, A., Jr. See C. S. Ough. 30:58-60.
- Carbonneau, A., and P. Casteran. Irrigation-depressing effect on floral initiation of Cabernet Sauvignon grapevines in Bordeaux area. 30:3-7.
- Carter, M. V. Abstract. 30:73.
- Casteran, P. See A. Carbonneau. 30:3-7.
- Chudyk, R. V., R. F. Crowther, and O. A. Bradt. Use of meteorological data to estimate field sugar levels in Concord grapes. 30:253-5.
- Conradie, W. J. See A. Tromp. 30:278-83.
- Considine, J. A. See R. M. Blennerhassett. 30:79-80.
- Cooke, G. M. Review. 30:75.
- Coombe, B. G., and W. W. Forrest. Abscisic acid content of wine: Evidence for an increase during storage. 30:103-5.
- , and P. R. Monk. Proline and abscisic acid content on the juice of ripe Riesling grape berries: effect of irrigation during harvest. 30:64-7.
- Cootes, R. L., P. L. Rogers, and T. H. Lee. Experimental production of fortified sweet wine by single-stage continuous fermentation. I. Evaluation of five strains of *Saccharomyces cerevisiae* and *Saccharomyces bayanus*. 30:81-7.
- , ——, and ——. Experimental production of fortified sweet wine by single-stage continuous fermentation. II. Control procedures for *Saccharomyces cerevisiae*. 30:88-90.
- Corison, C. A., C. S. Ough, H. W. Berg, and K. E. Nelson. Must acetic acid and ethyl acetate as mold and rot indicators in grapes. 30:130-4.

Crowell, E. A., and C. S. Ough. A modified procedure for alcohol determination by dichromate oxidation. 30:61-3.

Crowther, R. F. See R. V. Chudyk. 30:253-5.

D

de Wet, P. See C. J. van Wyk. 30:167-73.

Downton, W. J. S. See B. R. Loveys. 30:232-5.

Duitschaever, C. L. See C. Buteau. 30:139-45,146-51.
See R. E. Subden. 30:19-21.

E

El-Banna, G. I., and R. J. Weaver. Effect of ethephon and gibberellin on maturation of ungirdled Thompson Seedless grapes. 30:11-13.

El-Tabey, A. M. See A. G. Sachde. 30:205-7,272-4.

El-Zalaki, M. E. See A. G. Sachde. 30:205-7,271-4.

F

Ferris, H. See M. V. McKenry. 30:38-44.

Flora, L. F., and R. P. Lane. Effects of ripeness and harvest date on several physical and compositional factors of Cowart muscadine grapes. 30:241-6.

Forrest, W. W. See B. G. Coombe. 30:103-5.

Freeman, B. M., T. H. Lee, and C. R. Turkington. Interaction of irrigation and pruning level on growth and yield of Shiraz vines. 30:218-23.

G

Gallander, J. F. Effect of time of bacterial inoculation on the stimulation of malo-lactic fermentation. 30:157-9.

See P. G. Snow. 30:45-8.

Gauer, W. O. See T. E. Archer. 30:202-4.

Goheen, A. C. Review. 30:259.

Graham, R. A. Influence of yeast strain and pH on pyruvic acid production during alcoholic fermentation. 30:318-20.

Gray, R. S. See P. J. A. Vos. 30:187-97.

Groat, M. See C. S. Ough. 30:58-60.

H

Haeseler, C. W. See G. A. Romberger. 30:106-10.

Hale, C. R., and R. C. Woodham. Effect of grapevine leafroll disease on the acid and potassium composition of Sultana grapes. 30:91-2.

Hanson, R. Collaborative study on volumetric solids determination. 30:166.

Houtman, A. C. See J. Marais. 30:250-2.

Hyvärinen, J. Abstract. 30:73.

J

Johnson, J. O. Review. 30:259.

Joubert, W. A. See C. J. van Wyk. 30:167-73.

K

Kaiser, K. See R. E. Subden. 30:19-21.

Kasimatis, A. N., F. H. Swanson, E. P. Vilas, Jr., W. L. Peacock, and G. M. Leavitt. The relation of bloom-applied gibberellic acid to the yield and quality of Thompson Seedless raisins. 30:224-6.

Abstract. 30:259.

Kepner, R. E. Abstracts. 30:257,258,324.

Khanduja, S. D. See S. Kochhar. 30:275-7.

Killian, E., and C. S. Ough. Fermentation esters — formation and retention as affected by fermentation temperature. 30:301-5.

Kliewer, W. M. See A. A. Bell. 30:124-9.

See K. A. Roubelakis-Angelakis. 30:14-18.

See A. Zelleke. 30:312-17.

Abstracts and reviews. 30:69,70,73,163,258,322,323.

Kochhar, S., V. K. Kochhar, and S. D. Khanduja. Changes in the pattern of isoperoxidases during maturation of grape berries cv Gulabi as affected by ethephon (2-chloroethyl) phosphonic acid. 30:275-7.

Kochhar, V. K. See S. Kochhar. 30:275-7.

Kunkee, R. E. See J. T. Steele. 30:227-31.
Reviews. 30:73,164.

L

Lane, R. P. See L. F. Flora. 30:241-6.

Land, M. E. Review. 30:163.

Lea, A. G. H., P. Bridle, C. F. Timberlake, and V. L. Singleton. The procyanidins of white wine grapes. 30:289-300.

Leavitt, G. M. See A. N. Kasimatis. 30:224-6.

Lee, T. H. See R. L. Cootes. 30:81-7,88-90.
See B. M. Freeman. 30:218-23.

Loveys, B. R., and W. J. S. Downton. Abscisic acid in crushed grape berries during fermentation and in wine during storage. 30:232-5.

M

Marais, J., and A. C. Houtman. Quantitative gas chromatographic determination of specific esters and higher alcohols in wine using freon extraction. 30:250-2.

McKenry, M. V., and H. Ferris. Studies on the use of DBCP in vineyards. I. Two years of efficacy data. 30:38-44.

Mitchell, E. N. Correlation of the force required to pick rotundifolia berries and their soluble solids content. 30:135-8.

Monk, P. R. See B. G. Coombe. 30:64-7.

Murrell, W. G., and B. C. Rankine. Isolation and identification of a sporing *Bacillus* from bottled brandy. 30:247-9.

Myers, T. E., and V. L. Singleton. The nonflavonoid phenolic fraction of wine and its analysis. 30:98-102.

N

Nagel, C. W., and L. W. Wulf. Changes in the anthocyanins, flavonoids and hydroxycinnamic acid esters during fermentation and aging of Merlot and Cabernet Sauvignon. 30:111-16.

_____, J. D. Baranowski, L. W. Wulf, and J. R. Powers. The hydroxycinnamic acid tartaric acid ester content of musts and grape varieties grown in the Pacific northwest. 30:198-201.

Neja, R. A. See C. J. Alley. 30:1-2.

Nelson, K. E. See C. A. Corison. 30:130-4.

Neradt, F. See O. H. Rhein. 30:265-71.

Noble, A. C. See R. E. Subden. 30:19-21.

See R. A. Arnold. 30:179-81.

Abstracts. 30:70,161,164,258,261,325.

O

Olmo, H. P. See H. E. Studer. 30:284-8.

Abstracts and reviews. 30:68,165,323.

Ough, C. S. Powdery mildew sensory effect on wine. 30:321.

_____, and G. Anelli. Zinfandel grape juice protein fractions and their amino acid makeup as affected by crop level. 30:8-10.

_____, A. Caputi, Jr., and M. Groat. A rapid colorimetric calcium method. 30:58-60.

_____, and E. A. Crowell. Pectic-enzyme treatment of white grapes: Temperature, variety and skin-content time factors. 30:22-7.

_____, and H. Tabacman. Gas chromatographic determinations of amino acid differences in Cabernet Sauvignon grapes and wines as affected by rootstocks. 30:306-11.

See A. A. Bell. 30:124-9.

See J. Buechsenstein. 30:93-7.

See C. A. Corison. 30:130-4.

See E. A. Crowell. 30:61-3.

See E. Killian. 30:301-5.

See T. W. Peterson. 30:119-23.

See B. Stackler. 30:117-18.

Abstracts. 30:161,162,256,257,261,324.

Oura, E. Abstract. 30:324.

P

Peacock, W. L. See A. N. Kasimatis. 30:224-6.

Peleg, Y., R. C. Brown, P. W. Starceovich, and R. Asher. Method for evaluating the filterability of wine and similar fluids. 30:174-8.

Peterson, T. W., and C. S. Ough. Dimethyldicarbonate

reaction with higher alcohols. 30:119-23.

Pilone, G. J. Preservation of wine yeast and lactic acid bacteria. 30:326.

Powers, J. R. See C. W. Nagel. 30:198-201.

Pösö, A. R. Abstract. 30:72.

R

Rasp, H. Abstract. 30:72.

Rhein, O. H., and F. Neradt. Tartrate stabilization by the contact process. 30:265-71.

Robertson, G. L. The fractional extraction and quantitative determination of pectic substances in grapes and musts. 30:182-6.

Rogers, P. L. See R. L. Cootes. 30:81-7,88-90.

Romberger, G. A., C. W. Haeseler, and E. L. Bergman. Influence of two callusing methods on bench-grafting success of 12 *Vitis vinifera* L. combinations in Pennsylvania. 30:106-11.

Roubelakis-Angelakis, K. A., and W. M. Kliewer. The composition of bleeding sap from Thompson Seedless grapevines as affected by nitrogen fertilization. 30:14-18.

S

Sachde, A. G., M. E. El-Zalaki, A. M. El-Tabey, and S. A. Abo-Donia. Study on Egyptian fresh and aged wines, I. pH, acidity, esters, and SO₂ content. 30:205-7.

_____, _____, _____, and _____. Study on Egyptian fresh and aged wines. II. Total nitrogen and amino acids content of wines of three vintages. 30:272-4.

Sall, M. A. Abstracts. 30:68,259.

Singleton, V. L., E. Trousdale, and J. Zaya. Oxidation of wines. I. Young white wines periodically exposed to air. 30:49-54.

See A. G. H. Lea. 30:289-300.

See T. E. Myers. 30:98-102.

Abstracts. 30:72,161.

Smart, R. E. Abstract. 30:70.

Snow, P. G., and J. F. Gallander. Deacidification of white table wines through partial fermentation with *Schizosaccharomyces pombe*. 30:45-8.

Snow, R. Toward genetic improvement of wine yeast. 30:33-7.

Stackler, B., and C. S. Ough. Differences in the formation of certain acetamides in grape and apple wines. 30:117-18.

Starceovich, P. W. See Y. Peleg. 30:174-8.

Steele, J. T., and R. E. Kunkee. Deacidification of high acid California wines by calcium double-salt precipitation. 30:227-31.

Steinhauer, R. E., and K. W. Bowers. Influence of trellis on yield and quality of Cabernet Sauvignon

- non in Napa Valley. 30:236-40.
- Studer, H. E., and H. P. Olmo. The production and field installation of cordon coils. 30:284-8.
- Subden, R. E., C. Duitschaever, K. Kaiser, and A. C. Noble. Histamine content of Canadian wines determined by reverse phase high performance liquid chromatography. 30:19-21.
- Swanson, F. H. See A. N. Kasimatis. 30:224-6.
- T**
- Timberlake, C. F. See A. G. H. Lea. 30:289-300.
- Tower, D. S. A winery computer model. 30:208-13.
- Tromp, A., and W. J. Conradie. An effective scoring system for the sensory evaluation of experimental wines. 30:278-83.
Abstract. 30:72.
- Trousdale, E. See V. L. Singleton. 30:49-54.
- Turkington, C. R. See B. M. Freeman. 30:218-23.
- V**
- Vahl, J. M. A relative density-extract-alcohol nomograph for table wines. 30:262-3.
- van Wyk, C. J., O. P. H. Augustyn, P. de Wet, and W. A. Joubert. Isoamyl acetate — a key fermentation volatile of wines of *Vitis vinifera* cv Pinotage. 30:167-73.
- Vilas, E. P., Jr. See A. N. Kasimatis. 30:224-6.
- Vos, P. J. A., and R. S. Gray. The origin and control of hydrogen sulfide during fermentation of grape must. 30:187-97.
- W**
- Weaver, R. J. See G. I. El-Banna. 30:11-13.
Abstracts. 30:163,323,324.
- Webb, A. D. Reviews. 30:74,164.
- West, T. A. See C. J. Alley. 30:1-2.
- Williams, L. A. Abstract. 30:258.
- Woodham, R. C. See C. R. Hale. 30:91-2.
- Wulf, L. W. See C. W. Nagel. 30:111-16, 198-201.
- Z**
- Zaya, J. See V. L. Singleton. 30:49-54.
- Zelleke, A., and W. M. Kliewer. Influence of root temperature and rootstock on budbreak, shoot growth, and fruit composition of Cabernet Sauvignon grapevines grown under controlled conditions. 30:312-17.

SUBJECT INDEX

A

- Acetamides. formation differences in wines. 30:117-18.
- Acetate, ethyl. threshold of in must. 30:130-4.
isoamyl. in bouquet of Pinotage wine. 30:167-72.
- Acid. abscisic, and bud burst. abst. 30:163.
increase in wine during storage. 30:103-5.
in grape and wine during fermentation and storage. 30:232-5.
in white grape, irrigation effect. 30:64-5.
salinity and berry development. abst. 30:163.
- acetic. threshold of in must. 30:130-4.
- amino. Egyptian wine. 30:272-4.
in grape and wine as affected by rootstock. 30:306-11.
in Zinfandel juice, crop level effect. 30:8-10.
- deacidification, by calcium double-salt method, wines. 30:227-31.
and yeast strain. abst. 30:324.
- Egyptian wines, content. 30:205-7.
- ester, hydroxycinnamic acid tartaric, in grape and must analysis. 30:198-201.
- galacturonic, in grape pectic substance determination. 30:182-5.
- grapevine sap, fertilizer effect on. 30:14-17.
- high-acid, deacidification, calcium double-salt method. 30:227-31.
- hydroxycinnamic, esters changes during aging and fermentation. 30:111-16.
- indolebutyric. effect on vine rooting. 30:28-31.
- leafroll effect on, in grape. 30:91-2.
- malic. reduction by *Schizosaccharomyces pombe* in fermentation. 30:45-8.
- nonvolatile. changes in New York grape and wine maturation. abst. 30:256.
- nucleic. in analysis of wine phenols, nonflavonoid. 30:98-100.
- pyruvic. yeast strain and pH influence on alcohol production. 30:318-20.
- root temperature and rootstock effect on grape. 30:312-16.
- total. Cowart muscadine, harvest time ripeness effect. 30:241-6.
powdery mildew effect. 30:321.
three fermentation methods compared. 30:143-4.
various. effect on taste. 30:93-7.
- Aging. phenolic changes in. 30:111-16.
- Alcohol. carbon-14 determination in. abst. 30:161.
determination of by dichromate oxidation. 30:61-3.
detoxification acceleration. abst. 30:73.
higher. freon extraction to, analysis for in wine. 30:250-2.
reaction with DMDC. 30:119-23.
intoxicating effect. rats. abst. 30:73.
- Amino acid. see Acid.
- Anthocyanins. changes during aging and fermentation. 30:111-16.

concord grape stability in. abst. 30:160.

B

- Bacillus. sporing in bottled Australian brandy. 30:247-9.
- Bacteria. in bottled brandy, Australian. 30:247-9.
lactic acid. preservation. 30:326.
malo-lactic inoculation time effect. 30:157-9.
- Bordeaux. area grapevine irrigation studies in. 30:3-7.
- Brandy, apple. neutral volatile components. abst. 30:258.
bottled Australian. bacillus sporing in. 30:247-9.
- Browning. see, also, Oxidation.
oxidative changes in sherry in dry white wine tests. 30:51.
powdery mildew effect. 30:321.

C

- Cabernet Sauvignon. amino acid in grape and wine. rootstock effect. 30:306-11.
phenolics changes studies. 30:111-16.
root temperature and rootstock effect on growth and fruit of. 30:312-16.
trellis influence on yield and quality. 30:236-40.
vine floral initiation-irrigation study. 30:3-7.
- Calcium. analysis method, rapid. 30:58-9.
double-salt precipitation, effect in high-acid wines. 30:227-31.
- Callusing. methods in grafting. 30:106-10.
- Canadian wines. see Wines.
- Chardonnay. pomace contact time and flavor effect. 30:179-80.
soil effect on quality of. 30:214-17.
- Chromatography. Aurore wine, volatile components of. abst. 30:324.
gas. acetamide changes studies. 30:117-18.
amino acid analysis study. 30:306-11.
analysis of volatiles. wine and grape. abst. 30:161.
Egyptian wine. total nitrogen and amino acids in. 30:272-4.
fermentation esters study. 30:303.
freon use to analyze esters and higher alcohols in wine. 30:250-1.
grapevine sap studies. 30:19.
herbicide residue determination. abst. 30:161.
procyanidins in white grape and wine study. 30:289-300.
separation of fermentation products. abst. 30:160.
- gel. in analysis of nonflavonoid phenolics. 30:98-102.
- liquid. high pressure. in anthocyanin diglucoside separation. abst. 30:257.

hydroxycinnamic acid tartaric acid ester analysis. 30:198-201.
phenolic studies. aging and fermentation. 30:111-16.
solvents for anthocyanin study. abst. 30:324.
synthetic acid fast dyes. abst. 30:161.
wine histamine studies. 30:19-21.

Computer model for winery. 30:208-13.

Concord grape. see Grape.

Cordon coils. for grapevine training. 30:284-8.

Cryolite. residue level on Thompson Seedless grapes. 30:202-4.

D

DBCP. use in vineyard nematode control. 30:38-44.

Dimethyldicarbonate. reaction with higher alcohols. 30:119-23.

DMDC. see Dimethyldicarbonate.

E

Egyptian wines. fresh and aged. chemical constituents of. 30:205-7, 272-4.

Enzymes. effect on pressing grapes. yield, quality. abst. 30:256.

pectic. effect on white grape yield and wine. 30:22-6.

peroxidase. ethephon effects on activity of. 30:275-7.

Esters. Egyptian wines. 30:205-7.

fermentation, wine. production and retention, temperature effect. 30:301-5.

freon extraction for analysis of in wine. 30:250-1.

hydroxycinnamic acid tartaric acid. in grape and must. 30:198-201.

Ethanol. See Alcohol.

Ethephon. effect on Gulabi cv berries. peroxidase enzyme pattern. 30:275-7.

effect on maturation in Thompson Seedless grapes. 30:11-12.

Ethyl acetate. threshold in must. 30:130-4.

F

Fermentation. abscisic acid in grape. 30:232-5.

acid reduction and yeast strain during. abst. 30:324.

changes in phenolic compounds during. 30:111-16.
continuous, yeast strains in sweet wines compared. 30:81-7.

control of. enzyme electrodes. abst. 30:71.
yeast in continuous. 30:88-90.

ester production and retention. temperature effect. 30:301-5.

hydrogen sulfide. origin and control in must. 30:187-96.

isoamyl acetate, in Pinotage. 30:169-72.
role of. review. 30:164.

malo-lactic. bacterial inoculation time effect. 30:157-9.

process. three compared, white wine. 30:139-44, 146-51.

pyruvic acid production affected by yeast strain and pH. 30:318-20.

rate. factors affecting. rev. 30:164.

nitrogen fertilizer effect. 30:124-8.

temperature effect on esters in wine. 30:301-5.

for yeast production in continuous. 30:88-90.

relationship to fermentor. 30:152-6.

Fertilizer, nitrogen. effects on musts and wine. 30:124-9.

Filtration, wine. test method for. 30:174-8.

Flavonoids. see, also, Procyanidins.

changes during aging and fermentation. 30:111-16.
oligomers, in wine. abst. 30:160.

Freon. extraction method to analyze wine for esters and higher alcohols. 30:250-2.

G

Genetics. wine yeast improvement. 30:33-6.

Gibberellin. bloom applied. effect on yield, quality. Thompson raisins. 30:224-6.

effect on maturation in Thompsons. 30:11-12.

Grafting, callusing methods compared Pennsylvania. 30:106-10.

rootstock used on comparison of callusing method. 30:106-10.

Grape. see, also, Grapevine.

abscisic acid, in. 30:103.

during fermentation. 30:232-5.

irrigation effect. 30:64-5.

acetic acid. ethylacetate thresholds. 30:130-4.

aroma. volatile constituents intervarietal differences. rev. 30:164.

berries. rotundifolia. picking force and soluble solids. 30:135-7.

berry set and growth retardants. abst. 30:323.

black rot disease in. abst. 30:68.

Chelois cultivar characteristics. abst. 30:323.

Chenin blanc esters study. 30:301-5.

cold storage life, factors affecting. abst. 30:69.

Concord. irrigation and pruning effect on yield and quality. abst. 30:323.

pigments for food color. absts. 30:256, 257.

sugar level estimate by meteorological data. 30:253-5.

crop forecasting of. abst. 30:68.

cryolite residue, level. 30:202-4.

distillates. thiamine role in thiazole flavourants. abst. 30:258.

eastern varieties. future. rev. 30:165.

ethephon effect in Gulabi cv. 30:275-7.

flowering of converted tendrils. abst. 30:322.

Gulabi cv. isoperoxidases changes in. 30:275-7.

harvesting. SO₂ and temperature effect on mechanically harvested. abst. 30:257.

- hydroxycinnamic acid tartaric acid ester in.
 30:198-201.
 in warm regions. Greece. abst. 30:162.
 irrigation effect on Shiraz. 30:218-23.
 isoperoxidases. pattern change with maturation.
 30:275-7.
 juice. extraction temperature effect. abst. 30:71.
 stabilization of. rev. 30:74.
 leafroll disease. effect on acid and potassium.
 30:91-2.
 cryolite control. residue level. 30:202-4.
 'Liberty' variety. abst. 30:68.
 machine harvested, quality improvement for. abst.
 30:162.
 muscadine, Cowart. ripeness and harvest time ef-
 fect. 30:241-6.
 sorting for ripeness. abst. 30:163.
 must. fermentation and hydrogen sulfide. origin,
 control. 30:187-96.
 new early white. rev. 30:165.
 pectic substance determination method. 30:182-5.
 procyanidins of white grapes. 30:299-300.
 proline in irrigation, effect. 30:64-5.
 pruning effect on Shiraz. 30:218-23.
 raisin, Thompson. gibberellin effect on yield and
 quality. 30:224-6.
 Riesling. proline, abscisic acid in. 30:64-5.
 ripening. ethephon treatment effect. 30:275-7.
 root. temperature and rootstock type effect on.
 30:312-6.
 seed. procyanidins of, Grenache. 30:298.
 seedlessness induction. abst. 30:69.
 Semillon. in yeast strain comparisons. 30:83.
 yeast control in continuous fermentation.
 30:88-90.
 skin damage, dried. abst. 30:163.
 solar heating of. abst. 30:70.
 soluble solids. berry picking force. 30:135-7.
 Sovereign coronation, variety. abst. 30:68.
 rose, variety. abst. 30:68.
 sugar level. field estimate using meteorological
 data. 30:253-5.
 Sultana. girdling, gibberellin, thinning, effect on.
 abst. 30:324.
 trellis. influence on quality. 30:236-40.
 vinification methods, three compared. 30:139-44,
 146-51.
 white. pectic enzyme treatment effect. 30:22-6.
 three fermentation methods compared.
 30:139-44, 146-51.
 wine production. computer model. 30:208-13.
 yield. DBCP use effect. 30:38-44.
- carbon isotope ratio in. abst. 30:70.
 balance, Sultana, factors affecting. abst.
 30:258.
 chip budded vines. various treatments effect.
 30:1-2.
 crop level. effect on protein and amino acid. 30:8-
 10.
 cordon coils for. production and installation.
 30:284-8.
 DBCP. studies of use on vineyard. 30:38-44.
 ethephon effect on Thompson maturation. 30:11-
 12.
 fertilizer effect on. abst. 30:69.
 flower initiation and water level. 30:3-7.
 frost. effect on yield and maturity. abst. 30:323.
 fungicidal acylalanines. bioassay of effect on plant.
 abst. 30:259.
 gibberellin. effect on Thompson maturation.
 30:11-12.
 grafting callusing methods compared. Pennsyl-
 vania. 30:106-10.
 growing of. general. rev. 30:75.
 growth. effect of root temperature and rootstock
 type on. 30:312-6.
 physiology, irrigation effect on. 30:3-7.
 regulators and dormancy-break chemicals ef-
 fect on. abst. 30:323.
 hormone changes in xylem sap. abst. 30:322.
 irrigation. effect on floral initiation. 30:3-7.
 effect on growth, yield. Shiraz. 30:218-23.
 juice protein and amino acid, crop level effect.
 30:8-10.
 leafroll in. effect on acid and potassium in fruit.
 30:91-2.
 light intensity effect on growth. Palominos. abst.
 30:322.
 nitrogen fertilizer effect. 30:124-9.
 effect on bleeding sap. Thompsons. 30:14-17.
 nutrient status analysis. abst. 30:69.
 supply. threshold value. abst. 30:72.
 nutrition and fertilization. California. rev. 30:73.
 photosynthesis. review of. abst. 30:323.
 phytoalexins from new class. abst. 30:69.
 pistil. histochemistry development. abst. 30:323.
 propagation of. from shoot apices. abst. 30:325.
 on chip and T-bud vines in California. factors
 affecting. 30:1-2.
 rooting. indolebutyric acid and refrigeration
 effect. 30:28-31.
 rootstocks, storage and field practices exami-
 nation. 30:79-80.
 protein fractions. juice, crop level effect. 30:8-10.
 pruning level. effect on growth and yield. Shiraz.
 30:218-23.
 root borer. methyl parathion control. abst. 30:259.
 rooting of cuttings. indolebutyric acid and refriger-
 ation effect. 30:28-31.
 rootstocks. amino acid analysis for effect on wine.
 30:306-16.
 Salt Creek. Shiraz quality. abst. 30:163.
 storage and field practices examination.
 30:79-80.
- Grapevine. air pollutants effect on growth and produc-
 tivity. abst. 322.
 amino acid in juice, crop level effect. 30:8-10.
 assimilate transport in. abst. 30:259.
 biuret. effect on. abst. 30:69.
 blister mite, *Errophytes vitis*, on vine. abst. 30:258.
 Botrytis development and vine treatment. abst.
 30:163.

- used in callusing methods tests. 30:106-10.
 root temperature and rootstock effect on growth and fruit of Cabernet Sauvignon in California. 30:312-6.
 sap, bleeding. nitrogen fertilizer effect on. 30:14-17.
 seed germination and development. various changes during. abst. 30:325.
 sprinkler irrigated. sodium and chloride in leaves. abst. 30:258.
 starwheel sprayer use. abst. 30:70.
 T-budded vines. various treatments effect on. 30:1-2.
 Thompson Seedless. nitrogen fertilizer effect on bleeding sap. 30:14-17.
 ethephon, gibberellic acid effect on maturation. 30:11-12.
 topping of vines, time of effect. 30:1-2.
 trellis influence on yield and quality of Cabernet Sauvignon. 30:236-40.
 types used in fermentation method comparisons. 30:139-46.
Vitis vinifera. grafting callusing methods compared. 30:106-10.
- Grapevine disease. blister mite in South Africa. abst. 30:258.
 brown rot in India. abst. 30:259.
 downy mildew. fungicidal acylalanines effect. abst. 30:259.
 root borer. methyl parathion efficacy. abst. 30:259.
 summer mottle. abst. 30:259.
- H**
- Harvesting. berry picking force. 30:135-7.
 sugar level estimate by meteorological data. 30:253-5.
 time effect on Cowart muscadine. 30:241-6.
- Histamine in wine. Canadian. 30:19-20.
- Hydrogen sulfide in fermentating must. origin and control. 30:187-96.
- Hydroxycinnamic acid tartaric acid ester in grape and must. 30:198-201.
- I**
- Indolebutyric acid. see Acid.
- Irrigation. Chenin blanc, factors affecting. abst. 30:259.
 and pruning level effect on Shiraz growth and yield. 30:218-23.
 effect on proline and abscisic acid in white grape. 30:64-5.
 level of, and floral initiation. 30:3-7.
- Isoamyl acetate. volatile in Pinotage red wine. 30:167-72.
- K**
- KHT. see Tartrate.
- L**
- Leafroll. see Grape.
- M**
- Malic acid. see Acid.
- Malo-lactic fermentation. bacterial inoculation time effect. 30:157-9.
- Maturation, grape. ethephon and gibberellin effect on Thompsons. 30:11-12.
 gibberellin, bloom applied, effect on Thompson raisins. 30:224-6.
- Mechanical harvesting. cordon coils for vine training 30:284-8.
- Merlot. use in phenolic changes studies. 30:111-16.
- Meteorological data, in estimating field sugar level. Concords. 30:253-5.
- Mildew, powdery. sensory effect on wine. 30:321.
- Monterey County, California. vine tests. 30:1-2.
- Muscadine. anthocyanidin-3,5-diglucosides in. abst. 30:257.
 Cowart. ripeness, harvest time effect on grapes. 30:241-6.
- Musts. acetic acid threshold. 30:130-4.
 hydrogen sulfide in. origin and control. 30:187-96.
 hydroxycinnamic acid tartaric acid ester analysis. 30:198-201.
 nitrogen content study. abst. 30:161.
 pectic substance determination method. 30:182-5.
 Wine. nitrogen fertilizer effect. 30:124-9.
- Müller-Thurgau. procyanidins in wine of. 30:289-300.
- N**
- Nematode. effect of DBCP treatment of vineyards on. 30:38-44.
- Nitrogen. fertilizer. effect on bleeding sap, Thompsons. 30:14-17.
 in Egyptian wine. 30:272-4.
 total. in Cabernet Sauvignon wine, rootstock effect. 30:310.
- Nonflavonoid phenols in wine analysis. 30:98-102.
- O**
- Oxidation. see, also, Browning.
 dichromate in wine alcohol determination. 30:61-3.
 ethanol, in rat liver studies. abst. 30:72.
- P**
- Pectic enzyme. see Enzyme.
- Pectic substances. determination method in grape and must. 30:182-5.
- Penicillium roqueforti*. patulin produced by, from grape. abst. 30:257.
- Peroxidase enzyme pattern change with ethephon

- treatment. 30:275-7.
- pH. effect on pyruvic acid production in alcoholic fermentation. 30:318-20.
- Phenols. changes during aging and fermentation. 30:111-16.
 cinnamates of grape and wine, analysis. abst. 30:72.
 nonflavonoid, in wine, analysis. 30:98-102.
 oxygen uptake changes in sherry and dry white wine. 30:53.
 procyanidins in white wine. 30:289-300.
- Pigment. anthocyanin from grape as food color. abst. 30:257.
 Concord grape, food color. abst. 30:256.
- Pinotage, cultivar. isoamyl acetate in bouquet of. 30:167-72.
- Pomace. contact time and wine flavor. 30:179-80.
- Potassium. in California wines. 30:55-6.
 leafroll effect on in grape. 30:91-2.
- Powdery mildew. see Mildew.
- Procyanidins of white wine and grapes. 30:289-300.
- Proline in white grapes. irrigation effect. 30:64-5.
- Propagation. see Grapevine.
- Protein. fractions, in juice, crop level effects of. 30:8-10.
 microdetermination of in wine and juice. abst. 30:324.
- Pruning. see, also, Grapevine.
 level and irrigation effect on growth and yield, Shiraz. 30:218-23.
 sapwood surface protection. abst. 30:73.
- Pyruvic acid. see Acid.
- Q**
- Quality, of wine. see Sensory tests.
- R**
- Refrigeration. effect on vine rooting. 30:28-31.
- Root temperature. effect on growth and fruit of Cabernet Sauvignon. 30:312-16.
- Rootstock. see, also, Grapevine.
 amino acid in grape and wine as affected by. 30:306-11.
 and root temperature effect on growth and fruit of Cabernet Sauvignon. 30:312-16.
- S**
- Sap, bleeding in grapevine. see Grapevine.
- Schizosaccharomyces pombe*. use in malic acid reduction, wine. 30:45-8.
- Seeds, grape. meal as food source. abst. 30:256.
- Sensory tests. a nine-category scoring system. 30:278-83.
 acetic acid, ethyl acetate thresholds. 30:133.
 acids, various, effect on taste compared. 30:93-7.
 color influence, red wine. abst. 30:72.
 isoamyl acetate in Pinotage bouquet. 30:168-71.
 malic acid reduction in wine by special yeast. 30:47.
 mildew, powdery effect on wine. 30:321.
 nitrogen fertilizer effects on wine. 30:124-9.
 oxidation in dry white and sherry. 30:49-54.
 pectic enzyme effect on white grape wine. 30:25-6.
 pomace contact time effect on flavor of Chardonnay. 30:179.
 soil type effect on Chardonnay quality. 30:214-7.
 white, three vinification methods compared. 30:146-51.
 yeast strains in sweet wine with continuous fermentation. 30:81-7.
- Sephadex LH-20. use in white wine procyanidins study. 30:289-300.
- Seyval. procyanidins in wine of. 30:289-300.
- Sherry. changes in oxygen exposure. 30:49-55.
 potassium and sodium in California varieties. 30:55-6.
- Shiraz. irrigation and pruning level effect on growth and yield. 30:218-23.
- Sodium in California wines. 30:55-6.
- Solids, soluble. muscadine, Cowart. harvest time effect. 30:241-6.
 rotundifolia berry. 30:135-17.
 volumetric determination. 30:166.
- Soil, type. effect on Chardonnay quality. 30:214-17.
- Spectrophotometry. acetamide changes studies. 30:117-8.
 oxidative changes in sherry and dry white wine. 30:50-1.
 tartrate stabilization process. 30:267.
- Stabilization, tartrates in wine. contact process. 30:265-71.
- Storage, wine. abscisic acid increase during. 30:103-5.
 abscisic acid in during. 30:232-5.
- Sugar. in grapevine sap, nitrogen effect on. 30:14-17.
 residual. three fermentation methods compared. 30:142.
- Sultana. see Thompson Seedless, Grape.
- T**
- Tartrate. potassium bitartrate. stabilization of, contact process. 30:265-71.
- Taste test. see Sensory tests.
- Thompson Seedless grape. cryolite residue level, analysis. 30:202-4.
 effect of ethephon and gibberellin on. 30:11-12.
 gibberellin, bloom applied. effect on yield and quality of raisins. 30:224-6.
 leafroll effect on acid, potassium. 30:91-2.
 nitrogen fertilizer. effect on must and wine. 30:124-9.
 effect on bleeding sap. 30:14-7.

pectic enzyme treatment effect. 30:24-5.
propagation study. 30:28-31.

Trellising. see Grapevine.

V

Valves. aseptic. sampling. 30:76.

Vine. see Grapevine.

Vineyard. see Grapevine.

Vinification. see Fermentation.

Vitis species. see Grapevine.

W

Waste, winery, treatment of. abst. 30:160.

Wine. abscisic acid in during storage. 30:103-5, 232-5.
acetamides, formation differences. 30:117-18.
acetic acid, ethyl acetate thresholds. 30:130-4.
acids, various. effect on taste compared. 30:93-7.
alcohol, determination of by dichromate oxidation.
30:61-3.
amino acid. Egyptian wine. 30:272-4.
analysis of rootstock effect. 30:306-11.
apple. antiviral effect. rev. 30:164.
April reds as cask and flagon wines. abst. 30:256.
aroma analysis, methods compared. abst. 30:70.
Aurore. volatile components determination of.
abst. 30:324.
Beaujolais, pigments and quality. abst. 30:257.
beer making. rev. 30:163.
bitterness in. rev. 30:261.
blanketing with inert gases. abst. 30:161.
books on. alcoholic beverages. general. rev. 30:260.
America, general survey. rev. 30:73.
encyclopedia of. rev. 30:74.
European, reference. rev. 30:260.
France. Lichine guide. rev. 30:260.
guide for amateurs to winemaking. rev.
30:260.
roads of Italy. general. rev. 30:75.
tours of California. rev. 30:260.
white, of world, general. rev. 30:74.
world of, guide. rev. 30:74.
Botrytis cinerea cell autolyzates. abst. 30:71.
calcium analysis, rapid method. 30:57-8.
Canadian. histamine in. 30:19-20.
casks, liners of. abst. 30:71.
Catawba. volatiles in. rev. 30:261.
Chardonnay. soil effect on quality. 30:214-17.
chemistry of winemaking. rev. 30:261.
computer model of winery. 30:208-13.
cooperage. general. rev. 30:260.
corks. synthetic. abst. 30:160.
deacidification, calcium double-salt method.
30:227-31.
Egyptian. constituents of fresh and aged. 30:205-7.
total nitrogen and amino acids. 30:272-4.
esters in, formation and retention. temperature ef-
fect. 30:301-5.
evaluation. nine-category system. 30:278-83.

fermentation, esters. production and retention,
temperature effect. 30:301-5.
temperature and fermentor relationship.
30:152-6.

filterability of, test method. 30:174-8.

freon extraction method for ester and higher al-
cohol analysis. 30:250-2.

hydrogen sulfide in must. origin and control.
30:187-96.

insect control in cellar. rev. 30:75.

malic acid reduction by yeast. 30:45-8.

microbiology of. rev. 30:261.

mildew, powdery. sensory effect. 30:321.

nitrogen, fertilizer effect on. 30:124-9.
total in Egyptian. 30:272-4.

nomograph, relative-density-extract-alcohol, for
table. 30:262.

nonflavonoid phenols analysis. 30:98-102.

oxidation of dry white. change with degree of air
exposure tests. 30:49-54.

palm wine. dimethyl nitrosamines in. rev. 30:261.

pectic enzyme treatment effect. 30:22-6.

phenolics change in aging and fermentation.
30:111-6.

Pinotage, iosamyl acetate in. 30:167-72.

potassium. in California. 30:55-6.

at harvest and quality. Australian. abst.
30:162.

production. computer model for. 30:208-13.

quality. and grape components. abst. 30:162.

improvement in hot climates. South Africa.
abst. 30:162.

improvement in temperate regions. abst.
30:162.

ripening time effect. abst. 30:162.

rootstocks effect on amino acids in. 30:321.

sherry change on oxygen exposure. 30:49-54.

sodium in various California. 30:55-6.

spacehead analysis reproducibility. abst. 30:325.

stabilization. deacidification, calcium double-salt
method. 30:227-31.

of tartrates, contact process. 30:265-71.

sulphur dioxide analysis. abst. 30:161.

sweet. control of yeast production in. 30:88-90.

fortified. yeast strains evaluated, continuous
fermentation. 30:81-7.

tartrate stabilization, contact process. 30:265-71.

temperature, fermentor relationship. 30:152-6.

thinning and gibberellin effect. abst. 30:69-70.

vinegar. Spanish, quality of. abst. 30:160.

vitamins in California. water soluble. abst. 30:162.

white table. chemistry of. rev. 30:261.

procyanidins of. 30:289-300.

three fermentation methods compared.
30:139-44, 146-51.

yeast, genetic improvement of. 30:33-6.

Winery, computer model for. 30:208-13.

Y

Yeast. baker's. biotin and metabolism of. abst. 30:324.

control of hydrogen sulfide in grape must. 30:187-96.

H₂S production of. rev. 30:74.

Saccharomyces. species strains production compared in continuous fermentation. 30:81-7.

cerevisiae. control of in continuous fermentation. 30:88-90.

Schizosaccharomyces pombe. and malic acid reduction. 30:45-8.

strain effect on pyruvic acid production in alcoholic fermentation. 30:318-20.

nitrogen metabolism and H₂S control. abst. 30:187-96.

wine. genetic improvement. 30:33-6.

preservation of in winery. 30:326.

Z

Zinfandel. see, also, Grape.

acetamide, formation differences. 30:117-18.

juice, protein and amino acid, crop level effect on. 30:8-10.