

INDEX

VOLUME 35, 1984

AUTHOR INDEX

A

- Aiken, J. W., and A. C. Noble. Comparison of the aromas of oak- and glass-aged wines. 35:196-9.
- Amerine, M. A. Abstracts. 35:55, 113.
- Andrews, P. K., C. R. Sandidge III, and T. K. Toyama. Res. note. Deep supercooling of dormant and deacclimating *Vitis* buds. 35:175-7.
- Antcliff, A. J. See P. L. Williams. 35:75-6.
- Arnold, R. A. See A. C. Noble. 35:107-9.
- Ashton, G. C. See C. L. Duitschaever. 35:88-93.
See C. Buteau. 35:228-36.

B

- Bailey, L. F. See H. H. Weetall. 35:212-15.
- Baldwin, D. S. See J. R. Mac Allister. 35:52-3.
- Berg, H. W. See G. M. Cooke 35:137-42.
- Boulton, R. See F. De La Garza 35:189-95.
- Bosch, D. F. See H. Kido 35:156-60.
- Bourque, J. E. See J. R. Morris. 35:23-7.
- Brock, M. L., R. E. Kepner, and A. D. Webb. Comparison of volatiles in a Palomino wine and a submerged culture flor sherry. 35:151-5.
- Bravdo, B., Y. Hepner, C. Loinger, S. Cohen, and H. Tabacman. Effect of crop level on growth, yield, and wine quality of a high yielding Carignane vineyard. 35:247-52.
- Bursick, G. F. See A. C. Noble. 35:110-12.
- Buteau, C., C. L. Duitschaever, and G. C. Ashton. A study of the biogenesis of amines in a Villard noir wine. 35:228-36.
See C. L. Duitschaever. 35:88-93.

C

- Carroll, D. E. Evaluation of sparkling wines produced from muscadine cultivars (*Vitis rotundifolia* Michx.). 35:72-4.
- Christensen, P. Nutrient level comparisons of leaf petioles and blades in twenty-six grape cultivars over three years (1970-1981). 35:124-33.
- Clementi, F., and J. Rossi. Res. note. Effect of drying and storage conditions on survival of *Leuconostoc oenos*. 35:183-6.
See J. Rossi. 35:100-2.
- Cohen, S. See S. Gorinstein. 35:9-15.
See B. Bravdo. 35:247-52.

- Cooke, G. M., and H. W. Berg. A re-examination of varietal table wine processing practices in California. II. Clarification, stabilization, aging and bottling. 35:137-42.
- Corten, P. F. See J. A. Delcour. 35:134-6.
- Cox, M. D. Tech. note. Errors in the dichromate oxidation alcohol method due to varying rinse water amounts. 35:54.
See M. D. Foster. 35:103-6.
- Craig, J. T., and T. Heresztyn. Res. note. 2-Ethyl-3,4,5,6-tetrahydropyridine — An assessment of its possible contribution to the mousy off-flavor of wines. 35:46-8.

D

- De La Garza, F., and R. Boulton. The modeling of wine filtrations. 35:189-95.
- Delcour, J. A., M. M. Vandenberghe, P. F. Corten, and P. Dondeyne. Flavor thresholds of polyphenolics in water. 35:134-6.
- Deutsch, J. See S. Gorinstein. 35:9-15.
- Dimitriadis, E., and P. J. Williams. The development and use of a rapid analytical technique for estimation of free and potentially volatile monoterpene flavorants of grapes. 35:66-71.
- Dondeyne, P. See J. A. Delcour. 35:134-6.
- Doster, M., and M. A. Sall. Phytotoxicity to grapevines of fenarimol and triadimefon. 35:97-9.
- Draper, P. See L. P. Mc Closkey. 35:257.
- Duitschaever, C. L., C. Buteau, and G. C. Ashton. Edulcoration of white wine with xylitol and Seyval blanc juice reserve. 35:88-93.
See C. Buteau. 35:228-36.
- Dundon, C. G., and R. E. Smart. Effects of water relations on the potassium status of Shiraz vines. 35:40-5.
—, R. E. Smart, and M. G. Mc Carthy. The effect of potassium fertilizer on must and wine potassium levels of Shiraz grapevines. 35:200-5.

E

- Ende, B. van den. The Tatura Trellis — A system of growing grapevines for early and high production. 35:82-7.

- F**
- Flaherty, D. L. See H. Kido 35:156-60.
- Foster, M. D., and M. D. Cox. Res. note. Winemaking with a decanter centrifuge. 35:103-6.
- Fouse, D. C. See C. M. Harris. 35:5-8.
- Franco, D. S., and V. L. Singleton. The changes in certain components of Setubal wines during aging. 35:146-50.
- G**
- Gardner, G. J. See D. J. Lockwood 35:178-82.
- Giannakopoulos, P. I., P. Markakis, and G. S. Howell. The influence of malolactic strain on the fermentation on wine quality of three eastern red wine grape cultivars. 35:1-4.
- Goldblum, A. See S. Gorinstein. 35:9-15.
- Gorinstein, S., A. Goldblum, S. Kitov, J. Deutsch, C. Loinger, S. Cohen, H. Tabacman, A. Stiller, and A. Zykerman. The relationship between metals, polyphenols, nitrogenous substances and treatment of red and white wines. 35:9-15.
- H**
- Harris, C. M., J. M. Harvey, and D. C. Fouse. Penetration and retention of methyl bromide in packaged table grapes. 35:5-8.
- Harvey, J. M. See C. M. Harris. 35:5-8.
- Hemmings, P. C. See D. I. Jackson 35:161-3.
- Hepner, Y. See B. Bravdo. 35:247-52.
- Heresztyn, T. See J. T. Craig. 35:46-8.
- Howell, G. S. See P. I. Giannakopoulos. 35:1-4.
See J. A. Wolpert. 35:237-41.
See J. A. Wolpert. 35:242-6.
- Hrazdina, G., G. F. Parsons, and L. R. Mattick. Physiological and biochemical events during development and maturation of grape berries. 35:220-7.
- J**
- Jackson, D. I., G. F. Steans, and P. C. Hemmings. Vine response to increased node numbers. 35:161-3.
- Johnson, J. O. See R. J. Weaver. 35:94-6.
- K**
- Kasimatis, A. N. See R. J. Weaver. 35:94-6.
- Kepner, R. E. See M. L. Brock 35:151-5.
- Kitov, S. See S. Gorinstein. 35:9-15.
- Kido, H., D. L. Flaherty, D. F. Bosch, and K. A. Valero. French prune trees as overwintering sites for the grape leafhopper egg parasite. 35:156-60.
- Klempka, K. C., C. P. Meredith, and M. A. Sall. Dual culture of grape powdery mildew (*Uncinula necator* Burr.) on its host (*Vitis vinifera* L.). 35:170-4.
- Kliwer, W. M. See J. M. Kobriger 35:164-9.
See R. J. Smith. 35:16-22.
See E. Syzjewicz 35:117-23.
Abstract. 35:113.
- Kobriger, J. M., W. M. Kliwer, and S. T. Lagiers. Effects of wind on water relations of several grapevine cultivars. 35:164-9.
- Kuniyuki, A. H., C. Rous, and J. L. Sanderson. Enzyme-linked immunosorbent assay (ELISA) detection of *Brettanomyces* contaminants in wine production. 35:143-5.
- Kupina, S. A. Simultaneous quantitation of glycerol, acetic acid, and ethanol in grape juice by high performance liquid chromatography. 35:59-62.
- L**
- Labbé, H. J. See D. J. Lockwood 35:178-82.
- Lagier, S. T. See J. M. Kobriger 35:164-9.
- Lockwood, D. J., H. J. Labbé, and G. J. Gardner. Res. note. Spectroscopic analysis of wine crystals. 35:178-82.
- Loinger, C. See S. Gorinstein. 35:9-15.
See B. Bravdo. 35:247-52.
- Lyon, M. R. See J. R. Mac Allister. 35:52-3.
- M**
- Mac Allister, J. R., M. R. Lyon, L. A. Topping, and D. S. Baldwin. Tech. note. A method of evaluating pad filters and their effects on membrane life. 35:52-3.
- Markakis, P. See P. I. Giannakopoulos. 35:1-4.
- Mascarenhas, M. A. Res. note. The occurrence of malolactic fermentation and diacetyl content of dry table wines from northeastern Portugal. 35:49-51.
- Masuda, B. M. See A. C. Noble. 35:107-9.
- Mattick, L. R. See G. Hrazdina. 35:220-7.
- Mc Carthy, M. G. See C. G. Dundon. 35:200-5.
- Mc Closkey, L. P., B. Painter, D. Noyes, and P. Draper. Tech. note. A new enzymatic assay for glucose and fructose. 35:257.
- Mc Cord, J. D., E. Trousdale, and D. D. Y. Ryu. An improved sample preparation procedure for the analysis of major organic components in grape must and wine by high performance liquid chromatography. 35:28-9.
- Mc Kenry, M. V. Grape root phenology relative to control of parasitic nematodes. 35:206-11.

Meredith, C. P. See K. C. Klempka. 35:170-4.

Abstracts. 35:187, 258.

Morris, J. R., C. A. Sims, J. E. Bourque, and J. L. Oakes. Influence of training system, pruning severity, and spur length on yield and quality of six French-American hybrid grape cultivars. 35:23-7.

See C. A. Sims. 35:35-9.

See R. K. Striegler. 35:216-9.

N

Nagaoka, R. See C. S. Ough. 35:30-4.

Noble, A. C., R. A. Arnold, B. M. Masuda, S. D. Pecore, J. O. Schmidt, and P. M. Stern. Res. note. Progress towards a standardized system of wine aroma terminology. 35:107-9.

—, and G. F. Bursick. Res. note. The contribution of glycerol to perceived viscosity and sweetness in white wine. 35:110-12.

See J. W. Aiken. 35:196-9.

Noyes, D. See L. P. Mc Closkey. 35:257.

O

Oakes, J. L. See J. R. Morris. 35:23-7.

Onkarayya, H., and H. Singh. Screening of mango varieties for dessert and madeira-style wines. 35:63-5.

Ough, C. S., and R. Nagaoka. Effect of cluster thinning and vineyard yields on grape and wine composition and wine quality of Cabernet Sauvignon. 35:30-4.

Abstracts. 35:55, 56, 187.

P

Painter, B. See L. P. Mc Closkey. 35:257.

Parsons, G. F. See G. Hrazdina. 35:220-7.

Pecore, S. D. See A. C. Noble. 35:107-9.

Porter, L. J. Abstract. 35:114.

Puech, J.-L. Characteristics of oak wood and biochemical aspects of Armagnac aging. 35:77-81.

R

Rosner, N. See E. Szyjewicz. 35:117-23.

Rossi, J., and F. Clementi. Res. note. L-malic acid catabolism by polyacrylamide gel entrapped *Leuconostoc oenos*. 35:100-2.

See F. Clementi. 35:183-6.

Rous, C. See A. H. Kuniyuki. 35:143-5.

Ryu, D. D. Y. See J. D. Mc Cord. 35:28-9.

S

Sall, M. A. See M. Doster. 35:97-9.

See K. C. Klempka. 35:170-4.

Sanders, E. M. Abstract. 35:114.

Sanderson, J. L. See A. H. Kuniyuki. 35:143-5.

Sandidge, C. R. III. See P. K. Andrews. 35:175-7.

Schmidt, J. O. See A. C. Noble. 35:107-9.

Sims, C. A., and J. R. Morris. Effects of pH, sulfur dioxide, storage time, and temperature on the color and stability of red muscadine grape wine. 35:35-9.

See J. R. Morris. 35:23-7.

Singh, H. See H. Onkarayya. 35:63-5.

Singleton, V. L. See D. S. Franco. 35:146-50.

Smart, R. E. See C. G. Dundon. 35:40-5.

See C. G. Dundon. 35:200-5.

Smith, R. J., and W. M. Kliewer. Estimation of Thompson Seedless grapevine leaf area. 35:16-22.

Snow, R. Abstract. 35:56.

Steans, G. F. See D. I. Jackson. 35:161-3.

Steiner, D. See J.-C. Villettaz. 35:253-6.

Stern, P. M. See A. C. Noble. 35:107-9.

Stiller, A. See S. Gorinstein. 35:9-15.

Striegler, R. K., and J. R. Morris. Yield and quality of wine grape cultivars in Arkansas. 35:216-9.

Szyjewicz, E., N. Rosner, and W. M. Kliewer. Ethephon ((2-chloroethyl)phosphonic acid, Ethrel, CEPA) in viticulture. — A review. 35:117-23.

T

Tabacman, H. See S. Gorinstein. 35:9-15.

See B. Bravdo. 35:247-52.

Topping, L. A. See J. R. Mac Allister. 35:52-3.

Toyama, T. K. See P. K. Andrews. 35:175-7.

Trogus, H. See J.-C. Villettaz. 35:253-6.

Trousdale, E. See J. D. Mc Cord. 35:28-9.

V

Vandenbergh, M. M. See J. A. Delcour. 35:134-6.

Valero, K. A. See H. Kido. 35:156-60.

Vilas, N. See R. J. Weaver. 35:94-6.

Villettaz, J.-C., D. Steiner, and H. Trogus. Res. note. The use of a beta glucanase as an enzyme in wine clarification and filtration. 35:253-6.

W

Weaver, R. J., A. N. Kasimatis, J. O. Johnson, and N. Vilas. Effect of trellis height and crossarm width and angle on yield of Thompson Seedless grapes. 35:94-6.

Webb, A. D. See M. L. Brock 35:151-5.

Abstracts. 35:55, 113-14, 187.

Review. 35:57.

Weetall, H. H., J. T. Zelco, and L. F. Bailey. A new method for the stabilization of white wine. 35:212-15.

Williams, P. J. See E. Dimitriadis. 35:66-71.

Williams, P. L., A. J. Antcliff. Successful propagation of *Vitis berlandieri* and *Vitis cinerea* from hardwood cuttings. 35:75-6.

Wolpert, J. A., and G. S. Howell. Effects of cane length and dormant season pruning date on cold hardiness and water content of Concord bud and cane tissues. 35:237-41.

—, and G. S. Howell. Sampling Vidal blanc grapes. II. Sampling for precise estimates of soluble solids and titratable acidity of juice. 35:242-6.

XYZ

Zelco, J. T. See H. H. Weetall. 35:212-15.

Zykerman, A. See S. Gorinstein. 35:9-15.

SUBJECT INDEX

A

Acetals. comparison of volatiles in Palomino and sherry. 35:151-5.

Acetic acid. quantitation by HPLC. 35:59-62.

Acid. acetic. quantitation by HPLC. 35:59-62.

alpha amino. Cabernet Sauvignon wine. 35:30-4.

changes during grape berry maturation. 35:220-7.

malic. catabolism. 35:183-6.

Acidity, titratable. sampling Vidal blanc grapes. 35:242-6.

Aging. Armagnac in oak wood. 35:77-81.

aroma comparison of oak- and glass-aged wines. 35:196-9.

practices in California. 35:137-42.

Setubal wines. 35:146-50.

Alcohol determination. dichromate oxidation method. 35:54.

Alpha amino acid. Cabernet Sauvignon wine. 35:30-4.

Amines. biogenic. in Villar noir. 35:228-36.

Anagrus epos. grape leafhopper control. 35:156-60.

Analysis, descriptive. wine aroma terminology. 35:107-9.

Analysis. alcohol. 35:54.

descriptive. aroma comparison of oak- and glass-aged wines. 35:196-9

differential thermal. deep supercooling of *Vitis* buds. 35:175-7.

grape must and wine. 35:28-9.

monoterpene flavorants. 35:66-71.

wine components. 35:28-9.

Anthocyanin. changes during grape berry maturation. 35:220-7.

Armagnac. oak wood aging. 35:77-81.

Aroma. comparison of oak- and glass-aged wines. 35:196-9.

comparison of volatiles in Palomino wine and sherry. 35:151-5.

standardized wine aroma terminology. 35:107-9.

Aspergillus. HPLC detection in juice. 35:59-62.

B

Bacterial spoilage in grape juice. detection. 35:59-62.

Barrel-aging. aroma comparison of oak- and glass-aged wines. 35:196-9.

Setubal wines. 35:146-50.

Beta glucanase. wine clarification and filtration. 35:253-6.

Biogenic amines. in Villard noir wine. 35:228-36.

Biological control of grape leafhopper. 35:156-60.

Body, wine. See sensory evaluation.

Boron. levels in grape leaf petioles and blades. 35:124-33.

Botrytis. HPLC detection in juice. 35:59-62.

Bottling. practices in California. 35:137-42.

Brettanomyces. ELISA detection in wine. 35:143-5.
intermedius. 35:46-8.

Browning capacity of wine. made with decanter centrifuge. 35:103-6.

Setubal wines. 35:146-50.

C

- Cabernet Sauvignon grapevines. crop level effect on wine. 35:30-4.
 response to increased node number. 35:161-3.
 Tatura Trellis training. 35:82-7.
- Cabernet Sauvignon wine. aroma comparison of oak- and glass-aged wines. 35:196-9
 composition and quality. 35:30-4.
 fermentation rate. 35:10-4.
- Calcium tartrate. spectroscopic analysis of wine crystals. 35:178-82.
- Cane. vine response to increased node number. 35:161-3.
- Canopy design. Tatura Trellis. 35:82-7.
- Carignane grapevines. crop level effect. 35:247-52.
 (+)– Catechin. polyphenolic thresholds. 35:134-6.
- Cations. changes during development of grape berries. 35:220-7.
- Centrifugation. decanter centrifuge. 35:103-6.
- CEPA. See ethephon.
- Ceratitidis capitata*. methyl bromide treatment of packaged grapes. 35:5-8.
- Chancellor grapes. influence of malolactic strain on fermentation. 35:1-4.
- Chardonnay grapevines. response to increased node number. 35:161-3.
- Cheloid grapevines. deep supercooling of dormant and deacclimating buds. 35:175-7.
- (2-Chloroethyl)phosphonic acid. See ethephon.
- Chromatography. high performance liquid. glycerol, acetic acid, and ethanol quantitation. 35:59-62.
 wine component analysis. 35:28-9.
- Clarification, wine. beta glucanase use. 35:253-6.
 decanter centrifuge. 35:103-6.
- Cluster thinning. effect on Carignane. 35:247-52.
- Cold hardiness. Concord bud and cane tissues. 35:237-41.
 deep supercooling of dormant and deacclimating *Vitis* buds. 35:175-7.
- Cold stability testing. 35:137-42.
- Color stability. red muscadine grape wine. 35:35-9.
- Composition, must. crop level effect on Carignane. 35:247-52.
- Composition, wine. analysis. 35:28-9.
 changes during aging of Setubal wines. 35:146-50.

- crop level effect on Carignane. 35:247-52.
- Concord grapevines. cold hardiness. 35:237-41.
 deep supercooling of dormant and deacclimating buds. 35:175-7.
- Cooperage. practices in California. 35:137-42.
- Crop level. effect on Cabernet Sauvignon wine. 35:30-4.
 effect on Carignane. 35:35:247-52.
- Crossarm angle. Thompson Seedless trellising. 35:94-6.
- Crossarm width. Thompson Seedless trellising. 35:94-6.
- Crouchen grapevines. Tatura Trellis training. 35:82-7.
- Cultivar evaluation. nutrient level comparisons. 35:124-33.
 yield and quality of Arkansas grape cultivars. 35:216-19.
- Cuttings. *V. berlandieri* and *V. cinerea*. 35:75-6.

D

- De Chaunac. influence of malolactic strain on fermentation. 35:1-4.
- Decanter centrifuge. 35:103-6.
- Degradation. lignin., in aging of Armagnac in oak. 35:77-81.
- Descriptive analysis. aroma comparison of oak- and glass-aged wines. 35:196-9.
 standardized wine aroma terminology. 35:107-9.
- Dessert wines. mango. 35:63-5.
- Development, grape berry. physiological and biochemical events. 35:220-7.
- Diacetyl formation. in wine from Portugal. 35:49-51.
- Dichromate oxidation method for alcohol determination. 35:54.
- Differential thermal analysis. deep supercooling of dormant and deacclimating *Vitis* buds. 35:175-7.
- Disease resistance. grape powdery mildew. 35:170-4.
- Dried fermentation starters. 35:183-6.
- Dual culture. *Uncinula necator* on *V. vinifera* L. 35:170-4.

E

- Edulcoration. with xylitol and Seyval blanc juice reserve. 35:88-93.
- Edwardsiana prunicola*. overwintering host for grape leafhopper egg parasite. 35:156-60.
- ELISA. *Brettanomyces* detection in wine. 35:143-5.
- Enzymatic assay for glucose and fructose. 35:257.

- Enzyme. beta glucanase in wine clarification and filtration. 35:253-6.
 changes during grape berry development. 35:220-7.
- Erythroneura elegantula*. biological control by egg parasite. 35:156-60.
- Ethanol. quantitation by HPLC. 35:59-62.
- Ethephon. in viticulture. 35:117-23.
- Ethrel. See ethephon.
- 2-Ethyl-3,4,5,6-tetrahydropyridine. contribution to mousy flavor in wine. 35:46-8.
- Evaluation of pad filters. 35:52-3.
- Evaluation, cultivar. See cultivar evaluation.
- Evaluation, sensory. See sensory evaluation.
- Extraction. lignin. in oak-aged Armagnac. 35:77- 81.
 tannin. in oak-aged Armagnac. 35:77-81.
- F**
- Fenarimol. phytotoxicity to grapevines. 35:97-9.
- Fermentation. malolactic. in wine from Portugal. 35:49-51.
 influence of strain on wine quality. 35:1-4.
- Fermentation rate. Cabernet Sauvignon wine. 35:30- 4.
- Fertilizer. potassium. 35:40-5.
 effect on Shiraz. 35:200-5.
- Filter testing. mathematical models for filter media fouling. 35:189-95.
- Filters. See filtration.
- Filtration, wine. beta glucanase use. 35:253-6.
 evaluating pad filters. 35:52-3.
 membrane life. 35:52-3.
 mathematical models for fouling of filter media. 35:189-95.
- Finishing, wine. practices in California. 35:137-42.
- Flavor. monoterpene flavorants in grapes. 35:66- 71.
 thresholds of polyphenolics in water. 35:134-6.
- Flavor, wine. aroma comparison of oak- and glass-aged wines. 35:196-9.
 glycerol contribution to sweetness and viscosity. 35:110-12.
 mousy. 35:46-8.
 standardized wine aroma terminology. 35:107-9.
- Fluidized-bed drying of *L. oenos*. 35:183-6.
- French-American hybrid. See hybrid.
- Fructose. enzymatic assay. 35:257.
- Fruit wines. mango. 35:63-5.
- Fruitfulness. vine response to increased node number. 35:161-3.
- Fumigation. methyl bromide on packaged grapes. 35:5-8.
- Fungicide. fenarimol. 35:97-9.
 triadimefon. 35:97-9.
- G**
- Gewürztraminer grapevines. response to increased node number. 35:161-3.
- Glucose. enzymatic assay. 35:257.
- Glycerol. quantitation by HPLC. 35:59-62.
- Gordo Blanco grapevines. Tatura Trellis training. 35:82-7.
- Grape defects. detection by HPLC. 35:59-62.
- Grape inspection. 35:59-62.
- Grape juice. enzymatic assay for glucose and fructose. 35:257.
 monoterpene flavorants . 35:66-71.
- Grapes, packaging. 35:5-8.
- Grapevine density. Tatura Trellis. 35:82-7.
- Grapevines, Cabernet Sauvignon. crop level effect on wine. 35:30-4.
 response to increased node number. 35:161-3.
 Tatura Trellis training. 35:82-7.
- Carignane. crop level effect. 35:247-52.
- Chardonnay. response to increased node number. 35:161-3.
- Chelois. supercooling of dormant buds. 35:175-7.
- Concord. cold hardiness. 35:237-41.
- Crouchen. Tautra Trellis training. 35:82-7.
- Gewürztraminer. response to increased node number. 35:161-3.
- Gordo Blanco. Tatura Trellis training. 35:82-7.
 nutrient level comparisons. 35:124-33.
 response to increased node number. 24:161-3.
- Müller Thurgau. response to increased node number. 35:161-3.
- Shiraz. water relations and K status. 35:40-5.
 potassium fertilizer effect on must and wine. 35:200-5.
- Thompson Seedless. leaf area estimation. 35:16- 22.
 trellising. 35:94-6.
 Tatura Trellis. 35:82-7.

- V. berlandieri* propagation. 35:75-6.
V. cinerea propagation. 35:75-6.
 White Riesling. supercooling of dormant buds. 35:175-7.
- H**
- Heat stability testing. 35:137-42.
 High performance liquid chromatography. See chromatography.
 Hybrid. French-American.
 Vidal blanc grapes. 35:242-6.
 yield and quality. 35:23-7.
 yield and quality of grape cultivars in Arkansas. 35:216-19.
- I**
- Infrared spectroscopy. analysis of wine crystals. 35:178-82.
 Iron. content in wine made with decanter centrifuge. 35:103-6.
- J**
- Juice reserve. edulcoration of white wine. 35:88-93.
- L**
- Lactic acid bacteria, dried. 35:183-6.
 Lactones. comparison of volatiles in Palomino and sherry. 35:151-5.
 Leaf area estimation. 35:16-22.
 Leaf water potential. wind effects on *V. vinifera*. 35:164-9.
 Leafhopper, grape. biological control. 35:156-60.
Leuconostoc oenos. influence of malolactic strain on fermentation. 35:1-4.
 survival. 35:183-6.
 Lignin. in oak-aged Armagnac. 35:77-81.
- M**
- Madeira-style wine. mango. 35:63-5.
 Malic acid catabolism. 35:183-6.
 Malolactic bacteria. biogenesis of amines in Villard noir. 35:228-36.
 Malolactic fermentation. See also fermentation.
 in wine from Portugal. 35:49-51.
 influence of malolactic strain. 35:1-4.
 L. oenos survival. 35:183-6.
 Mango wines. 35:63-5.
 Marechal Foch. influence of malolactic strain on fermentation. 35:1-4.
 Maturation, grape. crop level effect on Carignane. 35:247-52.
 physiological and biochemical events. 35:220-7.
 yield and quality of grape cultivars in Arkansas. 35:216-19.
Meloidogyne. grape root phenology relative to control. 35:206-11.
 Membrane, filter. pad filter effect on. 35:52-3
 Metals. in red and white wines. 35:9-15.
 Methyl bromide. packaged table grapes. 35:5-8.
 Mildew, powdery. dual culture on *V. vinifera* L. 35:170-4.
 Modeling. of wine filtrations. 35:189-95.
 Mold. HPLC detection in juice. 35:59-62.
 Monoclonal antibodies. *Brettanomyces* ELISA detection. 35:143-5.
 Monoterpene. estimation of flavorants in grapes. 35:66-71.
 Moscatel de Setubal. 35:146-50.
 Müller Thurgau grapevines. response to increased node number. 35:161-3.
 Muscadine. sparkling wine. 35:72-4.
 Muscatel. Moscatel de Setubal. 35:146-50.
 Must. Carignane., crop level effect on composition. 35:247-52.
 influence of malolactic strain on fermentation. 35:1-5.
 Mymarid egg parasite. grape leafhopper control. 35:156-60.
- N**
- Nematode. grape root phenology relative to control. 35:206-11.
 Nitrogen. levels in grape leaf petioles and blades. 35:124-33.
 Nitrogenous substances. in red and white wines. 35:9-15.
 Nodes. grapevine response to increased node number. 35:161-3.
 Nutrient level comparisons. 35:124-33.
- O**
- Oak-aging. Armagnac. 35:77-81.
 aroma comparison to glass-aged wine. 196-9.
 Brettanomyces detection. 35:143-5.

Overwintering host. for grape leafhopper egg parasite. 35:156-60.

P

Packaging of table grapes. 35:5-8.

Palomino wine. comparison of volatiles. 35:151-5.

pH. changes during grape berry ripening. 35:220-7.

effect on red muscadine grape wine. 35:35-9.

Phenolic compounds. extraction by oak-aged Armagnac. 35:77-81.

Phenology, grape root. 35:206-11.

Phenols. component changes during aging of Setubal wines. 35:146-50.

Phosphorus. levels in grape leaf petioles and blades. 35:124-33.

Physiological changes during grape berry maturation. 35:220-7.

Phytotoxicity. of fenarimol and triadimefon to vines. 35:97-9.

Polyphenols. flavor thresholds in water. 35:134-6.

red and white wine treatment. 35:9-15.

wine made with decanter centrifuge. 35:103-6.

Potassium bitartrate. spectroscopic analysis of wine crystals. 35:178-82.

Potassium. levels in grape leaf petioles and blades. 35:124-33.

levels in wine from K fertilized Shiraz. 35:200-5.

status of Shiraz. 35:40-5.

Potassium fertilizer. See fertilizer.

Powdery mildew, grape. dual culture on *V. vinifera* L. 35:170-4.

Processing, wine. practices in California. 35:137-42.

Procyanidins. thresholds of polyphenolics in water. 35:134-6.

Propagation. *V. berlandieri*. 35:75-6.

V. cinerea. 35:75-6.

Pruning.

severity. effect on Concord bud and cane tissues. 35:237-41.

influence on yield and quality. 35:23-7.

vine response to increased node number. 35:161-3.

weight. Carignane vines. 35:247-52.

Q

Quality. of grape cultivars in Arkansas. 35:216-19.

R

Raman spectroscopy. analysis of wine crystals. 35:178-82.

Red wine. See wine.

Ripening, grape berry. 35:220-7.

S

Saccharomyces fermentati. volatiles in Palomino wine and sherry. 35:151-5.

Sample preparation for wine analysis. 35:28-9.

Sampling. Vidal blanc grapes for soluble solids and titratable acidity. 35:242-6

Sauvignon blanc grapevines. response to increased node number. 35:161-3.

Sensory evaluation. aroma comparison of oak- and glass-aged wines. 35:196-9.

glycerol in white wine. 35:110-12.

influence of malolactic strain. 35:1-4.

of oak-aged Armagnac. 35:77-81.

standardized wine aroma terminology. 35:107-9.

Setubal wine. component changes during aging. 35:146-50.

Sherry. comparison of volatiles. 35:151-5.

submerged culture flor. 35:151-5.

Shiraz grapevines. K fertilizer effect on must and wine. 35:200-5.

Soluble solids. sampling Vidal blanc grapes. 35:242-6.

Sparkling wine. from muscadine cultivars. 35:72-4.

Spoilage, wine. contribution of 2-ethyl-3,4,5,6-tetrahydroxydipridine. 35:46-8.

Spur length. influence on yield and quality. 35:23-7.

Stability. cold. testing practices in California. 35:137-42.

color. red muscadine grape wine. 35:35-9.

heat. testing practices in California. 35:137-42.

Stabilization. practices in California. 35:137-42.

white wine. 35:212-15.

Standardized terminology. wine aroma. 35:107-9.

Stomatal behavior. wind effects on *V. vinifera*. 35:164-9.

Storage time. effect on red muscadine grape wine. 35:35-9.

Submerged culture flor sherry. 35:151-5.

Sugar. changes during grape berry development. 35:220-7.

enzymatic assay for glucose and fructose. 35:257.

Sulfur dioxide. effect on red muscadine grape wine. 35:35-9.

Sweetess. glycerol in white wine. 35:110-12.

T

Table wine. See wine.

Tannin. in oak-aged Armagnac. 35:77-81.

Tatura Trellis. 35:82-7.

Temperature. effect on red muscadine grape wine. 35:35-9.

Terminology. standardized for wine aroma. 35:107-9.

Thinning. effect on Cabernet Sauvignon wine. 35:30-4.
effect on Carignane. 35:247-52.

Thompson Seedless grapevines. leaf area estimation. 35:16-22.
trellising. 35:94-6.

Tissue analysis. nutrient level comparisons of 26 cultivars. 35:124-33.

Tissue culture. *Uncinula necator* on *V. vinifera* L. 35:170-4.

Titrateable acidity. sampling Vidal blanc grapes. 35:242-6.

Training system. influence on yield and quality. 35:23-7.
Tatura Trellis. 35:82-7.

Transpiration rate. wind effects on *V. vinifera*. 35:164-9.

Trellis. height effect on Thompson Seedless yield. 35:94-6.
Tatura. 35:82-7.

Triadimefon. phytotoxicity to grapevines. 35:97-9.

U

Ultraviolet absorbance. component changes during aging of Setubal wines. 35:146-50

Uncinula necator. dual culture on *V. vinifera* L. 35:170-4.

V

Vibrational spectroscopy. analysis of wine crystals. 35:178-82.

Viscosity. contribution of glycerol in white wine. 35:110-12.

Vitis. deep supercooling of buds. 35:175-7.

V. berlandieri., propagation. 35:75-6.

V. cinerea., propagation. 35:75-6.

V. rotundifolia Michx.. color and stability of muscadine wine. 35:35-9.

sparkling wine. 35:72-4.

yield and quality of grape cultivars in Arkansas. 35:216-19.

V. vinifera L., dual culture of grape powdery mildew. 35:170-4.

yield and quality of grape cultivars in Arkansas. 35:216-19.

wind effects on water relations. 35:164-9.

trellising., Tatura Trellis. 35:82-7.

Volatiles. Palomino wine and sherry. 35:151-5.

W

Water relations. effect on K status of Shiraz. 35:40-5.

wind effects on *V. vinifera*. 35:164-9.

White Riesling. deep supercooling of dormant and deacclimating buds. 35:175-7.

White wine. See wine.

Wind. effects on water relations of *V. vinifera*. 35:164-9.

Wine crystals. spectroscopic analysis. 35:178-82.

Wine quality. effect of thinning and yields on 35:30-4.

Wine. Cabernet Sauvignon. alpha amino. 35:30-4.

aroma comparison of oak- and glass-aged wines. 35:196-99.

Carignane. crop level effect on. 35:247-52.

cooperage. See cooperage.

edulcoration. 35:88-93.

enzymatic assay for glucose and fructose. 35:257.

madiera-style. See madiera.

mango. 35:63-5.

muscadine. sparkling. 35:72-4.

Palomino. comparison of volatiles. 35:151-5.

potassium fertilizer effect on. 35:200-5.

processing practices in California. 35:137-42.

Setubal. component changes during aging. 35:146-50.

stabilization. 35:212-15.

treatment. relationship between metals, polyphenols, and nitrogenous substances. 35:9-15.

Villard noir. biogenesis of amines. 35:228-36.

white. edulcoration. 35:88-93.

Winemaking. decanter centrifuge. 35:103-6.

Winter injury. Concord grapevines. 35:237-41.

Wood. oak. aroma comparison of oak- and glass-aged wines. 35:196-9.

X

Xiphinema americanum. grape root phenology relative to control. 35:206-11.

Xylitol. edulcoration of white wine. 35:88-93.

Y

Yield. Carignane. crop level effect on. 35:247-52.

grape cultivars in Arkansas. 35:216-19.

Tatura Trellis effect on. 35:82-7.

vine response to increased node number. 35:161-3.

Z

Zinc. levels in grape leaf petioles and blades. 35:124-33.