

Author Index

Volumes 48, 49, 50, 51, 52
(1997, 1998, 1999, 2000, 2001)

A

- Ablett, E.F. See J.P. Tomkins. 52:287-291.
- Achaerandio, I., V. Pachova, C. Güell, and F. López. Protein adsorption by bentonite in a white wine model solution: Effect of protein molecular weight and ethanol concentration. 52:122-126.
- Adams, D.O., and J.F. Harbertson. Use of alkaline phosphatase for the analysis of tannins in grapes and red wines. 50:247-252.
See F.M. Dewey. 51:276-282.
See M.L. Mendum. 48:137-144.
- Adrian, M., P. Jeandet, A.C. Breuil, D. Levite, S. Debord, and R. Bessis. Assay of resveratrol and derivative stilbenes in wines by direct injection high performance liquid chromatography. 51:37-41.
- Ageorges, A. See A.S. Renault. 51:81-87.
- Agosin, E., A. Belancic, A. Ibacache, R. Baumes, E. Bordeu, A. Crawford, and C. Bayonove. Aromatic potential of certain *Muscat* grape varieties important for Pisco production in Chile. 51:404-408.
See A. Belancic. 48:181-186.
- Aguirrezábal, F. See H. Baigorri. 52:357-363.
- Aguile, L. See G.J. Martin. 50:409-417.
- AJEV. Guide to authors: 2001 revision. 52:60-65.
- Alarcon-Mendez, A., and R. Boulton. Automated measurement and interpretation of wine filterability. 52:191-197.
- Albert, P. See C. Redon. 50:13-18.
- Alcántara, R. See M. Morales. 48:33-38.
- Alexandre, H. See S. Boivin. 49:325-332.
- Allain, P. See G.J. Martin. 50:409-417.
- Alspach, P. See H. Caspari. 49:359-366.
- Altira, D. See T.S. Collins. 48:280-284.
- Alves, A. See I. Festas. 51:150-154.
See P. Herbert. 51:262-268.
See I. Mafra. 50:128-132.
- Amati, A. See M. Castellari. 49:91-94.
- Ancín Azpilicueta, C. See D. Torrea Goñi. 52:185-190.
- Andrés-Lacueva, C. See M. Ibern-Gómez. 51:29-36; 52:159-164.
- Anocibbar Beloqui, A. See Y. Kotseridis. 49:44-48.
- Antoce, O.A., V. Antoce, K. Takahashi, N. Pomohaci, and I. Namolosanu. A calorimetric method applied to the study of yeast growth inhibition by alcohols and organic acids. 48:413-422.
- Antoce, V. See O.A. Antoce. 48:413-422.
- Antolin, I. See H. Baigorri. 52:357-363.
- Anwar, S.A. See M.V. McKenry. 52:304-309, 310-316.
- Aragon, P., J. Atienza, and M.D. Climent. Influence of clarification, yeast type, and fermentation temperature on the organic acid and higher alcohols of Malvasia and Muscatel wines. 49:211-219.
- Araújo, A.N., J.L.F.C. Lima, M.L.M.F.S. Saraiva, and E.A.G. Zagatto. A new approach to dialysis in sequential injection systems: Spectrophotometric determination of L(+)-lactate in wines. 48:428-432.
See R.C.C. Costa. 51:131-136.
- Argamante, N. See S. Guidoni. 48:438-442.
- Arellano, M., F. Couderc, and P. Puig. Simultaneous separation of organic and inorganic acids by capillary zone electrophoresis. Application to wines and fruit juices. 48:403-412.
- Arfelli, G. See M. Castellari. 49:91-94.
- Arnink, K.J. See M. Keller. 49:333-340.
- Arola, L. See J.N. Canals. 49:383-388.
See M. Constantí. 48:339-344.
- ASEV Japan. Abstracts from papers published in the Journal of ASEV Japan, 2000. 52:58-59.
- . Abstracts of papers presented at the ASEV Japan Annual Meeting, Chiba, Japan, 17 November 2000. 52:282-285.
- Asselin, C. See F. Brossaud. 50:277-284.
- Atienza, J. See P. Aragon. 49:211-219.
- Austin, K.T., and C.E. Butzke. Spectrophotometric assay for arginine in grape juice and must. 51:227-232.
- Austin, R.K., W. Clay, S. Phimphivong, J.L. Smilanick, and J. Henson. Patterns of sulfite residue persistence in seedless grapes during three months of repeated sulfur dioxide fumigations. 48:121-124.
- Avallone, S. See P. Sarni-Manchado. 50:81-86.
- Ayala, F., J.F. Echávarri, and A.I. Negueruela. A new simplified method for measuring the color of wines.
I. Red and rosé wines. 48:370-376.
II. White wines and brandies. 48:377-382.
III. All wines and brandies. 50:359-363.

B

- Babini, R. See R. Credi. 48:7-12.
- Baigorri, H., C. Antolin, I. De Luis, L. Geny, M. Broquedis, F. Aguirrezábal, and M. Sánchez-Díaz. Influence of training system on the reproductive development and hormonal levels of *Vitis vinifera* L. cv. Tempranillo. 52:357-363.
- Bakker, J., S.J. Bellworthy, H.P. Reader, and S.J. Watkins. Effect of enzymes during vinification on color and sensory properties of Port wines. 50:271-276.
- Baltenweck-Guyot, R. See T. Tominaga. 51:178-181.
- Bandman, E.B. See C.P. Meredith. 50:236-242.
- Baptista, E. See S. Dequin. 50:45-50.
- Barba, A. See S. Navarro. 52:35-40.
- Barnes, M.F. See G.J. Pickering. 49:306-318; 50:291-298, 299-306, 307-316.
- Barre, P. See S. Dequin. 50:45-50.
- Barrios, M.L. See E. Soufleros. 49:266-278.
- Barros, P. See I. Festas. 51:150-154.
See P. Herbert. 51:262-268.
See I. Mafra. 50:128-132.
- Bates, R.P. See M.N. Musingo. 52:109-114.
- Battistutta, F. See R. Zironi. 48:150-156.
- Bauer, F. See H. Volschenki. 48:193-197.
- Baumes, R. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
See E. Masson. 51:201-214.
- Bayonove, C. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
- Belancic, A., E. Agosin, A. Ibacache, E. Bordeu, R. Baumes, A. Razungles, and C. Bayonove. Influence of sun exposure on the aromatic composition of Chilean Muscat grape cultivars Moscatel de Alejandria and Moscatel rosada. 48:181-186.
See E. Agosin. 51:404-408.

- Bell, S.J., and A. Robson. Effect of nitrogen fertilization on growth, canopy density, and yield of *Vitis vinifera* L. cv. Cabernet Sauvignon. 50:351-358.
- Belleville, M.P. See A. Vernhet. 50:51-56.
- Bellworthy, S.J. See J. Bakker. 50:271-276.
- Benítez, T. See P. Martínez. 48:55-62, 160-168; 49:340-350.
- Bergqvist, J., N. Dokoozlian, and N. Ebisuda. Sunlight exposure and temperature effects on berry growth and composition of Cabernet Sauvignon and Grenache in the central San Joaquin Valley of California. 52:1-7.
- Berna, A. See M. Haba. 48:285-290.
- Bertrand, A. See E. Coton. 49:199-204.
See V. Gerbaux. 48:49-54.
See Y. Kotseridis. 49:44-48.
See E. Soufleros. 49:266-278.
- Bessis, R. See M. Adrian. 51:37-41.
- Bettiga, L.J. See K.J. Dell. 49:11-16.
- Bierne, J. See C. Redon. 50:13-18.
See A. S. Renault. 51:81-87.
- Biricolti, S., F. Ferrini, E. Rinadelli, I. Tamantini, and N. Vignozzi. VAM fungi and soil lime content influence rootstock growth and nutrient content. 48:93-99.
- Biscay, P.J. See L.E. Williams. 51:49-54.
- Bisson, L.F. Stuck and sluggish fermentations. 50:107-119.
———, and C.E. Butzke. Diagnosis and rectification of stuck and sluggish fermentations. 51:168-177.
See M. Dizy. 50:120-127; 51:155-167.
See M. Kudo. 49:295-301.
See C.L. Pallmann. 52:198-203.
See A. Spiropoulos. 51:233-248.
See K.C. Weiss. 49:231-239; 52:275-279.
- Blaich, M. See A. Forneck. 52: 28-34.
- Block, D.E. See J.G. Ferrier. 52:386-395.
See V. Subramanian. 52:175-184.
See S. Vlassides. 51:73-80.
- Boivin, S., M. Feuillat, H. Alexandre, and C. Charpentier. Effect of must turbidity on cell wall porosity and macromolecule excretion of *Saccharomyces cerevisiae* cultivated on grape juice. 49:325-332.
- Bonham, C.C. See J.A. Sugui. 50:199-203.
- Bordeu, E. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
- Bordons, A. See M.T. Vidal. 52:223-229.
- Bornia, L. See E. Celotti. 50:343-350.
- Bouard, J. See L. Geny. 48:80-84.
- Boulange-Petermann, L. See A. Vernhet. 50:391-397; 398-403.
- Boulton, R.B. The copigmentation of anthocyanins and its role in the color of red wine: A critical review. 52:67-87.
See Alarcon-Mendez, A. 52:191-197.
See S.K. Park. 51:91-97.
- Bourgeois, G. See N. Vivas. 49:49-55.
- Bourgeois, J. See P. Formisyn. 48:345-351.
- Boursiquot, J.M. See P. Hinrichsen. 52:396-399.
See P. This. 48:492-501.
- Bowers, J.E., G.S. Dangl, and C.P. Meredith. Development and characterization of additional microsatellite DNA markers for grape. 50:243-246.
See P. Hinrichsen. 52:396-399.
See C.P. Meredith. 50:236-242.
- Bravo, L., and F. Saura-Calixto. Characterization of dietary fiber and the *in vitro* indigestible fraction of grape pomace. 49:135-141.
- Breuil, A.C. See M. Adrian. 51:37-41.
- Brillouet, J.M. See T. Doco. 47:108-110.
- Broquedis, M. See H. Baigorri. 52:357-363.
See L. Geny. 48:80-84, 85-92.
- Brossaud, F., V. Cheynier, C. Asselin, and M. Moutounet. Flavonoid compositional differences of grapes among site test plantings of Cabernet franc. 50:277-284.
- Brown, J.A. See C.L. Pallmann. 52:198-203.
- Bruno-Sousa, R. See J.E. Eiras-Dias. 49:86-90.
- Buck, K.K.S. See V. Subramanian. 52:175-184.
- Buescher, W.A., C.E. Siler, J.R. Morris, R.T. Threlfall, G.L. Main, and G.C. Cone. High alcohol wine production from grape juice concentrates. 52:345-351.
- Burr, T.J. See E.W. Stover. 48:26-32, 145-149.
- Butzke, C.E. Survey of yeast assimilable nitrogen status in musts from California, Oregon, and Washington. 49:220-224.
———, and S.E. Ebeler. Survey of analytical methods and winery laboratory proficiency. 50:461-465.
See K.T. Austin. 51:227-232.
See L.F. Bisson. 51:168-177.
See R.M. Cook. 49:225-228.
See B.C. Dukes. 49:125-134.
- Buxaderas, S. See S. Francioli. 50:456-460.
See M. Ibern-Gómez. 51:29-36; 52:159-164.
See M. López-Barajas. 49:97-402; 52:146-150.
- Byrne, K.J. See A. Caputi. 51:415-417.

C

- Cabaleiro, C., A. Segura, and J.J. García-Berrios. Effects of grapevine leafroll associated virus 3 on the physiology and must of *Vitis vinifera* L. cv. Albariño following contamination in the field. 50:40-44.
- Cabanis, J.C. See C. Cabrera-Vique. 51:103-107.
See P. L. Teissedre. 49:205-210.
- Cabanis, M.T. See C. Cabrera-Vique. 51:103-107.
See P.L. Teissedre. 49:205-210.
- Cabanne, C., and B. Donèche. Changes in polygalacturonase activity and calcium content during ripening of grape berries. 52:331-335.
- Cabello, F. See M.T. Cervera. 52:127-135.
- Cabezas, J.A. See M.T. Cervera. 52:127-135.
- Cabezudo, M.D. See M. S. Pérez-Coello. 50:162-165.
- Cabral, M. See I. Festas. 51:150-154.
- Cabrera-Vique, C., P.L. Teissedre, M.T. Cabanis, and J.C. Cabanis. Manganese determination in grapes and wines from different regions of France. 51:103-107.
See P.L. Teissedre. 49:205-210.
- Cacho, J. See A. Guitart. 49:389-396; 50:253-258.
See P. Hernández Orte. 48:229-235; 50:144-154.
- Cadahia, E. See A. Peña-Neira. 50:285-290.
- Caillet, S. See Y. Vasserot. 48:433-437.
- Caixach, J. See S. Francioli. 50:404-408.
- Caldentey, P. See V. Mazzoleni. 49:6-10.
- Canals, J. N., L. Arola, and F. Zamora. Protein fraction analysis of white wine by FPLC. 49:383-388.
- Canbas, A. See C. Nurgel. 49:95-99.
- Cantoral, J.M. See J.J. Mesa. 51:15-21.
- Capps, E.R., and T.K. Wolf. Reduction of bunch stem necrosis of Cabernet Sauvignon by increased tissue nitrogen concentration. 51:319-328.
- Caputi, A., A. Ribeiro, and K.J. Byrne. Gas chromatographic determination of mono- and diglycerides in wine and their natural removal from wine. 51:415-417.

- Cardoso, M.I. See R.C.C. Costa. 51:131-136.
- Caro Pina, I. See V.M. Palacios Macías. 52:151-155.
- Cartechini, A. See A. Palliotti. 51:122-130; 52:317-323.
- Caspari, H.W., A. Lang, and P. Alspach. Effects of girdling and leaf removal on fruit set and vegetative growth in grape. 49:359-366.
- Castagnoli, S. See M. Vasconcelos. 51:390-396.
- Castellari, L. See S. Rainieri. 49:319-325.
- Castellari, M., G. Arfelli, C. Riponi, and A. Amati. Evolution of phenolic compounds in red winemaking as affected by must oxygenation. 49:91-94.
- Castro, R., and C. García Barroso. Behavior of a hyperoxidized must during biological aging of Fino sherry wine. 51:98-102.
- Celotti, E., L. Bornia, and E. Zoccolan. Evaluation of the electrical properties of some products used in the tartaric stabilization of wines. 50:343-350.
See R. Zironi. 48:150-156.
- Cervera, M.T., I. Rodriguez, J.A. Cabezas, J. Chavez, J.M. Martínez-Zapater, and F. Cabello. Morphological and molecular characterization of grapevine accessions known as Albillo. 52:127-135.
- Charoenchai, C., G.H. Fleet, and P.A. Henschke. Effects of temperature, pH, and sugar concentration on the growth rates and cell biomass of wine yeasts. 49:283-288.
- Charpentier, M. See S. Boivin. 49:325-332.
See C. Desportes. 52:376-380.
- Chatonnet, P. Discrimination and control of toasting intensity and quality of oak wood barrels. 50:479-494.
- , and D. Dubourdieu. Comparative study of the characteristics of American white oak (*Quercus alba*) and European oak (*Quercus petraea* and *Q. robur*) for production of barrels used in barrel aging of wines. 49:79-85.
- , C. Viala, and D. Dubourdieu. Influence of polyphenolic components of red wines on the microbial synthesis of volatile phenols. 48:443-448.
- Chavez, J. See M.T. Cervera. 52:127-135.
- Cheyrier, V., I. Hidalgo Arellano, J.M. Souquet, and M. Moutounet. Estimation of the oxidative changes in phenolic compounds of Carignane during winemaking. 48:225-228.
See F. Brossaud. 50:277-284.
See C. Maury. 52:140-145.
See P. Sarni-Manchado. 50:81-86.
See A. Vernhet. 50:391-397, 398-403.
- Cichelli, A., F. Damiani, F. Murmura, M.S. Simonetti, M. Odoardi, P. Damiani. Classification of Montepulciano d'Abruzzo wines by linear discriminant analysis and artificial neural networks. 51:108-114.
- Clay, W. See R.K. Austin. 48:121-124.
- Cliff, M.A. See P. Delaquis. 51:42-48.
See B. Girard. 48:198-206.
See A.G. Reynolds. 52:235-240, 336-344.
- Climont, M.D. See P. Aragon. 49:211-219.
- Clingeffer, P.R. See B.A. Uhlig. 49:375-382.
- Cocolin, L., A. Heisey, and D.A. Mills. Direct Identification of the indigenous yeast in commercial wine fermentations. 52:49-53.
See C.L. Pallmann. 52:198-203.
- Collins, T.S., C.A. Miller, K.D. Altira, and A.L. Waterhouse. Development of a rapid method for the analysis of ethanol in wines using capillary electrophoresis. 48:280-284.
- Conceição Tanganho, M. See R.B. Ferreira. 51:22-28.
- Cone, G.C. See W.A. Buescher. 52:345-351.
- Constantí, M., M. Poblet, L. Arola, A. Mas, and J. M. Guillamón. Analysis of yeast populations during alcoholic fermentation in a newly established winery. 48:339-344.
See M.T. Vidal. 52:223-229.
- Cook, R.M., B.R. Devlin, S.E. Ebeler, and C.E. Butzke. Evaluation of a digital blood glucose monitor for measuring residual glucose in wines. 49:225-228.
- Costa, R.C.C., M.I. Cardoso, and A.N. Araújo. Metals determination in wines by sequential injection analysis with flame atomic absorption spectrometry. 51:131-136.
- Coton, E., G. Rollan, A. Bertrand, and A. Lonvaud-Funel. Histamine-producing lactic acid bacteria in wines: Early detection, frequency, and distribution. 49:199-204.
- Couderc, F. See M. Arellano. 48:403-412.
- Crawford, A. See E. Agosin. 51:404-408.
- Credi, R., and A.R. Babini. Effects of virus and virus-like infections on growth, yield, and fruit quality of Albana and Trebbiano Romagnolo grapevines. 48:7-12.
- Cuisset, C. See P. This. 48:492-501.

D

- Daeschel, M.A. See M.B.A. Glória. 49:279-282.
- Damiani, F. See A. Cichelli. 51:108-114.
- Damiani, P. See A. Cichelli. 51:108-114.
- Dangl, G.S. See J.E. Bowers. 50:243-246.
See C.P. Meredith. 50:236-242.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Changes in the buffering capacity of model solutions of 40 mM tartaric or malic acids in relation to amino acids. 51:347-351.
- Darriet, P. See M. Murat. 52:136-139.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Study of the contribution of the major organic acids of wine to the buffering capacity of wine in model solutions. 51:374-378.
- Davies, H.D. See C. de la Presa Owens. 49:289-294.
- Davis, E.A. See R.G. Linderman. 52:8-11.
- Davis, R.E. See G.V. Jones. 51:249-261.
- De Benedictis, J.A., and A.C. Noble. Effect of storage at elevated temperatures on aroma of Chardonnay wines. 48:310-316.
- , P. Schlich, H.D. Davies, and A.C. Noble. Effect of *Méthode Champenoise* process on aroma of four *V. vinifera* varieties. 49:289-294.
- Debord. See M. Adrian. 51:37-41.
- Delaquis, P., M. Cliff, M. King, B. Girard, J. Hall, and A.G. Reynolds. Effect of two commercial malolactic cultures on the chemical and sensory properties of Chancellor wines vinified with different yeasts and fermentation temperatures. 51:42-48.
- Deleris, A. See P. Sarni-Manchado. 50:81-86.
- Dell, K.J., W.D. Gubler, R. Krueger, M. Sanger, and L.J. Bettiga. The efficacy of JMS Stylet-Oil on grape powdery mildew and botrytis bunch rot and effects on fermentation. 49:11-16.
- Deloire, A. See A.S. Renault. 51:81-87.
- Denrayolles, M. See H. Volschenki. 48:193-197.
- Dequin, S., E. Baptista, and P. Barre. Acidification of grape musts by *Saccharomyces cerevisiae* wine yeast strains genetically engineered to produce lactic acid. 50:45-50.
- Desportes, C., M. Charpentier, B. Duteurtre, A. Maujean, and F. Duchiron. Isolation, identification, and organoleptic characterization of low-molecular-weight peptides from white wine. 52:376-380.
- De Stefano, G. See M. Servili. 51:352-356.
- Devlin, B.R. See R.M. Cook. 49:225-228.
- Dewey, F.M., S.E. Ebeler, D.O. Adams, A.C. Noble, and U.M. Meyer. Quantification of *Botrytis* in grape juice determined by a monoclonal antibody-based immunoassay. 51:276-282.
- Dharmadhikari, M.R., and K.L. Wilker. Deacidification of high malate must with *Schizosaccharomyces pombe*. 49:408-412.
See K.L. Wilker. 48:516-520.
- Diamandis, E.P. See G.J. Soleas. 48:169-176.

- Di Marzio, L. See L. Moio. 52:271-274.
- Di Stefano, R. See S. Guidoni. 48:438-442.
- Dixon, G. See J.A. James. 50:19-24.
- Dizy, M., and L.F. Bisson. Proteolytic activity of yeast strains during grape juice fermentation. 51:155-167.
- . White wine protein analysis by capillary zone electrophoresis. 50:120-127.
- Doazan, J.P. See Y. Kotseridis. 49:44-48.
- Dobó, A. See G. Vas. 49:100-104.
- Doco, T., N. Quellec, M. Moutounet, and P. Pellerin. Polysaccharide patterns during the aging of Carignan noir red wines. 50:28-32. See S. Vidal. 51:115-121.
- Dokoozlian, N. See J. Bergqvist. 52:1-7.
- Donèche, B. See C. Cabanne. 52:331-335.
- Dreier, L.P., G.S. Stoll, and H.P. Ruffner. Berry ripening and evapotranspiration in *Vitis vinifera* L. 51:340-346.
- Dubourdieu, D. See P. Chatonnet. 48:443-448; 49:79-85. See M. Murat. 52:136-139. See T. Tominaga. 51:178-181.
- Duchiron, F. See C. Desportes. 52:376-380.
- Dugar, S.M. See J. Jaganathan. 49:115-118.
- Dukes, B.C., and C.E. Butzke. Rapid determination of primary amino acids in grape juice using an *o*-phthalaldehyde/*N*-acetyl-L-cysteine spectrophotometric assay. 49:125-134.
- Dulau, L. See A. Julien. 51:215-222.
- Duncan, S.E. See B.W. Zoecklein. 49:259-265.
- Dunst, R. See T.E. Martinson. 48:291-302.
- Dupre, K. See A. Vernhet. 50:391-397; 398-403.
- Duteurtre, B. See C. Desportes. 52:376-380. See G. Liger-Belair. 52:88-92.
- E**
- Eastham, J., and S.A. Gray. A preliminary evaluation of the suitability of sap flow sensors for use in scheduling vineyard irrigation. 49:171-176. See C. Ginestar. 49:413-420, 421-428.
- Ebeler, J.D. See M.N. Lau. 50:324-333.
- Ebeler, S.E. See C.E. Butzke. 50:461-465. See R.M. Cook. 49:225-228. See F.M. Dewey. 51:276-282. See W.T. Jewell. 52:219-222. See M.N. Lau. 50:324-333; 52:219-222.
- Ebisuda, N. See L.E. Williams. 51:49-54. See J. Bergqvist. 52:1-7.
- Echávvarri, J.F. See F. Ayala. 48:370-376, 377-382; 50:359-363.
- Eder, R. See U. Vrhovsek. 48:214-219.
- Edwards, C.G., K.M. Haag, and M.D. Collins. Identification and characterization of two lactic acid bacteria associated with sluggish/stuck fermentations. 49:445-448.
- , A.G. Reynolds, A.V. Rodriguez, M.J. Semon, and J.M. Mills. Implication of acetic acid in the induction of slow/stuck grape juice fermentations and inhibition of yeast by *Lactobacillus* sp. 50:204-210. See A.G. Reynolds. 52:336-344.
- Egli, C.M., and T. Henick-Kling. Identification of *Brettanomyces/Dekkera* species based on polymorphism in the rRNA internal transcribed spacer region. 52:241-247.
- Eiras-Dias, J.E., and R. Bruno-Sousa. Isoenzymatic polymorphism differentiation of Portuguese grapevine cultivars. 49:86-90.
- Eisenheld, C. See F. Regner. 51:7-14.
- English-Loeb, G. See T.E. Martinson. 48:291-302.
- Epifanio, S.I., A.R. Gutierrez, M.P. Santamaría, and R. López. The influence of enological practices on the selection of wild yeast strains in spontaneous fermentation. 50:219-224. See A.R. Gutiérrez. 52:352-356.
- Esteban, M.A., M.J. Villanueva, and J.R. Lissarrague. Effect of irrigation on changes in berry composition of Tempranillo during maturation. Sugars, organic acids, and mineral elements. 50:418-434.
- Eugenio Diaz, M. See V.L. Gutierrez Afonso. 49:440-444.
- F**
- Famini, R. See D. Favretto. 51:55-64.
- Favretto, D., and R. Famini. Application of electrospray ionization mass spectrometry to the study of grape anthocyanins. 51:55-64.
- Farkas, M. See G. Vas. 49:100-104.
- Ferguson, J.C. See J.M. Tarara. 51:182-188; 52:260-265.
- Fernandez de Simón, B. See A. Peña-Neira. 50:285-290.
- Fernández-Fernández, J.I. See E. Gómez-Plaza. 52:266-270.
- Ferrandino, A. See S. Guidoni. 48:438-442.
- Ferranti, F. See A. Palliotti. 51:122-130.
- Ferreira, R.B., S. Monteiro, M.A. Piçarra-Pereira, M. Conceição Tanganho, V.B. Loureiro, and A.R. Teixeira. Characterization of the proteins from grapes and wines by immunological methods. 51:22-28. See P.R. Mesquita. 52:324-330.
- Ferreira, V. See A. Guitart. 50:253-258.
- Ferrier, J.G., and D.E. Block. Neural-network-assisted optimization of wine blending based on sensory analysis. 52:386-395.
- Ferrini, F. See S. Biricolti. 48:93-99.
- Festas, I., P. Herbert, L. Santos, M. Cabral, P. Barros, and A. Alves. Ochratoxin A in some Portuguese wines: Method validation and screening in Port wine and Vinho Verde. 51:150-154.
- Feuillat, F., and R. Keller. Variability of oak wood (*Quercus robur* L., *Quercus petraea* Liebl.) anatomy relating to cask properties. 48:502-508.
- , R. Keller, F. Sauvageot, and J.L. Puech. Characterization of French oak cooperage (*Quercus robur* L., *Quercus petraea* Liebl.). Research of the study group on barrel-aging burgundy wines. 50:513-518.
- , L. Moio, E. Guichard, M. Marinov, N. Fournier, and J.L. Puech. Variation in the concentration of ellagitannins and *cis*- and *trans*- β -methyl- γ -octalactone extracted from French oak wood (*Quercus robur* L., *Quercus petraea* Liebl.) under model cask conditions. 48:509-515. See J.R. Mosedale. 50:503-512. See J.L. Puech. 50:469-478. See F. Sauvageot. 50:447-455.
- Feuillat, M. See S. Boivin. 49:325-332.
- Fleet, G.H. See C. Charoenchai. 49:283-288. See B.E.N. Todd. 51:65-72.
- Flerianos, I. See A. Spiropoulos. 51:233-248.
- Formisyn, P., H. Vaillant, F. Lantreibeccq, and J. Bourgois. Development of an enzymatic reactor for initiating malolactic fermentation in wine. 48:345-351.
- Forneck, A., M.A. Walker, R. Blaich, M. Yvon, and F. Leclant. Interaction of phylloxera (*Daktulosphaira vitifoliae* FITCH) with grape (*Vitis* spp.) in simple isolation chambers. 52:28-34.
- Fortenberry, M. See L.G. Kovacs. 52:254-259.
- Fournier, N. See F. Feuillat. 48:509-515.
- Francioli, S., S. Buxaderas, and P. Pellerin. Influence of *Botrytis cinerea* on the polysaccharide composition of Xarel.lo musts and cava base wines. 50:456-460.
- , M. Guerra, E. López-Tamames, J. M. Guadayol, and J. Caixach. Aroma of sparkling wines by headspace/solid phase microextraction and gas chromatography/mass spectrometry. 50:404-408.

de Freitas, V.A.P., Y. Glories, and A. Monique. Developmental changes of procyanidins in grapes of red *Vitis vinifera* varieties and their composition in respective wines. 51:397-403.

See N. Mateus. 52:115-121.

Fujiyama, K. See T. Okuda. 50:137-143.

G

Gafner, J. See A. Viviani-Nauer. 48:63-66, 67-70.

Gambutì, A. See L. Moio. 52:271-274.

Garcia, L. See A. Picinelli. 51:144-149.

Garcia-Alonso, A. See N. Martin-Carron. 48:328-332.

García Barroso, C. See R. Castro. 51:98-102.

García-Berrios, J.J. See C. Cabaleiro. 50:40-44.

García-Vallejo, M.C. See A. Peña-Neira. 50:285-290.

Garijo, P. See A.R. Gutiérrez. 52:352-356.

Gaudillere, J.P. See N. Ollat. 49:251-258.

Gent, A., G. Wegener, and F. Radler. Quantitative measurement of heat formation during malolactic fermentation. 48:423-427.

Geny, L., M. Broquedis, J. Martin-Tanguy, and J. Bouard. Free, conjugated, and wall-bound polyamines in various organs of fruiting cuttings of *Vitis vinifera* L. cv. Cabernet Sauvignon. 48:80-84.

———. M. Broquedis, J. Martin-Tanguy, J.P. Soyer, and J. Bouard. Effects of potassium nutrition on polyamine content of various organs of fruiting cuttings of *Vitis vinifera* L. cv. Cabernet Sauvignon. 48:85-92.

See H. Baigorri. 52:357-363.

Gerbaux, V., A. Villa, C. Monamy, and A. Bertrand. Use of lysozyme to inhibit malolactic fermentation and to stabilize wine after malolactic fermentation. 48:49-54.

Gil-Muñoz, R. See E. Gómez-Plaza. 52:266-270.

Ginestar, C., J. Eastham, S. Gray, and P. Iland. Use of sap-flow sensors to schedule vineyard irrigation. I. Effects of post-veraison water deficits on water relations, vine growth, and yield of Shiraz grapevines. 49:413-420.

———. Use of sap-flow sensors to schedule vineyard irrigation. II. Effects of post-veraison water deficits on composition of Shiraz grapes. 49:421-428.

Girard, B., T.G. Kopp, A.G. Reynolds, and M. Cliff. Influence of vinification treatments on aroma constituents and sensory descriptors of Pinot noir wines. 48:198-206.

See P. Delaquis. 51:42-48.

See A.G. Reynolds. 52:235-240.

Giudici, P. See S. Rainieri. 49:319-325.

Glória, M.B.A., B.T. Watson, L. Simon-Sarkadi, and M.A. Daeschel. A survey of biogenic amines in Oregon Pinot noir and Cabernet Sauvignon wines. 49:279-282.

Glories, Y. See V.A.P. de Freitas. 51:397-403.

See M. Mirabel. 50:211-218.

See C. Saucier. 48:383-386.

See N. Vivas. 49:49-55.

Gonçalves, A.C. See N. Mateus. 52:115-121.

Gogorcena, Y. See J.R. Vidal. 50:69-75.

Goldberg, D.M., A. Karumanchiri, G.J. Soleas, and E. Tsang. Concentrations of selected polyphenols in white commercial wines. 50:185-193.

———. Catechin and epicatechin concentrations of red wines: Regional and cultivar-related differences. 49:23-34.

———. Quercetin and *p*-coumaric acid concentrations in commercial wines. 49:142-151.

Gómez-Plaza, E., R. Gil-Muñoz, J.M. López-Roca, A. Martínez-Cutillas, and J.I. Fernández-Fernández. Phenolic compounds and color stability of red wines: Effect of skin maceration time. 52:266-270.

Goñi, I. See N. Martin-Carron. 48:328-332.

Gonsalves, D. See K.S. Ling. 52:21-27.

Goodman, R.N. See B.N. Milkus. 50:133-134.

Granett, J. See L. Kocsis. 50:101-106.

Gray, S.A. See J. Eastham. 49:171-176.

See C. Ginestar. 49:413-420, 421-428.

Greene, S.L. See M.A. Olmstead. 52:292-303.

Grimaldi, A., H. McLean, and V. Jiranek. Identification and partial characterization of glycosidic activities of commercial strains of the lactic acid bacterium, *Oenococcus oeni*. 51:357-364.

Grobler, J. See H. Volschenki. 48:193-197.

Grzegorzczak, W., and M.A. Walker. Evaluating resistance to grape phylloxera in *Vitis* species with an *in vitro* dual culture assay. 49:17-22.

———. Surface sterilization of grape phylloxera eggs in preparation for *in vitro* culture with *Vitis* species. 48:157-159.

Guadayol, J.M. See S. Francioli. 50:404-408.

Gubler, W.D. See K.J. Dell. 49:11-16.

See H.L. Ypema. 51:1-6.

Güell, C. See I. Achaerandio. 52:122-126.

Guerra, C. See M. Mirabel. 50:211-218.

Guerra, M. See S. Francioli. 50:404-408.

Guichard, E. See F. Feuillat. 48:509-515.

Guidoni, S., F. Mannini, A. Ferrandino, N. Argamante, and R. Di Stefano. The effect of grapevine leafroll and rugose wood sanitation on agronomic performance and berry and leaf phenolic content of a Nebbiolo clone (*Vitis vinifera* L.). 48:438-442.

Guillamón, J.M. See M. Constantí. 48:339-344.

Guitart, A., P. Hernández Orte, and J. Cacho. Effect of different clarification treatments on the amino acid content of Chardonnay musts and wines. 49:389-396.

———. P. Hernández Orte, V. Ferreira, C. Peña, and J. Cacho. Some observations about the correlation between the amino acid content of musts and wines of the Chardonnay variety and their fermentation aromas. 50:253-258.

See P. Hernández Orte. 48:229-235; 50:144-154.

Gutiérrez, A.R., S. Epifanio, P. Garijo, R. López, and P. Santamaría. Killer yeasts: Incidence in the ecology of spontaneous fermentation. 52:352-356.

See S.I. Epifanio. 50:219-224.

Gutierrez Afonso, V.L., J. Darias, R. Armas, M.R. Medina, and M. Eugenio Diaz. Descriptive analysis of three white wine varieties cultivated in the Canary Islands. 49:440-444.

Gutiérrez Granda, M.J. See M.J. Sipiora. 49:152-162.

H

Haag, K.M. See C.G. Edwards. 49:445-448.

Haba, M., A. Mulet, and A. Berna. Stability in wine differentiation of two close viticultural zones. 49:285-290.

Hajrasulih, S., D.E. Rolston, and D.T. Louie. Fate of ¹⁵N fertilizer applied to trickle-irrigated grapevines. 49:191-198.

Hale, M.D., K. McCafferty, E. Larmie, J. Newton, and J.S. Swan. The influence of oak seasoning and toasting parameters on the composition and quality of wine. 50:495-502.

Hall, J. See P. Delaquis. 51:42-48.

Hall, T.W., and W.F. Mahaffee. Impact of vine shelter use on development of grape powdery mildew. 52:204-209.

Hanami, H. See L.G. Kovacs. 52:254-259.

Hanamure, K. See M. Sato. 48:1-6.

Handley, V. See C.P. Meredith. 50:236-242.

Harbertson, J.F. See D.O. Adams. 50:247-252.

Hashizume, K., and T. Samuta. Grape maturity and light exposure affect berry methoxypyrazine concentration. 50:194-198.

- Heatherbell, D.A. See G.J. Pickering. 49:306-318; 50:291-298, 299-306, 307-316.
- Heisey, A. See L. Cocolin. 52:49-53.
- Herbert, P. See I. Festas. 51:150-154.
- Henick-Kling, T. See C.M. Egli. 52:241-247.
- Henick-Kling, T. See C.E. Shively. 52:400-401.
- Henry, R.J. See J.P. Tomkins. 52:287-291.
- Henschke, P.A. See C. Charoenchai. 49:283-288.
See B.E.N. Todd. 51:65-72.
- Henson, J. See R.K. Austin. 48:121-124.
- Herbert, P., P. Barros, and A. Alves. Detection of Port wine imitations by discriminant analysis using free amino acids profiles. 51:262-268.
See I. Mafra. 50:128-132.
See S. Mínguez. 49:177-182.
- Hernández, T. See A. Peña-Neira. 50:285-290.
- Hernández Orte, P., A. Guitart, and J. Cacho. Amino acid determination in musts and wines by HPLC after derivatization with phenylisothiocyanate. 48:229-235.
- . Changes in the concentration of amino acids during the ripening of *vitis vinifera* Tempranillo variety from the *Denomination d'Origine* Somontano (Spain). 50:144-154.
See A. Guitart. 49:389-396; 50:253-258.
- Hidalgo Arellano, I. See V. Cheyrier. 48:225-228.
- Hinrichsen, P., C. Narváez, J.E. Bowers, J.M. Boursiquot, J. Valenzuela, C. Muñoz, and C.P. Meredith. Distinguishing Carmenère from similar cultivars by DNA typing. 52:396-399.
- Hirano, K. See P.H. Kimura. 48:323-327; 49:1-5.
See C.K. Ndung'u. 48:115-120.
See S. Wang. 52:248-253.
- Hoffmann-Boller, P. See A. Viviani-Nauer. 48:63-66, 67-70.
- Holton, T.A. See J.P. Tomkins. 52:287-291.
- Howell, G.S. Sustainable grape productivity and the growth-yield relationship: A review. 52:165-174.
See D.P. Miller. 49:183-190.
See R.P. Smithyman. 48:482-491; 49:163-170.
- Hrazdina, G. See M. Keller. 49:333-340, 341-349.
- Huix-Blanquera, M. See R.M. Lamuela-Raventós. 52:156-158.
- Hutchens, T.W. See K.C. Weiss. 49:231-239.

I

- Ibacache, A. See E. Agosin. 51:404-408.
See A. Belancic. 48:181-186.
- Ibern-Gómez, M., C. Andrés-Lacueva, R.M. Lamuela-Raventós, S. Buxaderas, V.L. Singleton, and M.C. de la Torre-Boronat. Browning of cava (sparkling wine) during aging in contact with lees due to the phenolic composition. 51:29-36.
- , C. Andrés-Lacueva, R.M. Lamuela-Raventós, C. Lao-Luque, S. Buxaderas, and M.C. de la Torre-Boronat. Differences in phenolic profile between oak wood and stainless steel fermentation in white wines. 52:159-164.
- Ibeas, J.I., I. Lozano, F. Perdigones, and J. Jimenez. Dynamics of flor yeast populations during the biological aging of sherry wines. 48:75-79.
- . Effects of ethanol and temperature on the biological aging of sherry wines. 48:71-74.
- Ignelzi, S. See A.L. Waterhouse. 51:383-389.
- Ikeda, T. See Y.T. Kong. 52:381-385.
- Iland, P. See C. Ginestar. 49:413-420, 421-428.
- Imabayashi, S.I. See Y.T. Kong. 52:381-385.
- Infante, J.J. See J.J. Mesa. 51:15-21.

J

- Jacopin, C. See Y. Vasserot. 52:54-55.
- Jaganathan, J., and S.M. Dugar. Determination of selenium in wines using electrothermal atomic absorption spectrometry with Zeeman background correction. 49:115-118.
- James, J.A., G. Dixon, and O. Lamikanra. Characterization of partially purified cellulase from muscadine grapes (*Vitis rotundifolia* Michx.). 50:19-24.
- Jasinski, Y. See H.M. McMahon. 50:385-390.
See B.W. Zoecklein. 48:397-402; 49:35-43, 259-265.
- Jeandet, P. See M. Adrian. 51:37-41.
See C. Dartiguenave. 51:347-351, 374-378.
See G. Liger-Belair. 50:317-323; 52:88-92.
See Y. Vasserot. 52:54-55, 280-281.
- Jewell, W.T., and S.E. Ebeler. Tyrosinase biosensor for the measurement of wine polyphenolics. 52:219-222.
- Jimenez, J. See J.I. Ibeas. 48:71-74, 75-79.
- Jiraneck, V. See A. Grimaldi. 51:357-364.
- Jones, G.V., and R.E. Davis. Climate influences on grapevine phenology, grape composition, and wine production and quality for Bordeaux, France. 51:249-261.
- Jordão, A.M., J. M. Ricardo-da-Silva, and O. Laureano. Evolution of catechins and oligomeric procyanidins during grape maturation of Castelão Francês and Touriga Francesa. 52:230-234.
- Jouitteau, C. See G.J. Martin. 50:409-417.
- Julien, A., J.L. Roustan, L. Dulau, and J.M. Sablayrolles. Comparison of nitrogen and oxygen demands of enological yeasts: Technological consequences. 51:215-222.

K

- Kadim, D., and C.H. Mannheim. Kinetics of phenolic extraction during aging of model wine solution and white wine in oak barrels. 50:33-39.
- Kakiuchi, T. See Y.T. Kong. 52:381-385.
- Kandl, T., and S. Kupina. An improved capillary electrophoresis procedure for the determination of organic acids in grape juice and wine. 50:155-161.
- Kano, K. See Y.T. Kong. 52:381-385.
- Kaps, M.L. See L.G. Kovacs. 52:254-259.
- Karagiannidis, N., and N. Nikolaou. Influence of arbuscular mycorrhizae on heavy metal (Pb and Cd) uptake, growth, and chemical composition of *Vitis vinifera* L. (cv. Razaki). 51:269-275.
- Karagiannis, S., and P. Lanaridis. Effect of various vinification parameters on the development of several volatile sulfur compounds in Greek white wines of the cultivars Batiki and Muscat of Hamburg. 50:334-342.
- Karumanchiri, A.L. See D.M. Golberg. 49:23-34, 142-151; 50:185-193.
See G.J. Soleas. 48:169-176.
- Kaserer, H. See F. Regner. 51:7-14.
- Kato, I. See M. Sato. 48:1-6.
- Keller, M., K.J. Arnink, and G. Hrazdina. Interaction of nitrogen availability during bloom and light intensity during veraison. I. Effects on grapevine growth, fruit development, and ripening. 49:333-340.
- , and G. Hrazdina. Interaction of nitrogen availability during bloom and light intensity during veraison. II. Effects on anthocyanin and phenolic development during grape ripening. 49:341-349.
- Keller, R. See F. Feuillat. 48:502-508.
- Kimura, P.H., G. Okamoto, and K. Hirano. Flower types, pollen morphology and germination, fertilization, and berry set in *Vitis coignetiae* Pulliat. 48:323-327.
- . The mode of pollination and stigma receptivity in *Vitis coignetiae* Pulliat. 49:1-5.
- King, M. See P. Delaquis. 51:42-48.

- Kliewer, W.M. See N. Kubota. 51:409-414.
- Kocsis, L., J. Granett, M.A. Walker, H. Lin, and A.D. Omer. Grape phylloxera populations adapted to *Vitis berlandieri* × *V. riparia* rootstocks. 50:101-106.
- Kong, Y.T., S.I. Imabayashi, K. Kano, T. Ikeda, and T. Kakiuchi. Peroxidase-based amperometric sensor for the determination of total phenols using two-stage peroxidase reactions. 52:381-385.
- Kopp, T.G. See B. Girard. 48:198-206.
See A.G. Reynolds. 52:235-240.
- Köteleky, K. See G. Vas. 49:100-104.
- Kotseridis, Y., A. Anocibar Beloqui, A. Bertrand, and J.P. Doazan. An analytical method for studying the volatile compounds of Merlot noir clone wines. 49:44-48.
- Kovacs, L.G., H. Hanami, M. Fortenberry, and M.L. Kaps. Latent infection by leafroll agent GLRaV-3 is linked to lower fruit quality in French-American hybrid grapevines Vidal blanc and St. Vincent. 52:254-259.
- Kraeva, E. See A.S. Renault. 51:81-87.
- Krag, C.R. See J.K. Uyemoto. 48:521-524.
- Kretsch, J.O. See M.V. McKenry. 52:304-309, 310-316.
- Krueger, R. See K.J. Dell. 49:11-16.
- Ku, M.S.B. See A.M. Morrell. 48:459-464, 465-470.
- Kubota, N., M.A. Matthews, T. Takahagi, and W.M. Kliewer. Budbreak with garlic preparations. 51:409-414.
- Kudo, M., P. Vagnoli, and L.F. Bisson. Imbalance of pH and potassium concentration as a cause of stuck fermentations. 49:295-301.
- Kupina, S. See T. Kandl. 50:155-161.
- L**
- Lacorre-Arescaldino, I. See C. Redon. 50:13-18.
- Lakso, A. See T.E. Martinson. 48:291-302.
- Lamikanra, O. See J.A. James. 50:19-24.
See M.N. Musingo. 52:109-114.
- Lamuela-Raventós, R.M., M. Huix-Blanquera, and A.L. Waterhouse. Treatments for pinking alteration in white wines. 52:156-158.
See M. Ibern-Gómez. 51:29-36; 52:159-164.
- Lanaridis, P. See S. Karagiannis. 50:334-342.
- Lang, A. See H. Caspari. 49:359-366.
- Lange, L.W. See K.C. Weiss. 52:275-279.
- Lang, N.S., R.L. Wample, R. Smithyman, and L. Mills. Photosynthesis and chlorophyll fluorescence in blackleaf-affected Concord. 49:367-374.
See R.P. Smithyman. 52:364-375.
- Lanterman, W.S. See A.G. Reynolds. 48:449-458.
- Lantrebecq, F. See P. Formisyn. 48:345-351.
- Lao-Luque, C. See M. Ibern-Gómez. 52:159-164.
- Larmie, E. See M.D. Hale. 50:495-502.
- Lau, M.N., J.D. Ebeler, and S.E. Ebeler. Gas chromatographic analysis of aldehydes in alcoholic beverages using a cysteamine derivatization procedure. 50:324-333.
- Laureano, O. See A.M. Jordão. 52:230-234.
- Lavigne, V. See M. Murat. 52:136-139.
- Leandro, M.C. See B.S. Sun. 50:179-184.
- Leclant, F. See A. Forneck. 52: 28-34.
- Lee, L.S. See J.P. Tomkins. 52:287-291.
- Lefebvre, S. See C. Maury. 52:140-145.
- Lefort, F., and K.K.A. Roubelakis-Angelakis. Genetic comparison of Greek cultivars of *Vitis vinifera* L. by nuclear microsatellite profiling. 52:101-108.
- Lehtonen, P. See M. Tuiskunen. 48:220-224.
- Lemaesquier, H. See G. Liger-Belair. 52:88-92.
- Letinois, I. See A.S. Renault. 51:81-87.
- Levite, D. See M. Adrian. 51:37-41.
- Liger-Belair, G., R. Marchal, B. Robillard, M. Vignes-Adler, A. Maujean, and P. Jeandet. Study of effervescence in a glass of Champagne: Frequencies of bubble formation, growth rates, and velocities of rising bubbles. 50:317-323.
———, H. Lemaesquier, B. Robillard, B. Duteurtre, and P. Jeandet. The secrets of fizz in Champagne wines: A phenomenological study. 52:88-92.
- Lima, J.L.F.C. See A.N. Araújo. 48:428-432.
- Lin, H. See L. Kocsis. 50:101-106.
- Lin, J., and M.A. Walker. Identifying grape rootstocks with simple sequence repeat (SSR) DNA markers. 49:403-407.
- Linderman, R.G., and E.A. Davis. Comparative response of selected grapevine rootstocks and cultivars to inoculation with different mycorrhizal fungi. 52:8-11.
- Ling, K.S., H.Y. Zhu, N. Petrovic, and D. Gonsalves. Comparative effectiveness of ELIZA and RT-PCR for detecting grapevine leafroll-associated closterovirus-3 in field samples. 52:21-27.
- Lissarrague, J.R. See M.A. Esteban. 50:418-434.
- Little, D. See C. Saucier. 48:383-386.
- Lonvaud-Funel, A. See E. Coton. 49:199-204.
See H. Volschenki. 48:193-197.
- López, F. See I. Achaerandio. 52:122-126.
- López, R. See S.I. Epifanio. 50:219-224.
See A.R. Gutiérrez. 52:352-356.
- López-Barajas, M., E. López-Tamames, S. Buxaderas, and M.C. de la Torre-Boronat. Effect of vinification and variety on foam capacity of wine. 49:97-402.
———, E. López-Tamames, S. Buxaderas, G. Suberbiola, and M.C. de la Torre-Boronat. Influence of wine polysaccharides of different molecular mass on wine foaming. 52:146-150.
- López-Roca, J.M. See E. Gómez-Plaza. 52:266-270.
- López-Tamames, E. See S. Francioli. 50:404-408.
See M. López-Barajas. 49:97-402; 52:146-150.
- Louie, D.T. See S. Hajrasuliha. 49:191-198.
- Loureiro, V.B. See R.B. Ferreira. 51:22-28.
See P.R. Mesquita. 52:324-330.
- Lozano, I. See J.I. Ibeas. 48:71-74, 75-79.
- Lu, J. See S. Wang. 52:248-253.
- De Luis, I. See H. Baigorri. 52:357-363.
- Luz Silva, M., and F.X. Malcata. Relationships between storage conditions of grape pomace and volatile composition of spirits obtained therefrom. 49:56-64.
- M**
- Machado, J.M. See N. Mateus. 52:115-121.
- Mafra, I., P. Herbert, L. Santos, P. Barros, and A. Alves. Evaluation of biogenic amines in some Portuguese quality wines by HPLC fluorescence detection of OPA derivatives. 50:128-132.
- Mahaffee, W.F. See T.W. Hall. 52:204-209.
- Main, D. See J.P. Tomkins. 52:287-291.
- Main, G.L. See W.A. Buescher. 52:345-351.
- Malcata, F.X. See M. Luz Silva. 49:56-64.
- Mangas, J.J. See A. Picinelli. 51:144-149.
- Mannheim, C.H. See D. Kadim. 50:33-39.
- Mannini, F. See S. Guidoni. 48:438-442.
- Marchal, R., V. Seguin, and A. Maujean. Quantification of interferences in the direct measurement of proteins in wines from the Champagne region using the Bradford method. 48:303-309.

- See G. Liger-Belair. 50:317-323.
- Marcy, J.E. See B.W. Zoecklein. 48:397-402; 49:35-43, 259-265.
- Marin, M.R. Alcoholic fermentation modelling: Current state and perspectives. 50:166-178.
- Marinov, M. See F. Feuillat. 48:509-515.
- Marques, S. See N. Mateus. 52:115-121.
- Marr, J.C. See A.G. Reynolds. 52:336-344.
- Martin, G.J., M. Mazure, C. Jouitteau, Y.L. Martin, L. Aguilé, and P. Allain. Characterization of the geographic origin of Bordeaux wines by a combined use of isotopic and trace element measurements. 50:409-417.
- Martin, Y.L. See G.J. Martin. 50:409-417.
- Martin-Carron, N., A. Garcia-Alonso, I. Goñi, and F. Saura-Calixto. Nutritional and physiological properties of grape pomace as a potential food ingredient. 48:328-332.
- Martin-Tanguy, J. See L. Geny. 48:80-84, 85-92.
- Martínez, M.C., and J.E. Pérez. The forgotten vineyard of the Asturias Príncedom (north of Spain) and ampelographic description of its grapevine cultivars (*Vitis vinifera* L.). 51:365-373.
- Martínez, P., L. Pérez Rodríguez, and T. Benítez. Velum formation by flor yeasts isolated from sherry wine. 48:55-62.
- . Evolution of flor yeast population during the biological aging of fino sherry wine. 48:160-168.
- , J. Valcárcel, L. Pérez, and T. Benítez. Metabolism of *Saccharomyces cerevisiae* flor yeasts during fermentation and biological aging of fino sherry: By-products and aroma compounds. 49:340-350.
- Martínez-Cutillas, A. See E. Gómez-Plaza. 52:266-270.
- Martínez de Toda, F., and J.C. Sancha. Characterization of wild vines in La Rioja (Spain). 50:443-446.
- . Long-term effects of simulated mechanical pruning on Grenache vines under drought conditions. 50:87-90.
- Martínez-Zapater, J.M. See M.T. Cervera. 52:127-135.
- Martinson, T.E., R. Dunst, A. Lakso, and G. English-Loeb. Impact of feeding injury by eastern grape leafhopper (Homoptera:Cicadellidae) on yield and juice quality of Concord grapes. 48:291-302.
- Mas, A. See M. Constantí. 48:339-344.
- Masa, A. See J.R. Vidal. 50:69-75.
- Masneuf, I. See M. Murat. 52:136-139.
- Massolini, M., P. Caldenteu, and A. Silva. Phenolic compounds in cork used for production of wine stoppers as affected by storage and boiling of cork slabs. 49:6-10.
- Masson, E., R. Baumes, M. Moutounet, and J.L. Puech. The effect of kiln-drying on the levels of ellagitannins and volatile compounds of european oak (*Quercus petraea* Liebl.) stave wood. 51:201-214.
- Mateus, N., S. Marques, A.C. Gonçalves, J.M. Machado, and V. de Freitas. Proanthocyanidin composition of red *Vitis vinifera* varieties from the Douro Valley during ripening: Influence of cultivation altitude. 52:115-121.
- Matricardi, L. Influence of toasting technique on color and ellagitannins of oak wood in barrel making. 50:519-526.
- Matsudo, T. See K. Yokotsuka. 48:471-481.
- Matthews, M.A. See N. Kubota. 51:409-414.
- Maujean, A. See C. Dartiguenave. 51:347-351, 374-378.
- See C. Desportes. 52:376-380.
- See G. Liger-Belair. 50:317-323.
- See R. Marchal. 48:303-309.
- See S. Palacios. 48:525-526.
- See Y. Vasserot. 48:433-437.
- Mauricio, J.C. See E. Valero. 49:119-124.
- Mauromoustakos, A. See R.T. Threlfall. 50:57-64.
- Maurycy, C., P. Sarni-Manchado, S. Lefebvre, V. Cheyrier, and M. Moutounet. Influence of fining with different molecular weight gelatins on proanthocyanidin composition and perception of wines. 52:140-145.
- Mazure, M. See G.J. Martin. 50:409-417.
- McCafferty, K. See M.D. Hale. 50:495-502.
- McKenry, M.V., J.O. Kretsch, and S.A. Anwar. Interactions of selected rootstocks with ectoparasitic nematodes. 52:304-309.
- . Interactions of selected *Vitis* cultivars with endoparasitic nematodes. 52:310-316.
- McLean, H. See A. Grimaldi. 51:357-364.
- McMahon, H.M., B.W. Zoecklein, and Y.W. Jasinski. The effects of prefermentation maceration temperature and percent alcohol (v/v) at press on the concentration of Cabernet Sauvignon grape glycosides and glycoside fractions. 50:385-390.
- Medina, M.R. See V.L. Gutierrez Afonso. 49:440-444.
- Mendum, M.L., and D.O. Adams. Substrate utilization by grape N-carbamoylputrescine amidohydrolase: The final enzyme in putrescine biosynthesis. 48:137-144.
- Meredith, C.P., J.E. Bowers, S. Riaz, V. Handley, E.B. Bandman, and G.S. Dangl. The identity and parentage of the variety known in California as Petite Sirah. 50:236-242.
- See J.E. Bowers. 50:243-246.
- See P. Hinrichsen. 52:396-399.
- Mesa, J.J., J.J. Infante, L. Rebordinos, J.A. Sanchez, and J.M. Cantoral. Influence of the yeast genotypes on enological characteristics of sherry wines. 51:15-21.
- Mesquita, P.R., M.A. Piçarra-Pereira, S. Monteiro, V.B. Loureiro, A.R. Teixeira, and R.B. Ferreira. Effect of wine composition on protein stability. 52:324-330.
- Meyer, U.M. See F.M. Dewey. 51:276-282.
- Milkus, B.N. Incidence of four NEPO viruses in Missouri vineyards. 52:56-57.
- , and R.N. Goodman. A survey of Missouri vineyards for the presence of five grape viruses. 50:133-134.
- Millan, M.C. See E. Valero. 49:119-124.
- Miller, C.A. See T.S. Collins. 48:280-284.
- Miller, D.P., and G.S. Howell. Influence of vine capacity and crop load on canopy development, morphology, and dry matter partitioning in Concord grapevines. 49:183-190.
- See R.P. Smityman. 48:482-491; 49:163-170.
- Mills, D.A. See L. Cocolin. 52:49-53.
- See C.L. Pallmann. 52:198-203.
- Mills, J.M. See C.G. Edwards. 50:204-210.
- Mills, L. See N.S. Lang. 49:367-374.
- Mínguez, S., and P. Hernández. Tartaric stabilization of red, rosé, and white wines with L(+)-calcium tartrate crystal seeding. 49:177-182.
- Mink, G.I. See A.M. Morrell. 48:459-464, 465-470.
- Mirabel, M., C. Saucier, C. Guerra, and Y. Glories. Copigmentation in model wine solutions: Occurrence and relation to wine aging. 50:211-218.
- Mlikota Gabler, F., and J.L. Smilanick. Postharvest control of table grape gray mold on detached berries with carbonate and bicarbonate salts and disinfectants. 52:12-20.
- Moio, L., A. Gambuti, L. Di Marzio, and P. Piombino. Differential pHmeter determination of residual sugars in wine. 52:271-274.
- See F. Feuillat. 48:509-515.
- Monamy, C. See V. Gerbaux. 48:49-54.
- Monique, A. See V.A.P. de Freitas. 51:397-403.
- Monteiro, S. See R.B. Ferreira. 51:22-28.
- See P.R. Mesquita. 52:324-330.
- Morales, M., J. Alcántara, and A. Ros Barceló. Oxidation of *trans*-resveratrol by a hypodermal peroxidase isoenzyme from Gamay rouge grape (*Vitis vinifera*) berries. 48:33-38.

- Moreno, S. See J.R. Vidal. 50:69-75.
- Morrell, A.M., R.L. Wample, G.I. Mink, and M.S.B. Ku. Expression of heat shock proteins in dormant buds of grape (*Vitis vinifera* L.). 48:465-470.
- . Heat shock protein expression in leaves of Cabernet Sauvignon. 48:459-464.
- Morris, J.R. See W.A. Buescher. 52:345-351.
See R.T. Threlfall. 50:57-64.
- Mosedale, J.R., J.L. Puech, and F. Feuillat. The influence on wine flavor of the oak species and natural variation of heartwood components. 50:503-512.
See J.L. Puech. 50:469-478.
- Moutounet, M. See F. Brossaud. 50:277-284.
See V. Cheynier. 48:225-228.
See T. Doco. 50:28-32.
See E. Masson. 51:201-214.
See C. Maury. 52:140-145.
See P. Sarni-Manchado. 50:81-86.
See A. Vernhet. 50:51-56, 391-397, 398-403.
See S. Vidal. 51:115-121.
- Mulet, A. See M. Haba. 49:285-290.
- Muñoz, C. See P. Hinrichsen. 52:396-399.
- Murat, M., I. Masneuf, P. Darriet, V. Lavigne, T. Tominaga, and D. Dubourdieu. Effect of *Saccharomyces cerevisiae* yeast strains on the liberation of volatile thiols in Sauvignon blanc wine. 52:136-139.
- Murmura, F. See A. Cichelli. 51:108-114.
- Musingo, M.N., C.A. Sims, R.P. Bates, S.F. O'Keefe, and O. Lamikanra. Changes in ellagic acid and other phenols in Muscadine grape (*Vitis rotundifolia*) juices and wines during storage. 52:109-114.
- N**
- Nagao, A. See K. Yokotsuka. 50:1-12.
- Nakazawa, K. See K. Yokotsuka. 50:1-12.
- Namolosanu, I. See O.A. Antoce. 48:413-422.
- Narváez, C. See P. Hinrichsen. 52:396-399.
- Navarro, G. See S. Navarro. 52:35-40.
- Navarro, S., J. Oliva, G. Navarro, and A. Barba. Dissipation of chlorpyrifos, fenarimol, mancozeb, metalaxyl, penconazole, and vinclozolin in grapes. 52:35-40.
- Ndung'u, C.K., M. Shimizu, G. Okamoto, and K. Hirano. Abscisic acid, carbohydrates, and nitrogen contents of Kyoho grapevines in relation to budbreak induction by water stress. 48:115-120.
- Nebot Sanz, E. See V.M. Palacios. 48:317-322.
- Nedjma, M. Influence of complex media composition, Cognac's brandy or Cognac, on the gas chromatography analysis of volatile sulfur compounds: Preliminary results of the matrix effect. 48:333-338.
See F. Ayala. 48:370-376, 377-382.
- Negueruela, A.I. See F. Ayala. 50:359-363.
- Newton, J. See M.D. Hale. 50:495-502.
- Ng, E. See G.J. Soleas. 48:169-176.
- Nicholson, R.L. See J.A. Sugui. 50:199-203.
- Nikolaou, N. See N. Karagiannidis. 51:269-275.
- Noble, A.C. See C. de la Presa-Owens. 48:310-316; 49:289-294.
See F.M. Dewey. 51:276-282.
See S.K. Park. 51:91-97.
- Noitsakis, B. See A. Patakas. 48:352-356; 50:76-80.
- Nurgel, C., and A. Canbas. Production of tartaric acid from pomace of some Anatolian grape cultivars. 49:95-99.
- O**
- Odoardi, M. See A. Cichelli. 51:108-114.
- Okamoto, G. See P.H. Kimura. 48:323-327; 49:1-5.
See C.K. Ndung'u. 48:115-120.
See S. Wang. 52:248-253.
- O'Keefe, S.F. See M.N. Musingo. 52:109-114.
- Okuda, T., A.G. Pue, K. Fujiyama, and K. Yokotsuka. Purification and characterization of polyphenol oxidase from Muscat Bailey A grape juice. 50:137-143.
- , and K. Yokotsuka. Levels of glutathione and activities of related enzymes during ripening of Koshu and Cabernet Sauvignon grapes and during winemaking. 50:264-270.
- Olineka, T.L. See C.L. Pallmann. 52:198-203.
- Oliva, J. See S. Navarro. 52:35-40.
- Oliveira, M. Calculation of budbreak and flowering base temperatures for *Vitis vinifera* cv. Touriga Francesa in the Douro Region of Portugal. 49:74-78.
- Ollat, N., and J.P. Gaudillere. The effect of limiting leaf area during stage I of berry growth on development and composition of berries of *Vitis vinifera* L., cv. Cabernet Sauvignon. 49:251-258.
- Olmstead, M.A., R.L. Wample, S.L. Greene, and J.M. Tarara. Evaluation of potential cover crops for inland Pacific Northwest vineyards. 52:292-303.
- Omer, A.D. See L. Kocsis. 50:101-106.
- Ortega, J.M. See E. Valero. 49:119-124.
- Ortiz, J.M. See J.R. Vidal. 50:69-75.
- Otsuka, K. See M. Sato. 48:1-6.
- P Q**
- Pachova, V. See I. Achaerandio. 52:122-126.
- Padgett-Johnson, M., L.E. Williams, and M.A. Walker. The influence of *Vitis riparia* rootstock on water relations and gas exchange of *Vitis vinifera* cv. Carignane scion under non-irrigated conditions. 51:137-143.
- Palacios, S., Y. Vasserot, and A. Maujean. Evidence for sulfur volatile products adsorption by yeast lees. 48:525-526.
- Palacios, V.M., E. Nebot Sanz, and L. Pérez Rodríguez. Use of factor analysis for the characterization and modelling of maturation of Palomino fino grapes in the Jerez region. 48:317-322.
- , I. Caro Pina, and L. Pérez Rodríguez. Factors influencing the oxidation phenomena of Sherry wine. 52:151-155.
- Palliotti, A., and A. Cartechini. Developmental changes in gas exchange activity in flowers, berries, and tendrils of field-grown Cabernet Sauvignon. 52:317-323.
- , A. Cartechini, and F. Ferranti. Morpho-anatomical and physiological characteristics of primary and lateral shoot leaves of Cabernet Franc and Trebbiano Toscano grapevines under two irradiance regimes. 51:122-130.
- Pallmann, C.L., J.A. Brown, T.L. Olineka, L. Cocolin, D.A. Mills, and L.F. Bisson. Use of WL medium to profile native flora fermentations. 52:198-203.
- Park, S.K., R.B. Boulton, and A.C. Noble. Formation of hydrogen sulfide and glutathione during fermentation of white grape musts. 51:91-97.
- Patakas, A. Changes in the solutes contributing to osmotic potential during leaf ontogeny in grapevine leaves. 51:223-226.
- , and B. Noitsakis. Cell wall elasticity as a mechanism to maintain favorable water relations during leaf ontogeny in grapevines. 48:352-356.
- . Osmotic adjustment and partitioning of turgor responses to drought in grapevine leaves. 50:76-80.
- Pazo, M. See A. Vaamonde. 48:177-180.
- Pellerin, P. See T. Doco. 50:28-32.
See S. Francioli. 50:456-460.
See A. Vernhet. 50:51-56, 391-397, 398-403.
See S. Vidal. 51:115-121.
- Peña, C. See A. Guitart. 50:253-258.

- Peña-Neira, A., T. Hernández, M.C. García-Vallejo, E. Cadahia, B. Fernandez de Simón, and J.A. Suarez. Low molecular weight phenols in cork stoppers. 50:285-290.
- Perdigones, F. See J.I. Ibeas. 48:71-74, 75-79.
- Pérez, F.J., C. Viani, and J. Retamales. Bioactive gibberellins in seeded and seedless grapes: Identification and changes in content during berry development. 51:315-318.
- Pérez, J.E. See M.C. Martínez. 51:365-373.
- Pérez-Coello, M.S., J. Sanz, and M.D. Cabezudo. Determination of volatile compounds in hydroalcoholic extracts of French and American oak wood. 50:162-165.
- Pérez Rodríguez, L. See P. Martínez. 48:55-62, 160-168; 49:340-350. See V.M. Palacios. 48:317-322; 52:151-155.
- Peterson, D.G. See J.P. Tomkins. 52:287-291.
- Petrovic, N. See K.S. Ling. 52:21-27.
- Peuke, A.D. The chemical composition of xylem sap in *Vitis vinifera* L. cv. Riesling during vegetative growth on three different Franconian vineyard soils and as influenced by nitrogen fertilizer. 51:329-339.
- Peyrot des Gachons, C. See T. Tominaga. 51:178-181.
- Phimphivong, S. See R.K. Austin. 48:121-124.
- Piçarra-Pereira, M.A. See R.B. Ferreira. 51:22-28.
- Picinelli, A., B. Suarez, L. Garcia, and J.J. Mangas. Changes in phenolic contents during sparkling apple winemaking. 51:144-149.
- Pianet, I. See N. Vivas. 49:49-55.
- Piacquadio, P. See M. Servili. 51:352-356.
- Piçarra-Pereira, M.A. See P.R. Mesquita. 52:324-330.
- Pickering, G.J., D.A. Heatherbell, and M.F. Barnes. The production of reduced-alcohol wine using glucose oxidase treated juice.
Part I. Composition. 50:291-298.
Part II. Stability and SO₂-binding. 50:299-306.
Part III. Sensory. 50:307-316.
- , D.A. Heatherbell, L.P. Vanhanena, and M.F. Barnes. The effect of ethanol concentration on the temporal perception of viscosity and density in white wine. 49:306-318.
- Pinto, T. See B.S. Sun. 50:179-184.
- Piombino, P. See L. Moio. 52:271-274.
- Pitois, C. See Y. Vasserot. 52:280-281.
- Planque, J. See A. Vernhet. 50:51-56.
- Poblet, M. See M. Constantí. 48:339-344. See M.T. Vidal. 52:223-229.
- Pomohaci, N. See O.A. Antoce. 48:413-422.
- Price, S.F. See J.D. Wightman. 48:39-48.
- Pue, A.G. See T. Okuda. 50:137-143.
- Puech, J.L., F. Feuillat, and J.R. Mosedale. The tannins of oak heartwood: Structure, properties, and their influence on wine flavor. 50:469-478.
See F. Feuillat. 48:509-515; 50:513-518.
See E. Masson. 51:201-214.
See J.R. Mosedale. 50:503-512.
- Puig, P. See M. Arellano. 48:403-412.
- Quellec, N. See T. Doco. 50:28-32.
- R**
- Radler, F. See A. Gent. 48:423-427.
- Rainieri, S., C. Zambonelli, V. Tini, L. Castellari, and P. Giudici. The enological traits of thermotolerant *Saccharomyces* strains. 49:319-325.
- Rangel, A.O.S.S., and I.V. Tóth. Determination of ethanol in wines by flow injection spectrophotometry using gas-diffusion and an immobilized enzyme reactor. 50:259-263.
- Razungles, A. See A. Belancic. 48:181-186.
- Reader, H.P. See J. Bakker. 50:271-276.
- Rebordinos, L. See J.J. Mesa. 51:15-21.
- Redon, C., P. Albert, I. Lacorre-Arescaldino, and J. Bierre. Electrophoretic heterogeneity of grapevine histones. 50:13-18. See A.S. Renault. 51:81-87.
- Regner, F., A. Stadlbauer, C. Eisenheld, and H. Kaserer. Genetic relationships among Pinots and related cultivars. 51:7-14.
- Renault, A. S., A. Deloire, I. Letinois, E. Kraeva, C. Tesniere, A. Ageorges, C. Redon, and J. Bierre. β -1,3-Glucanase gene expression in grapevine leaves as a response to infection with *Botrytis cinerea*. 51:81-87.
- Retamales, J. See F.J. Pérez. 51:315-318.
- Retzlaff, W.A. See L.E. Williams. 51:49-54.
- Reynolds, A.G., M. Cliff, B. Girard, and T.G. Kopp. Influence of fermentation temperature on composition and sensory properties of Semillon and Shiraz wines. 52:235-240.
- , C.G. Edwards, M.A. Cliff, J.H. Thorngate, and J.C. Marr. Evaluation of yeast strains during fermentation of Riesling and Chenin blanc musts. 52:336-344.
- , W.S. Lanterman, and D.A. Wardle. Yield and berry composition of five *Vitis* cultivars as affected by *Rupestris* stem pitting virus. 48:449-458.
- , and D.A. Wardle. Evaluation of minimal pruning upon vine performance and berry composition of Chancellor. 52:45-48. See P. Delaquis. 51:42-48. See C.G. Edwards. 50:204-210. See B. Girard. 48:198-206.
- Riaz, S. See C.P. Meredith. 50:236-242.
- Ribeiro, A. See A. Caputi. 51:415-417.
- Ricardo-da-Silva, J.M. See A.M. Jordão. 52:230-234. See B.S. Sun. 50:179-184.
- Rinadelli, E. See S. Biricolti. 48:93-99.
- Riponi, C. See M. Castellari. 49:91-94.
- Ritchev, J.G., and A.L. Waterhouse. A standard red wine: Monomeric phenolic analysis of commercial Cabernet Sauvignon wines. 50:91-100.
- Robillard, B. See G. Liger-Belair. 50:317-323; 52:88-92.
- Robson, A. See S.J. Bell. 50:351-358.
- Rodríguez, A.V. See C.G. Edwards. 50:204-210.
- Rodríguez, I. See M.T. Cervera. 52:127-135.
- Rollan, G. See E. Coton. 49:199-204.
- Rolston, D.E. See S. Hajrasulih. 49:191-198.
- Ros Barceló, A. See M. Morales. 48:33-38.
- Roubelakis-Angelakis, K.K.A. See F. Lefort. 52:101-108.
- Roustan, J.L. See A. Julien. 51:215-222.
- Rowhani, A. See J.K. Uyemoto. 48:521-524.
- Roytchev, V. Inheritance of grape seedlessness in seeded and seedless hybrid combinations of grape cultivars with complex genealogy. 49:302-305.
- . Palynological classification of seedless grape (*Vitis vinifera* L.) cultivars. 48:207-213.
- Ruffner, H.P. See L.P. Dreier. 51:340-346.
- S**
- Sablayrolles, J.M. See A. Julien. 51:215-222.
- Samuta, T. See K. Hashizume. 50:194-198.
- Sancha, J.C. See F. Martínez de Toda. 50:87-90, 443-446.
- Sanchez, J.A. See J.J. Mesa. 51:15-21.
- Sánchez, P. See A. Vaamonde. 48:177-180.
- Sánchez-Díaz, M. See H. Baigorri. 52:357-363.

- Sanger, M. See K.J. Dell. 49:11-16.
- Santamaría, M.P. See S.I. Epifanio. 50:219-224.
See A.R. Gutiérrez. 52:352-356.
- Santos, L. See I. Festas. 51:150-154.
See I. Mafra. 50:128-132.
- Sanz, J. See M.S. Pérez-Coello. 50:162-165.
- Saraiva, M.L.M.F.S. See A.N. Araújo. 48:428-432.
- Sarni-Manchado, P., A. Deleris, S. Avallone, V. Cheynier, and M. Moutounet. Analysis and characterization of wine condensed tannins precipitated by proteins used as fining agents in enology. 50:81-86.
See C. Maury. 52:140-145.
- Sato, M., Y. Suzuki, K. Hanamura, I. Katoh, Y. Yagi, and K. Otsuka. Winemaking from Kosho variety by the *sur lie* method: Behavior of free amino acids and proteolytic activities in the wine. 48:1-6.
See T. Yanai. 50:231-235.
See K. Yokotsuka. 50:1-12.
- Saucier, C., D. Little, and Y. Glories. First evidence of acetaldehyde-flavanol condensation products in red wine. 48:383-386.
See M. Mirabel. 50:211-218.
- Saura Calixto, F. See L. Bravo. 49:135-141.
See N. Martin-Carron. 48:328-332.
- Sauvageot, F., and F. Feuillat. The influence of oak wood (*Quercus robur* L., *Q. petraea* Liebl.) on the flavor of Burgundy Pinot noir. An examination of variation among individual trees. 50:447-455.
- , and P. Vivier. Effects of malolactic fermentation on sensory properties of four Burgundy wines. 48:187-192.
- Schlich, P. See C. de la Presa Owens. 49:289-294.
- Schneider, V. Must hyperoxidation: A review. 49:65-73.
- Sciancalepore, V. See M. Servili. 51:352-356.
- Seguin, V. See R. Marchal. 48:303-309.
- Segura, A. See C. Cabaleiro. 50:40-44.
- Semon, M. J. See C.G. Edwards. 50:204-210.
- Servens, C. See N. Vivas. 49:49-55.
- Servili, M., G. De Stefano, P. Piacquadio, and V. Sciancalepore. A novel method for removing phenols from grape must. 51:352-356.
- Shimizu, M. See C.K. Ndung'u. 48:115-120.
- Shirley, J. R. See A.L. Waterhouse. 51:383-389.
- Shively, C.E., and T. Henick-Kling. Comparison of two procedures for assay of free amino nitrogen. 52:400-401.
- Siler, C.E. See W.A. Buescher. 52:345-351.
- Silva, A. See M. Massolini. 49:6-10.
- Simon-Sarkadi, L. See M.B.A. Glória. 49:279-282.
- Simonetti, M.S. See A. Cichelli. 51:108-114.
- Sims, C.A. See M.N. Musingo. 52:109-114.
- Singleton, V.L. See M. Ibern-Gómez. 51:29-36.
See K. Yokotsuka. 48:13-25, 100-114; 52:93-100.
- Sipiora, M.J., and M.J. Gutiérrez Granda. Effects of pre-veraison irrigation cutoff and skin contact time on the composition, color, and phenolic content of young Cabernet Sauvignon wines in Spain. 49:152-162.
- Smilanick, J.L. See R.K. Austin. 48:121-124.
See F. Mlikota Gabler. 52:12-20.
- Smithyman, R.P., G.S. Howell, and D.P. Miller. Influence of canopy configuration on vegetative development, yield, and fruit composition of Seyval blanc grapevines. 48:482-491.
- . The use of competition for carbohydrates among vegetative and reproductive sinks to reduce fruit set and Botrytis bunch rot in Seyval blanc grapevines. 49:163-170.
- , R.L. Wample, and N.S. Lang. Water deficit and crop level influences on photosynthetic strain and blackleaf symptom development in Concord grapevines. 52:364-375.
- See N.S. Lang. 49:367-374.
- Soleas, G.J., D.M. Goldberg, E. Ng, A. Karumanchiri, E. Tsang, and E. P. Diamandis. Comparative evaluation of four methods for assay of *cis*- and *trans*-resveratrol. 48:169-176.
See D. M. Golberg. 49:23-34, 142-151; 50:185-193.
- Soufleros, E., M.L. Barrios, and A. Bertrand. Correlation between the content of biogenic amines and other wine compounds. Aminogenesis by indigenous malolactic flora and other lactic acid bacteria. 49:266-278.
- Souquet, J.M. See V. Cheynier. 48:225-228.
- Soyer, J.P. See L. Geny. 48:85-92.
- Spiropoulos, A., J. Tanaka, I. Flerianos, and L.F. Bisson. Characterization of hydrogen sulfide formation in commercial and natural wine isolates of *Saccharomyces*. 51:233-248.
- Spranger, M.I. See B.S. Sun. 50:179-184.
- Spayd, S.E. See J.M. Tarara. 51:182-188.
- Stadlbauer, A. See F. Regner. 51:7-14.
- Stoll, G.S. See L.P. Dreier. 51:340-346.
- Stover, E.W., H.J. Swartz, and T.J. Burr. Crown gall formation in a diverse collection of *Vitis* genotypes inoculated with *Agrobacterium vitis*. 48:26-32.
- . *Agrobacterium vitis*-induced electrolyte leakage in crown gall-susceptible and resistant grape genotypes. 48:145-149.
- Suarez, B. See A. Picinelli. 51:144-149.
- Suarez, J.A. See A. Peña-Neira. 50:285-290.
- Subden, R.E. See H. Volschenki. 48:193-197.
- Suberbiola, G. See M. López-Barajas. 52:146-150.
- Subramanian, V., K.K.S. Buck, and D.E. Block. Use of decision tree analysis for determination of critical enological and viticultural processing parameters in historical databases. 52:175-184.
- Sugui, J.A., K.V. Wood, Z. Yang, C.C. Bonham, and R.L. Nicholson. Matrix-assisted laser desorption ionization mass spectrometry analysis of grape anthocyanins. 50:199-203.
- Sun, B.S., T. Pinto, M.C. Leandro, J.M. Ricardo-Da-Silva, and M.I. Spranger. Transfer of catechins and proanthocyanidins from solid parts of the grape cluster into wine. 50:179-184.
- Suzuki, Y. See M. Sato. 48:1-6.
- Swan, J.S. See M.D. Hale. 50:495-502.
- Swartz, H. J. See E. W. Stover. 48:26-32, 145-149.

T

- Takahagi, T. See N. Kubota. 51:409-414.
- Takahashi, K. See O.A. Antoce. 48:413-422.
- Takayanagi, T., T. Uchibori, and K. Yokotsuka. Characteristics of yeast polygalacturonases induced during fermentation on grape skins. 52:41-44.
- , and K. Yokotsuka. Angiotensin I converting enzyme-inhibitory peptides from wine. 50:65-68.
- . Relationship between sucrose accumulation and sucrose-metabolizing enzymes in developing grapes. 48:403-407.
- Tamantini, I. See S. Biricolti. 48:93-99.
- Tanaka, J. See A. Spiropoulos. 51:233-248.
- Tarara, J.M., and J.C. Ferguson. Device for simulating high rates of sap flow in grapevines. 52:260-265.
- , J.C. Ferguson, and S.E. Spayd. A chamber-free method of heating and cooling grape clusters in the vineyard. 51:182-188.
See M.A. Olmstead. 52:292-303.
- Teissedre, P., C. Cabrera Vique, M.T. Cabanis, and J.C. Cabanis. Determination of nickel in French wines and grapes. 49:205-210.
See C. Cabrera-Vique. 51:103-107.
- Teixeira, A.R. See R.B. Ferreira. 51:22-28.

- See P.R. Mesquita. 52:324-330.
- Tesniere, C. See A.S. Renault. 51:81-87.
- This, P., C. Cuisset, and J.M. Boursiquot. Development of stable RAPD markers for the identification of grapevine rootstocks and the analysis of genetic relationships. 48:492-501.
- Thorngate, J.H. The physiology of human sensory response to wine: A review. 48:271-279.
- See A.G. Reynolds. 52:336-344.
- Threlfall, R.T., J.R. Morris, and A. Mauromoustakos. Effect of variety, ultraviolet light exposure, and enological methods on the *trans*-resveratrol level of wine. 50:57-64.
- See W.A. Buescher. 52:345-351.
- Tini, V. See S. Rainieri. 49:319-325.
- Todd, B.E.N., G.H. Fleet, and P.A. Henschke. Promotion of autolysis through the interaction of killer and sensitive yeasts: Potential application in sparkling wine production. 51:65-72.
- Tominaga, T., R. Baltenweck-Guyot, C. Peyrot des Gachons, and D. Dubourdieu. Contribution of volatile thiols to the aromas of white wines made from several *Vitis vinifera* grape varieties. 51:178-181.
- See M. Murat. 52:136-139.
- Torra Goñi, D., and C. Ancin Azpilicueta. Influence of yeast strain on biogenic amines content in wines: Relationship with the utilization of amino acids during fermentation. 52:185-190.
- de la Torre-Boronat, M.C. See M. Ibern-Gómez. 51:29-36; 52:159-164.
- See M. López-Barajas. 49:97-402; 52:146-150.
- Tóth, I.V. See A.O.S.S. Rangel. 50:259-263.
- Tomkins, J.P., D.G. Peterson, T.J. Yang, D. Main, E.F. Ablett, R.J. Henry, L.S. Lee, T.A. Holton, D. Waters, and R.A. Wing. Grape (*Vitis vinifera* L.) BAC library construction, preliminary STC analysis, and identification of clones associated with flavonoid and stilbene biosynthesis. 52:287-291.
- Traveso, C. See A. Vaamonde. 48:177-180.
- Tsang, E. See D.M. Goldberg. 49:23-34; 50:185-193.
- See G.J. Soleas. 48:169-176.
- Tuiskunen, M., and P. Lehtonen. Determination of the alcoholic strength of grape and fruit wines by simple analytical methods. 48:220-224.

U V

- Uchibori, T. See T. Takayanagi. 52:41-44.
- Uhlig, B.A., and P.R. Clingeleffer. Ripening characteristics of the fruit from *Vitis vinifera* L. drying cultivars Sultana and Merbein Seedless under furrow irrigation. 49:375-382.
- Uyemoto, J.K., C.R. Krag, and A. Rowhani. An improved purification procedure for grapevine leafroll associated viruses. 48:521-524.
- Vaamonde, A., P. Sánchez, F. Vilariño, M. Pazo, and C. Traveso. On consistency of qualifications of winetasting panels. Application of multivariate statistical methods. 48:177-180.
- Vagnoli, P. See M. Kudo. 49:295-301.
- Vaillant, H. See P. Formisyn. 48:345-351.
- Valero, E., M.C. Millan, J.C. Mauricio, and J.M. Ortega. Effect of grape skin maceration on sterol, phospholipid, and fatty acid contents of *Saccharomyces cerevisiae* during alcoholic fermentation. 49:119-124.
- Valcárcel, J. See P. Martínez. 49:340-350.
- Valenzuela, J. See P. Hinrichsen. 52:396-399.
- Vanhanena, L.P. See G.J. Pickering. 49:306-318.
- van Vuuren, H.J.J. See H. Volschenki. 48:193-197.
- Vas, G., K. Kóteleky, M. Farkas, A. Dobó, and K. Vékey. Fast screening method for wine headspace compounds using solid-phase microextraction (SPME) and capillary GC technique. 49:100-104.
- Vasconcelos, M., and S. Castagnoli. Leaf canopy structure and vine performance. 51:390-396.
- Vasserot, Y., S. Caillet, and A. Maujean. Study of anthocyanin adsorption by yeast lees. Effect of some physicochemical parameters. 48:433-437.
- , C. Jacopin, and P. Jeandet. Effect of bottle capacity and bottle-cap permeability to oxygen in dimethylsulfide formation in Champagne wines during aging on lees. 52:54-55.
- , C. Pitois, and P. Jeandet. Protective effect of a composite cork stopper on Champagne wine pollution with 2,4,6-trichloroanisole. 52:280-281.
- See S. Palacios. 48:525-526.
- Vasudevan, L., T.K. Wolf, G.G. Welbaum, and M.E. Wisniewski. Anatomical developments and effects of artificial shade on bud necrosis of Riesling grapevines. 49:429-439.
- Vékey, K. See G. Vas. 49:100-104.
- Vernhet, A., K. Dupre, L. Boulange-Petermann, V. Cheynier, P. Pellerin, and M. Mourouet. Composition of tartrate precipitates deposited on stainless steel tanks during the cold stabilization of wines.
- Part I. White wines. 50:391-397.
- Part II. Red wines. 50:398-403.
- , P. Pellerin, M.P. Belleville, J. Planque, and M. Moutounet. Relative impact of major wine polysaccharides on the performances of an organic microfiltration membrane. 50:51-56.
- Viala, C. See P. Chatonnet. 48:443-448.
- Viani, C. See F.J. Pérez. 51:315-318.
- Vidal, J.R., S. Moreno, Y. Gogorcena, A. Masa, and J. M. Ortiz. On the genetic relationships and origins of six grape cultivars of Galicia (Spain) using RAPD markers. 50:69-75.
- Vidal, M.T., M. Poblet, M. Constantí, and A. Bordons. Inhibitory effect of copper and dichlofluanid on *Oenococcus oeni* and malolactic fermentation. 52:223-229.
- Vidal, S., T. Doco, M. Moutounet, and P. Pellerin. Soluble polysaccharide content at initial time of experimental must preparation. 51:115-121.
- Vignes-Adler, M. See G. Liger-Belair. 50:317-323.
- Vignozzi, N. See S. Biricolti. 48:93-99.
- Vilariño, F. See A. Vaamonde. 48:177-180.
- Viljoen, M. See H. Volschenki. 48:193-197.
- Villa, A. See V. Gerbaux. 48:49-54.
- Villanueva, M. J. See M.A. Esteban. 50:418-434.
- Vivas, N., I. Pianet, G. Bourgeois, C. Vitry, C. Servens, and Y. Glories. Characterization of heartwood lignin fractions from *Quercus robur* L. and *Quercus petraea* (Matt) Liebl., the main oak species used for barrel making. 49:49-55.
- Viviani-Nauer, A., P. Hoffmann-Boller, and J. Gafner. *In vitro* detection of folpet and its degradation to phthalimide in aqueous solutions and in yeast suspensions. 48:63-66.
- . *In vivo* detection of folpet and its metabolite phthalimide in grape must and wine. 48:67-70.
- Vitry, C. See N. Vicas. 49:49-55.
- Vivier, A. See F. Sauvageot. 48:187-192.
- Vlassides, S. and D.E. Block. Evaluation of cell concentration profiles and mixing in unagitated wine fermentors. 51:73-80.
- Volschenki, H., M. Viljoen, J. Grobler, F. Bauer, A. Lonvaud-Funel, M. Denrayolles, R.E. Subden, and H.J.J. van Vuuren. Malolactic fermentation in grape musts by a genetically engineered strain of *Saccharomyces cerevisiae*. 48:193-197.
- Vrhovsek, U., S. Wendelin, and R. Eder. Effects of various vinification techniques on the concentration of *cis*- and *trans*-resveratrol and resveratrol glucoside isomers in wine. 48:214-219.

W

- Walker, M.A. See A. Foneck. 52:28-34.
- See W. Grzegorzczak. 48:157-159; 49:17-22.
- See L. Kocsis. 50:101-106.
- See H. Lin. 49:403-407.
- See M. Padgett-Johnson. 51:137-143.

- Wample, R.L. Influence of pre- and post-treatment storage on rooting of hot-water-treated cuttings of Cabernet Sauvignon. 48:131-136.
 See N.S. Lang. 49:367-374.
 See A.M. Morrell. 48:459-464, 465-470.
 See M.A. Olmstead. 52:292-303.
 See R.P. Smithyman. 52:364-375.
- Wang, S., G. Okamoto, K. Hirano, J. Lu, and C. Zhang. Effects of restricted rooting volume on vine growth and berry development of Kyoho grapevines. 52:248-253.
- Wardle, D.A. See A.G. Reynolds. 48:449-458; 52:45-48.
- Waterhouse, A.L., S. Ignelzi, and J.R. Shirley. A comparison of methods for quantifying oligomeric proanthocyanidins from grape seed extracts. 51:383-389.
 See T.S. Collins. 48:280-284.
 See R.M. Lamuela-Raventós. 52:156-158.
 See L. Marticardi. 50:519-526.
 See J.G. Ritchey. 50:91-100.
 See J.P. Towey. 47:163-172.
- Waters, D. See J.P. Tomkins. 52:287-291.
- Watkins, S.J. See J. Bakker. 50:271-276.
- Watson, B.T. See M.B.A. Glória. 49:279-282.
 See J.D. Wightman. 48:39-48.
- Wegener, G. See A. Gent. 48:423-427.
- Weiss, K.C., L.W. Lange, and L.F. Bisson. Small-scale fining trials: Effect of method of addition on efficiency of bentonite fining. 52:275-279.
 ———, T. Yip, T.W. Hutchens, and L.F. Bisson. Rapid and sensitive fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. 49:231-239.
- Welbaum, G.G. See L. Vasudevan. 49:429-439.
- Wendelin, S. See U. Vrhovsek. 48:214-219.
- Whiton, R.S., and B.W. Zoecklein. Optimization of headspace solid-phase microextraction for analysis of wine aroma compounds. 51:379-382.
- Wightman, J.D., S.F. Price, B.T. Watson, and R.E. Wrolstad. Some effects of processing enzymes on anthocyanins and phenolics in Pinot noir and Cabernet Sauvignon wines. 48:39-48.
- Wilker, K.L., and M.R. Dharmadhikari. Treatment of barrel wood infected with acetic acid bacteria. 48:516-520.
 See M.R. Dharmadhikari. 49:408-412.
- Williams, L.E., W.A. Retzlaff, W. Yang, P.J. Biscay, and N. Ebisuda. Effect of girdling on leaf gas exchange, water status, and non-structural carbohydrates of field-grown *Vitis vinifera* L. (cv. Flame Seedless). 51:49-54.
 See M. Padgett-Johnson. 51:137-143.
- Wing, R.A. See J.P. Tomkins. 52:287-291.
- Wisniewski, M.E. See L. Vasudevan. 49:429-439.
- Wolf, T.K. See E.R. Capps. 51:319-328.
 See L. Vasudevan. 49:429-439.
 See B.W. Zoecklein. 49:35-43, 259-265.
- Wong, J.W., and C.A. Halverson. Multiresidue analysis of pesticides in wines using C-18 solid-phase extraction and gas chromatography-mass spectrometry. 50:435-442.
- Wood, K.V. See J.A. Sugui. 50:199-203.
- Wrolstad, R.E. See J.D. Wightman. 48:39-48.

X Y Z

- Yagi, Y. See M. Sato. 48:1-6.
- Yajima, M., and K. Yokotsuka. Volatile compound formation in white wines fermented using immobilized and free yeast. 52:210-218.
 See K. Yokotsuka. 48:471-481.
- Yanai, T., and M. Sato. Isolation and properties of β -glucosidase produced by *Debaryomyces hansenii* and its application in winemaking. 50:231-235.
- Yang, T.J. See J.P. Tomkins. 52:287-291.
- Yang, W. See L.E. Williams. 51:49-54.
- Yang, Z. See J.A. Sugui. 50:199-203.
- Yip, T. See K.C. Weiss. 49:231-239.
- Yokotsuka, K., A. Nagao, K. Nakazawa, and M. Sato. Changes in anthocyanins in berry skins of Merlot and Cabernet Sauvignon grapes grown in two soils modified with limestone or oyster shell versus a native soil over two years. 50:1-12.
 ———, and V.L. Singleton. Disappearance of anthocyanins as grape juice is prepared and oxidized with PPO and PPO substrates. 48:13-25.
 ———. Effects of seed tannins on enzymatic de-colorization of wine pigments in the presence of oxidizable phenols. 52:93-100.
 ———. Glycoproteins: Characterization in a hybrid grape variety (Muscat Bailey A) juice, fermenting must, and resultant red wine. 48:100-114.
 ———, M. Yajima, and T. Matsudo. Production of bottle-fermented sparkling wine using yeast immobilized in double-layer gel beads or strands. 48:471-481.
 See T. Okuda. 50:264-270; 50:137-143.
 See T. Takayanagi. 48:403-407; 50:65-68; 52:41-44.
 See M. Yajima. 52:210-218.
- Ypema, H.L., and W.D. Gubler. The distribution of early season grapevine shoots infected by *Uncinula necator* from year to year: A case study in two California vineyards. 51:1-6.
- Yvon, M. See A. Forneck. 52: 28-34.
- Zagatto, E.A.G. See A.N. Araújo. 48:428-432.
- Zambonelli, C. See S. Rainieri. 49:319-325.
- Zamora, F. See J.N. Canals. 49:383-388.
- Zhang, C. See S. Wang. 52:248-253.
- Zhu, H.Y. See K.S. Ling. 52:21-27.
- Zironi, R., E. Celotti, and F. Battistutta. Research for a marker of the hyperoxygenation treatment of musts for the production of white wines. 48:150-156.
- Zoccolan, E. See E. Celotti. 50:343-350.
- Zoecklein, B.W., J.E. Marcy, and Y. Jasinski. Effect of fermentation, storage *sur lie* or post-fermentation thermal processing on White Riesling (*Vitis vinifera* L.) glycoconjugates. 48:397-402.
 ———, T.K. Wolf, S.E. Duncan, J.E. Marcy, and Y. Jasinski. Effect of fruit zone leaf removal on total glycoconjugates and conjugate fraction concentration of Riesling and Chardonnay (*Vitis vinifera* L.) grapes. 49:259-265.
 ———, T.K. Wolf, J.E. Marcy, and Y. Jasinski. Effect of fruit zone leaf thinning on total glycosides and selected aglycone concentrations of Riesling (*Vitis vinifera* L.) grapes. 49:35-43.
 See H.M. McMahon. 50:385-390.
 See R.S. Whiton. 51:379-382.

Subject Index

Volumes 48, 49, 50, 51, 52
(1997, 1998, 1999, 2000, 2001)

A

- Abcisic acid. contents in Kyoho vines in relation to budbreak induction by water stress. 48:115-120.
training system. 52:357-363.
xylem sap. 51:329-339.
- Acetaldehyde. -flavanol condensation products in red wine. 48:370-373.
in Sherry wines. 51:15-21.
- Acetic acid bacteria. barrel wood treatment. 48:516-520.
- Acetic acid. production. inhibition by lysozyme addition. 48:49-54.
stuck fermentation. 50:204-210.
- Acid(s). See also specific acids.
organic. determination by capillary electrophoresis. 50:154-161.
yeast growth inhibition. 48:413-422.
- Acidification of must by genetically engineered yeast to produce lactic acid bacteria. 50:45-50.
- Adsorption. anthocyanin(s). by yeast lees. 48:433-437.
- Aerobic metabolism of flor yeasts in sherry. 48:71-79.
- Aging. biological aging of sherry. 48:71-79, 160-168; 51:98-102.
bottle aging. yeast immobilized in double-layer gel beads or strands. 48:471-481.
condensation products. 48:370-373.
copigmentation. 50:211-218.
fino sherry. 49:240-250; 51:98-102.
low-alcohol wines. 50:299-306.
oak. 50:33-39, 469-478, 479-494, 503-512, 513-218, 519-526.
phenolic compounds. 47:441-446; 50:33-39.
polysaccharide patterns. 50:25-32.
reduced-alcohol wines. 50:299-306.
sparkling wine. 50:404-408; 51:29-36.
volatile compounds in hydroalcoholic extracts from oak. 50:162-165.
with yeast. 50:404-408.
- Agrobacterium tumefaciens*. 48:131-136.
- Agrobacterium vitis*. biological control of crown gall. 48:26-32.
electrolyte leakage. 48:145-149.
polygalacturonase. 48:145-149.
- AJEV. Guide to authors. 52:60-65.
- Albaña vines. virus effects on field performance. 48:7-12.
- Alcohol(s). at dejuice. 50:385-390.
yeast growth inhibition. 48:413-422.
- Alcoholic fermentation. See also Fermentation.
acetic acid role in. 50:204-210.
analysis of yeast populations during. 48:339-344.
computer modelling. 50:166-178.
folpet degradation to phthalimide. 48:67-70.
lactic acid bacteria/yeast effects on. 50:45-50.
skin maceration effect on lipid composition of *Saccharomyces cerevisiae*. 49:119-124.
- Aldehydes. in alcoholic beverages. 50:324-333.
- Alkaline phosphatase. tannin analysis. 50:247-252.
- Amidohydrolase. 48:137-144.
- Amines. lysozyme control. 48:49-54.
- Amino acid(s). biogenic amines. 52:185-190.
composition in grape juice and must. 51:227-232.
concentrations in Koshu *sur lie* wine. 48:1-6.
changes during Tempranillo ripening. 50:144-154.
in red wines. 48:100-114.
contribution to buffering capacity of wines. 51:347-351, 352-356.
determination in wines. 48:225-228.
effect of clarification treatments. 49:389-396.
Port wine. 51:262-268.
relationship to Chardonnay must and wine aromas. 50:253-258.
- Ammonium. sulfate. precipitation. 48:100-114.
- Ampelography. Albillo accessions. 52:127-135.
rootstock. 49:403-407.
Vitis. 49:86-90; 51:370-378.
- Amplified fragment length polymorphism (AFLP). characterization of Albillo accessions. 52:127-135.
- Analysis. See also specific analysis.
alcohol content of wine. 48:214-219.
aldehydes in alcoholic beverages by GC. 50:324-333.
arginine. 51:227-232.
cysteamine derivatization procedure. 50:324-333.
ethanol content in wine by capillary electrophoresis. 48:280-284.
fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. 49:231-239.
glycoproteins. 48:100-114.
HPLC quantification of biogenic amines and amino acids in wine. 49:266-278.
metal content in wine. 51:131-136.
methods and proficiency survey. 50:461-465.
protein fraction analysis of white wine by FPLC. 49:383-388.
sequential injection. determination of L-lactate in wine. 48:428-432.
solid phase extraction determination of mono- and diglycerides. 51:415-417.
volatile components of wine. 49:44-48.
- Angiotensin I converting enzyme (ACE). 50:65-68.
- Anthocyanin(s). adsorption by yeast lees. 48:433-437.
analysis by MALDI. 50:199-203.
berry skins. 50:1-12.
changes during fermentation and post-fermentation standing of musts. 48:225-228.
copigmentation relative to aging. 50:211-218.
determination by electrospray ionization. 51:55-64.
differences among planting sites. 50:277-284.
irrigation cut-off time effects on. 49:152-162.
pigments. 48:39-48.
polyphenoloxidase effects on color. 48:13-25.
processing enzyme effects on. 48:39-48.
review of copigmentation. 52:67-87.
skin fermentation time effects on. 49:152-162.
soil nutrient effects on in berry skins. 50:1-12.
standard red wine. 50:91-100.
virus presence effects in berry and leaf. 48:438-442.
- Antibodies. wine protein analyses. 51:22-28.
- Antioxidant(s). from grape seed extract. 51:383-389.
- Arabinogalactan(s). 50:25-32, 51-56; 51:115-121.
- Arbuscular mycorrhizae. 51:269-275.
- Arginine. 51:227-232.
- Aroma, wine. See also Sensory characteristics of wine.
amino acid content of must and wine relationship to. 50:253-258.
analysis by HS-SPME of sparkling wine. 50:404-408.
compounds. influence of fermentation temperature. 52:235-240.
in Merlot clone wines. 49:44-48.
in Pisco. 51:404-408.
in sherry wines. 49:240-250.
descriptive analysis. 49:289-294.
enhancement. 50:231-235.
ethylphenols. 48:443-448.
 β -glycosidase. 51:362-369.
headspace analysis. 51:379-382.
hydrogen sulfide. 50:334-342.
malolactic cultures. effects on Chancellor. 51:42-48.

Aroma, wine, cont.

- Méthode Champenoise* process effect on. 49:289-294.
- Oenococcus oeni*. 51:362-369.
- polyphenolic components of red wines. 48:443-448.
- potential of Muscat grapes for Pisco production. 51:404-408.
- physiology of human sensory response to. 48:271-279.
- precursors. 51:404-408.
- sparkling wine. 50:404-408.
- storage temperature effects on Chardonnay. 48:310-316.

Aromatic composition of Muscat grapes. 48:181-186.

Artificial neural networks analysis. 51:108-114.

Aspergillus niger. 51:276-282.

Assay, arginine. 51:227-232.

- Bradford. protein measurement. 48:303-309.
- resveratrol. 48:169-176; 51:37-41.

Autochthonous grapevine cultivars. 51:370-378.

Autolysis. 51:65-72.

Authors' guide. 52:60-65.

B

BAC. end sequencing. 52:287-291.

- library. 52:287-291.

Bagaceira. 49:56-94.

Barrel(s). See also Aging.

- infected with acetic acid bacteria. 48:516-520.
- lignin fractions. 49:49-55.
- organoleptic properties. 50:469-478, 479-494, 503-512, 513-218, 519-526.
- phenolic extraction kinetics. 50:33-39.
- sanitizing. 48:516-520.
- toasting. intensities. 50:479-494.
- wood anatomy variations effects. 48:502-508, 509-515.

Bentonite. adsorption of protein. 52:122-126.

- effect of method of addition. 52:275-279.

Berry, grape. See also Grape(s), Table grapes.

- composition. climate effects on. 51:249-261.
- irrigation effects on. 50:418-434.
- leaf canopy structure effects on. 51:390-396.
- minimal pruning effect on. 52:45-48.
- Rupestris* virus effects on. 48:449-458.
- development. girdling effects on. 51:49-54.
- effect of limiting leaf area on. 49:251-258.
- gibberellin content. 51:315-318.
- growth. 52:317-323.
- methoxypyrazine concentration. 50:194-198.
- ripening. 52:331-335.
- rooting-zone restriction. 52:248-253.
- skins. anthocyanins. 50:1-12.
- temperature. 51:182-188.

Biogenic amines in wines. 49:266-278, 279-282; 50:128-132.

- influence of yeast strain. 52:185-190.

Biosensor. measurement of polyphenolics. 52:219-222.

Blackleaf. Concord vines. 49:367-374; 52:364-375.

Blending. optimization. 52:386-395.

Bobal cultivar. identification of wines. 48:285-291.

Bogazkere. 49:95-99.

Bordeaux wines. authenticity determination. 50:409-417.

Botrytis cinerea. canopy configuration effects on Seyval blanc. 48:482-491; 49:163-170.

- control of. leaf removal. Stylet-Oil. 49:11-16.
- β -1,3-glucanase gene expression in infected leaves. 51:81-87
- influence on polysaccharide composition of must and base wine. 50:456-460.
- pH control. 52:12-20.
- quantification by ELISA. 51:276-282.
- sulfur dioxide fumigation for control. 48:121-124.

Bottle-cap. permeability in Champagne wines. 52:54-55.

Bottle-fermented sparkling wine. yeast immobilized in double-layer gel beads or strands. 48:471-481.

Brandy. color measurement. 50:359-363.

- volatile sulfur compounds detection. 48:333-338.

Brettanomyces/Dekkera spp. effect on ethylphenol content of red wine. 48:443-448.

- identification of. 52:241-247.

Browning. sparkling wine. 51:29-36.

Bubbles. formation in Champagne. 52:88-92.

- nucleation in Champagne. 50:317-323.

Bud, grapevine. See also Grapevine.

- fruitfulness. leafhopper feeding impact on. 48:291-302.
- necrosis. 49:429-439.

Budbreak. calculation of. 49:74-78.

- control. 51:409-414.
- induced. by water stress. 48:115-120.

Buffering capacity of tartaric and malic acids. 51:347-351, 352-356.

Bunch rot. See *Botrytis cinerea*.

Bunch stem necrosis. 51:319-328.

Burgundy wines, barrel-aging. 50:513-218.

C

Cabernet Franc. DNA typing. 52:396-399.

Cabernet Sauvignon grapevines. See also Grapevine(s).

- glutathione. 50:264-270.
- irrigation effects on color, anthocyanins, phenols. 49:152-162.
- leaf area effect on berries. 49:251-258.
- nitrogen fertilization. 50:351-358.
- polyamines in fruiting cuttings. 48:80-84, 85-92.
- potassium nutrition. 48:85-92.
- rooting of hot-water-treated cuttings. 48:131-136.

Cabernet Sauvignon wine. catechin and epicatechin concentrations. 49:23-34.

- glycosides. 50:385-390.
- irrigation effects on color, anthocyanins, phenols. 49:152-162.
- processing enzymes effects on anthocyanins and phenolics. 48:39-48.
- skin contact time. effects on color, anthocyanins, phenols. 49:152-162.

Cadmium uptake in vines. 51:269-275.

Calcium. berry. 52:331-335.

- budbreak control. 51:409-414.
- tartrate. seeding. 49:177-182.

Calorimetry. heat formation during malolactic fermentation. 48:423-427.

- yeast growth inhibition by alcohols and organic acids. 48:413-422.

Canary Island wines. descriptive analysis. 49:440-444.

Candida. characterization by DNA. 48:339-344.

Canopy management. See also Grapevine, Trellising.

- artificial shading effects on bud necrosis. 49:429-439.
- chamber-free method for heating and cooling clusters. 51:182-188.
- Chancellor. 52:45-48.
- cluster zone leaf removal. 51:390-396.
- density. nitrogen fertilization effects on. 50:351-358.
- fruit set. 49:163-170.
- lateral shoot length. 51:390-396.
- morphology. 49:183-190.
- Muscat grapes. sun exposure effects on aromatic composition. 48:181-186.
- Riesling vines. 49:429-439.
- Seyval blanc vines. 49:163-170.
- shading effects. on bud necrosis. 49:429-439.
- shoot tipping. 51:390-396.
- sun exposure effects on aromatic composition. 48:181-186.

Capillary electrophoresis. organic acid determination in juice and wine. 50:154-161.

- wine protein analysis. 50:120-127.

Carbohydrate(s), in grapevines. reserves. 48:115-120.

Carbon partitioning. 49:183-190.

Carboxypeptidase. 48:1-6.

Carmenère. DNA typing. 52:396-399.

- Catechin(s). concentration in wine. 49:23-34; 50:185-193.
 in seeds and skins. 51:397-403.
 transfer from grape cluster solids into wine. 50:179-184.
 evolution during grape maturation. 52:230-234.
 influence of altitude. 52:115-121.
 virus presence effects on berry and leaf. 48:438-442.
- Cava. age determination. 50:404-408.
Botrytis cinerea effect on pectolytic composition of base wines. 50:456-460.
 browning. 51:29-36.
- Cell wall. elasticity in leaf. 48:352-356.
 porosity and macromolecule excretion of *Saccharomyces cerevisiae* cultivated on grape juice. 49:325-332.
- Cellulase from Muscadine grapes. 50:19-24.
- Champagne wines. bubble formation. 52:88-92.
 bubble nucleation. 50:317-323.
 dimethylsulfide formation. 52:54-55.
 protective effect of composite cork on pollution with trichloroanisole. 52:280-281.
 protein measurement. 48:303-309.
- Chancellor wines. 51:42-48.
- Characterization. of cellulase from Muscadine grapes. 50:19-24.
 of Palomino fino grapes. 48:317-322.
 of polyphenol oxidase from Muscat Bailey A juice. 50:137-143.
- Chardonnay grapevines. effect of fruit zone leaf removal on total glycoconjugates and conjugate fraction concentration. 49:259-265.
- Chardonnay wine. amino acids. 49:389-396; 50:253-258.
 clarification treatments. 49:389-396.
 storage temperature effects on aroma. 48:310-316.
- Chemical composition of wine. determination. 51:108-114.
- Chemiluminescence. 48:333-338.
- Chlorophyll. fluorescence in blackleaf-affected Concord vines. 49:367-374; 52:364-375.
- Chromatography, capillary gas liquid. -solid-phase microextraction to determine headspace compounds. 49:100-104.
- Chromatography, gas. aldehydes in alcoholic beverages. 50:324-333.
 -olfactometry. determination of changes in sensory characteristics pesticide residue analysis in wines. 50:435-442.
 sulfur compounds analysis. 48:333-338.
trans-resveratrol measurement in wines. 48:169-176.
- Chromatography, high-performance liquid (HPLC). amino acid determination. 48:229-235.
 folpet detection in aqueous solutions and yeast suspensions. 48:63-66.
 in must and wine. 48:67-70.
 glycoproteins. 48:100-114.
 phenolic(s). compositional changes in Hungarian red wine during phenolic determination. 48:438-442.
 polyphenol concentrations in wines. 50:185-193; 51:144-149.
 quantification of biogenic amines and amino acids in wine. 49:266-278.
 resveratrol. 48:169-176, 214-219; 50:185-193.
- Cider. 51:144-149.
- Clarification, must and wine. 49:389-396.
 practice influence on wild yeast strain selection. 50:219-224.
- Climate. 51:249-261.
- Clone(s). selection. agronomic, enological performances. 48:438-442.
 Nebbiolo. 48:438-442.
- Cluster. heating and cooling. 51:182-188.
 thinning.effects on fruit set and botrytis. 49:163-170.
 leaf canopy structure effects on. 51:390-396.
- Cognac aging. volatile sulfur compounds. 48:333-338.
- Collaborative testing. 50:461-465.
- Cold soak. effects of glucosides. 50:385-390.
- Cold stabilization. 50:391-397, 398-403.
- Colloids. inhibitory effect on tartaric precipitation. 50:343-350.
- Color. See also Anthocyanin, Browning.
 brandy. 50:359-363.
 irrigation effects on. 49:152-162.
 measurement. 48:357-363, 364-369; 50:359-363.
 polyphenoloxidase effects on. 48:13-25.
 review of copigmentation. 52:67-87.
 skin contact time. effects on. 49:152-162.
 stability. effect of skin maceration time. 52:266-270.
- Computer modelling of alcoholic fermentation. 50:166-178.
- Concord grapevines. blackleaf. 49:367-374.
 leafhopper feeding impact on yield. 48:291-302.
 dry matter partitioning. 49:183-190.
- Concord juice. leafhopper feeding impact on juice quality. 48:291-302.
- Condensation products in red wine. 48:370-373.
- Condensed tannins. in fined wines. 50:81-86.
 influence of gelatins on proanthocyanidins. 52:140-145.
 in grape pomace. 49:135-141.
- Cooperage. 50:447-455, 469-478, 479-494, 503-512, 513-218, 519-526; 51:201-214.
 ellagitannins in kiln-dried oak. 51:201-214.
 lignin fractions. 49:49-55.
 variations in volatile oak extractives. 49:79-85.
- Copigmentation. in model wine solutions. 50:211-218.
 review of red wine color. 52:67-87.
- Copper content in wine. 51:131-136.
- Copper chelate regenerable carrier for removal of phenols from must. 51:357-361.
- Cork(s). phenolic compounds. 49:6-10; 50:285-290.
 processing of cork slabs. 49:6-10.
 trichloroanisole. 52:280-281.
- Cover crops. 52:292-303.
- Crop level. canopy management effects on. 49:163-170.
- Crown gall. 48:26-32.
 electrolyte leakage. 48:145-149.
 hot water treatment of dormant cuttings. 48:131-136.
 resistance. 48:145-149.
- Cyanamides. effects on budbreak. 51:409-414.
- Cyanidin. grape. 50:199-203.
- Cysteamine derivatization. 50:324-333.
- Cysteinylated precursors. liberation by yeast. 52:136-139.

D

- Daktulosphaera vitifoliae*. See Phylloxera.
- Debaryomyces hansenii*. isolation and properties. 50:231-235.
- Deacidification of high malate must with *Schizosaccharomyces pombe*. 49:408-412.
- Decision tree analysis. determination of processing parameters. 52:175-184.
- Defoaming agent. 51:415-417.
- Delphinidin. grape. 50:199-203.
- Demethylation inhibitor (DMI). 49:11-16.
- Derivatization. amino acids. 48:229-235.
- Descriptive sensory analysis. See also Sensory characteristics of wines.
 Canary Island wines. 49:440-444.
 low-alcohol wines. 50:307-316.
Méthode Champenoise process effect on aroma. 49:289-294.
 reduced-alcohol wines. 50:307-316.
 storage temperature effects on Chardonnay. 48:310-316.
- Dessèchement de la rafle. 51:319-328.
- Dessert wines. alcoholic strength determination. 48:220-224.
- Diaminopropane. in fruiting cuttings. 48:80-84, 85-92.
- Dietary fiber. grape pomace potential as a food ingredient. 48:328-332; 49:135-141.
- Differential pH meter. determination of sugar. 52:271-274.
- Differentiation. between wines of two close viticultural zones. 48:285-291.

- Dimethylsulfide. formation in Champagne wines. 52:54-55.
- Discriminant analysis. Port wine. 51:262-268.
- Disease, grapevine. See also specific disease.
blackleaf-affected Concord vines. 49:367-374.
Botrytis cinerea. 49:11-16.
crown gall. 48:26-32.
leafroll. effects on physiology and must. 50:40-44.
powdery mildew. Stylet-Oil. 49:11-16.
- Distilled beverages. major volatile responses to processing. 49:56-94.
marc distillates. 49:56-94.
Pisco. 51:404-408.
- DMS. See Dimethylsulfide.
- DNA. fingerprinting. marker analysis. 50:236-242.
polymorphism. 50:236-242, 243-246.
- Dry matter partitioning. of Concord grapevines. 49:183-190.
- Drying varieties. ripening characteristics. 49:375-382.
- ### E
- Economic. leafhopper impact on Concord. 48:291-302.
- Effervescence in champagne. 50:317-323.
- Elastic adjustment of leaf tissue. 50:76-80.
- Electrode. carbon paste. 52:381-385.
- Electron microscopy. palynobiometric study of seedless grape cultivars. 48:207-213.
- Electrophoresis. ethanol analysis in wine. 48:280-284.
histone heterogeneity study. 50:13-18.
simultaneous separation of organic and inorganic acids. 48:408-412.
soluble protein analysis. 48:100-114.
- Electrospray ionization. 51:55-64.
- Electrothermal atomization-atomic absorption spectrometry for determination of manganese content. 51:103-107.
- ELISA test. botrytis quantification. 51:276-282.
detection of virus. 52:21-27, 56-57.
- Ellagic acid. changes during storage. 52:109-114.
- Ellagitannin. content of oak wood. 48:502-508, 509-515.
- Emir grapes. 49:95-99.
- Enological. practices. influence on selection of wild yeast strains during spontaneous fermentation. 50:219-224.
traits of thermotolerant *S. cerevisiae*. 49:319-324.
- Enzymatic reactor for initiating malolactic fermentation. 48:345-351.
- Enzyme(s). inhibitor. 48:1-6.
processing. effects on anthocyanins and phenolics. 48:39-48.
- Epicatechin. concentrations in red wines. 49:23-34; 51:397-403.
- Epicuticular wax. 52:317-323.
- Erythroneura comes*. feeding impact on yield and juice quality of Concord. 48:291-302.
- Ethanol. analysis in wine. 48:280-284; 50:259-263.
concentration effects on temporal perception of viscosity and density. 49:306-318.
effects on biological aging of sherry. 48:71-79.
toxicity. fermentation arrest. 50:107-119.
- Ethyl carbamate. 51:227-232.
- Evapotranspiration. 51:340-346.
- Extraction kinetics of phenolics from oak. 50:33-39.
- ### F
- Factor analysis. for characterization and modelling of maturation of grapes. 48:317-322.
- Fermentation. alcoholic. 50:204-210.
computer modelling. 50:166-178.
must deacidification with *Schizosaccharomyces pombe*. 49:408-412.
skin maceration effect on lipid composition of *S. cerevisiae*. 49:119-124.
yeast populations. 48:339-344.
buffering capacity. 51:347-351, 352-356.
catechin(s). transfer from grape cluster into wine. 50:179-184.
ethanol toxicity. 50:107-119.
enological traits of thermotolerant *S. cerevisiae*. 49:319-324.
glycoconjugates. effects on. 48:397-402.
hexose transport capacity. 50:107-119.
kinetics. 51:73-80.
malolactic. See also Malolactic fermentation.
by a genetically engineered strain of *S. cerevisiae*. 48:193-197; 50:45-50.
enzyme reactor to initiate. 48:345-351.
malolactic cultures effects on Chancellor wine. 51:42-48.
mannoprotein production in juice and must. 49:325-332.
oxygen demands of yeasts. 51:215-222.
pH and potassium effect on stuck fermentations. 49:295-301.
potassium and pH concentration imbalance as a cause of stuck fermentations. 49:295-301
proanthocyanidin(s). transfer from grape cluster into wine. 50:179-184.
restarting. 51:168-177.
resveratrol. glucoside concentrations. 48:214-219.
sluggish. acetic acid effects on. 50:107-119, 204-210.
lactic acid bacteria/yeast effects on. 51:168-177.
yeast nitrogen demands. 51:168-177, 215-222.
spontaneous. 50:219-224; 52:352-356.
starter cultures. 51:42-48.
stationary phase. 51:215-222.
stuck. 49:125-134, 295-301; 50:107-119, 204-210; 51:168-177, 215-222. 52:345-351.
Stylet-Oil effects on. 49:11-16.
temperature. influence on sensory characteristics of Pinot noir. 48:198-206.
influence on wine composition. 52:235-240.
thermotolerant *S. cerevisiae*. 49:319-324.
volatile sulfur compounds. 50:334-342; 51:91-97.
yeast-assimilable nitrogenous compounds. 49:125-134; 51:168-177, 215-222.
- Fertilization, nitrogen. effect on bunch stem necrosis. 51:319-328.
effect on Cabernet Sauvignon. 50:351-358.
dessèchement de la rafle. 51:319-328.
on trickle-irrigated vines. 49:191-198.
- Filtration. effects on sparkling wine foam behavior. 48:303-309.
measurement of wine filterability. 52:191-197.
polysaccharide effects on organic microfiltration membrane. 50:51-56.
- Fingerprinting wine proteins. 49:231-239.
- Fining. effect of method of addition of bentonite. 52: 275-279.
effects on resveratrol concentrations. 48:214-219; 50:57-64.
influence of gelatins on proanthocyanidins. 52:140-145.
interference with direct protein measurement. 48:303-309.
polyphenols removed by gelatin. 50:81-86.
treatments for pinking. 52:156-158.
- Fino sherry. *S. cerevisiae* metabolism during fermentation and aging. 49:240-250.
hyperoxidation of must during aging. 51:98-102.
- Flavanols. 48:370-373; 51:397-403.
compositional differences among planting sites. 50:277-284.
virus presence effects on berry and leaf. 48:438-442.
- Flavonoids. compositional differences among planting sites. 50:277-284.
in red wines. 49:23-34; 50:91-100.
stilbene biosynthesis. 52:287-291.
- Flavor, wine. See also Wine, Sensory characteristics of wine, Aroma, specific wine.
differential profile. 48:187-192.
ethanol concentration effects on temporal perception of viscosity and density. 49:306-318.
fermentation temperature effects on. 48:198-206.
from wood during aging. 50:447-455.
malolactic fermentation effects on. 48:187-192.
stability. hyperoxidation. 49:65-73.
storage temperature effects on Chardonnay. 48:310-316.
- Flores yeasts. velum formation in sherry. 48:55-62, 160-168.
- Foam-active compounds in sparkling wines. effect of vinification and variety on foam capacity. 49:397-402.

- Foam stability. influence of polysaccharides. 52:146-150.
- Folpet degradation. 48:63-66, 67-70.
- Formol titration. 52:400-401.
- Free amino nitrogen (FAN). 52:400-401.
- Fruit. See Berry, Grape.
- Fruit composition. effect of sunlight exposure and temperature on. 51:1-7.
- Fruiting cuttings. polyamines in organs of. 48:80-84.
- Fumigation. mycorrhizal fungi. 52:8-11.
sulfur dioxide. residue persistence. 48:121-124.
- Fungal disease. See Disease.
- Fungicide(s). folpet. detection. 48:63-66, 67-70.
- G**
- Gamay wine. oxidation of *trans*-resveratrol. 48:33-38.
- Garlic paste for budbreak control. preparations for control of budbreak. 51:409-414.
- Gas chromatography. See Chromatography.
- Gelatin. fining. 50:81-86.
influence on proanthocyanidins. 52:140-145.
- Genetic(s). analysis of related cultivars. 51:7-14.
complex hybrid combinations. 49:302-305.
genetic relationships of grape cultivars. 50:69-75, 236-242; 51:7-14.
molecular markers. 48:492-501; 50:236-242, 243-246.
RAPD markers. 48:492-501; 50:69-75.
- Gibberellins. 51:315-318.
- Girdling. effects on fruit set and vegetative growth. 49:359-366.
- Glomus* species. 48:93-99.
- β -1,3-glucanase gene expression in grapevine leaves. 51:81-87
- β -Glucosidase. activities of *Oenococcus oeni*. 51:362-369.
produced by *Debaryomyces hansenii*. 50:231-235.
- Glucosides. storage temperature effects on. 48:310-316.
- Glutathione. and related enzymes in ripening of Koshu and Cabernet Sauvignon. 50:264-270.
formation during fermentation of white musts. 51:91-97.
- Glycoconjugates. Riesling. 48:397-402; 49:35-43.
- Glycoproteins. in red wine. 48:100-114.
- Glycosides. fruit zone leaf thinning effect on. 49:35-43, 259-265.
maceration temperature and alcohol effects on. 50:385-390.
- Glycosyl-glucose. 50:385-390.
- Grape(s). See also Berry, Grapevine, Table grapes.
acid invertase. 48:403-407.
alkaline phosphatase analysis of tannins. 50:247-252.
anthocyanins. 49:333-340, 341-349; 50:199-203, 277-284; 51:55-64.
aromatic composition. 48:181-186.
BAC library. 52:287-291.
bunch rot. quantification by ELISA. 51:276-282.
composition. climate effects on. 51:249-261.
irrigation effects on. 50:418-434.
leaf area effect on berry development and composition. 49:251-258.
Rupestris virus effects on. 48:449-458.
skins. anthocyanin content. 50:1-12.
flavonoid compositional differences among planting sites. 50:277-284.
fruit zone leaf removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
glutathione. 50:264-270.
inheritance of seedlessness. 49:302-305.
manganese content. 51:103-107.
nickel content. 49:205-210.
nitrogen availability effects on skin. 49:333-340, 341-349.
palynological classification of seedless grapes. 48:207-213.
pigments. 49:333-340, 341-349.
pomace. tartaric acid production. 49:95-99.
protein characterization. 51:22-28.
raisin. 49:375-382.
ripening. amino acids in Tempranillo during. 50:144-154.
seedless. palynological classification. 48:207-213.
seedlessness inheritance. 49:302-305.
seeds. oligomeric procyanidins in extracts. 51:383-389.
skins. anthocyanins. 51:390-396.
sucrose accumulation and sucrose-metabolizing enzymes. 48:403-407.
gibberellins. 51:315-318.
growth-yield relationship. 52:165-174.
maturity. effect on methoxypyrazine concentration. 50:194-198.
methoxypyrazine concentration. 50:194-198.
phenols. 49:333-340, 341-349.
phloem unloading during ripening. 51:340-346.
pomace. dietary fiber. 49:135-141.
potential food ingredient. 48:328-332.
storage conditions relationship to volatile composition of distillates. 49:56-94
protein precipitation. 50:247-252.
ripening characteristics under furrow irrigation. 49:375-382.
Rupestris stemmiting virus effects on composition. 48:449-458.
seeds. procyanidin changes. 51:397-403.
skin. maceration effect on lipid composition of *S. cerevisiae*. 49:119-124.
soil nutrient effects on anthocyanins. 50:1-12.
sugar accumulation during ripening. 51:340-346.
tannins. differences among planting sites. 50:277-284.
transfer of catechins and proanthocyanidins from solid parts of grape cluster into wine. 50:179-184.
- Grapevine(s). See also specific cultivar.
abscisic acid content. 48:115-120.
amidohydrolase. 48:137-144.
ampelography. 49:403-407; 51:370-378.
Aspergillus niger. quantification by ELISA. 51:276-282.
assimilate supply. 49:251-258.
autochthonous grapevine cultivars. 51:370-378.
balance. a review. 52:165-174
base temperature for budbreak. 49:74-78.
blackleaf. 49:367-374.
botrytis bunch rot. 48:482-491; 49:163-170.
 β -1,3-glucanase gene expression in infected grapevine leaves. 51:81-87
quantification by ELISA. 51:276-282.
sulfur dioxide fumigation. 48:121-124.
budbreak. calculation. 49:74-78.
control. 51:409-414.
induction by water stress. 48:115-120.
bud. necrosis. 49:429-439.
bunchstem necrosis. 51:319-328.
cadmium uptake. 51:269-275.
canopy management. artificial shading effects on bud necrosis. 49:429-439.
configuration effects on Seyval blanc vines. 48:482-491.
effects on crop level. 49:163-170.
morphology. 47:244-250; 49:183-190.
nitrogen fertilization effect on density. 50:351-358.
shade, artificial. effects on bud necrosis. 49:429-439.
shoot. yield. 48:482-491.
carbohydrate. accumulation. 48:115-120; 51:49-54.
carbon partitioning. 49:183-190.
carotenoids. 51:122-130.
cell. distribution. 48:145-149.
chemotaxonomy of leaves. 49:86-90.
chlorophyll. fluorescence in blackleaf-affected Concord. 49:367-374.
relationship to soil lime content and VAM fungi. 48:93-99.
relationship to irradiance regime. 51:122-130.
cluster. heating and cooling. 51:182-188.
thinning. influence on fruit development. 49:163-170.
vine performance. 51:390-396.
cold hardiness. 48:131-136.
complex hybrid combinations. 49:302-305.
crown gall. 48:131-136, 145-149.
denitrogenization. 49:191-198.
dessèchement de la rafle. 51:319-328.
dioecy. 48:323-327.

Grapevine(s), cont.

- disease. See Disease and specific disease.
 DNA fingerprinting. rootstock identification. 49:403-407; 50:236-242, 243-246.
 dormant cuttings. heat tolerance of. 48:131-136.
 dry matter partitioning. 49:183-190.
 dual culture with phylloxera and *Vitis* species. 48:157-159.
 elastic adjustment of leaf tissue. 50:76-80.
 electrolyte leakage. 48:145-149.
 evapotranspiration. 51:340-346.
 factor analysis for characterization of maturation. 48:317-322.
 fertilization. See Fertilization.
 field performance. virus infections effects on. 48:7-12.
 flower. cluster development. 48:323-327.
 flowering. base temperature. 49:74-78.
 foliar injury. leafhopper feeding impact on Concord. 48:291-302.
 fruit. leaf removal influence on. 49:359-366.
 nitrogen fertilization effects on. 49:333-340, 341-349.
 fruit zone leaf removal. effects on fruit set. 49:359-366.
 effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 fruiting cuttings. polyamines in organs of. 48:80-84.
 garlic preparations for control of budbreak. 51:409-414.
 gas exchange. 51:122-130; 51:137-143.
 genetic relationships. 48:492-501; 50:69-75, 236-242, 243-246; 51:7-14.
 gibberellins. 51:315-318.
 girdling. 49:359-366; 51:49-54.
 glycosides. fruit zone leaf thinning effect on. 49:35-43.
 growing site. effect on flavonoid composition. 50:277-284.
 growth. nitrogen availability. 49:333-340, 341-349; 50:351-358.
 hand pollination. 48:207-213.
 heat. shock. 48:459-464, 465-470.
 tolerance in dormancy. 48:459-464, 465-470.
 heavy metal toxicity. 51:269-275.
 histones. 50:13-18.
 hormones. 48:115-120.
 host/pest interactions. 49:17-22.
 hydrogen cyanamide preparations for control of budbreak. 51:409-414.
 identification of variety. 50:236-242, 243-246.
in vitro. dual culture with phylloxera and *Vitis* species. 48:157-159.
 irradiance. 51:122-130.
 irrigation. effects of changes of berry composition. 50:418-434.
 fertilization with drip. 49:191-198.
 furrow. of drying varieties. 49:375-382.
 sap-flow sensors for scheduling. 49:171-176, 413-420, 421-428.
 lead uptake. 51:269-275.
 leaf. See also Leaf.
 age. 51:390-396
 area. Seyval blanc canopy configuration. 48:482-491.
 cell wall elasticity. 48:352-356.
 chemotaxonomy. 49:86-90.
 effect on berry development and composition. 49:251-258.
 gas exchange. 51:122-130.
 β -1,3-glucanase gene expression. 51:81-87
 injury. leafhopper feeding impact. 48:291-302.
 isoenzymes. 49:86-90.
 ontogeny. 48:352-356; 51:223-226.
 removal. effect on fruit maturation. 49:359-366.
 effect on glycosides. 49:35-43.
 effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 water potential. 48:352-356.
 leaf gas exchange. 51:49-54.
 leafhopper feeding impact on Concord yield and juice quality. 48:291-302.
 leafroll. 48:521-524; 50:40-44.
 detection by ELISA and RT-PCR. 52:21-27.
 rugose wood. 48:438-442.
 maturation. factor analysis for characterization and modelling. 48:317-322.
 mechanical pruning. effects on berry composition and yield. 50:87-90.
 mineral nutrition. 48:80-84, 85-92, 93-99; 50:418-434.
 modelling. 51:340-346.
 molecular markers. 48:492-501.
 mycorrhizae. 51:269-275.
 N-carbamoylputrescine. 48:137-144.
 necrosis. shading effects on. 49:429-439.
 nitrogen. fertilization. 49:191-198; 51:319-328.
 reserves. 48:115-120; 51:122-130.
 nutrient. accumulation. 51:269-275.
 analysis. 51:319-328.
 reserves. 48:115-120.
 osmotic potential. 50:76-80; 51:223-226; 340-346.
 palo negro. 51:319-328.
Penicillium. quantification by ELISA. 51:276-282.
 phenology. 49:74-78; 51:249-261.
 photosynthesis. 49:367-374; 51:49-54.
 phylloxera. 49:17-22; 50:101-106.
 in vitro dual culture with *Vitis* species. 48:157-159.
 resistance evaluation. 49:17-22.
 susceptibility evaluation. 48:157-159.
 pollen. morphology. 48:323-327.
 pollination. 49:1-5.
 potassium nutrition. 48:85-92.
 powdery mildew. 51:1-6.
 propagation. 48:131-136.
 pruning. effects on crop yield and berry composition. 48:482-491; 49:163-170.
 effects on fruit set and botrytis. 49:163-170.
 mechanical. 48:482-491; 50:87-90.
 Pulliat. 48:323-327.
 pollination. 49:1-5.
 rooting-zone restriction. 52:248-253.
 RAPD. genetic analysis among Pinot cultivars. 51:7-14.
 rootstock identification. 48:492-501.
 rootstock. 48:26-32.
 crown gall resistant. 48:145-149.
 identification. 48:492-501; 49:403-407.
 influence on water relations and gas exchange. 51:137-143.
 phylloxera. 50:101-106.
Rupestris virus effects on. 48:449-458.
 sap-flow sensors for irrigation scheduling. 49:171-176, 413-420, 421-428.
 shading. See Canopy management.
 shanking. 51:319-328.
 shoot(s). powdery mildew infection. 51:1-6.
 soil nutrients. 48:93-99; 50:1-12; 51:329-339.
 solar radiation. 51:182-188.
 soluble solids. mechanical pruning effects. 50:87-90.
 source-sink relationships. 49:183-190, 251-258; 51:49-54.
 Stiehlähme. 51:319-328.
 stomatal. density. 51:122-130.
 stress physiology. 48:115-120.
 sugar(s). accumulation during ripening. 51:340-346.
 mechanical pruning effects on production. 50:87-90.
 sun exposure. effects on aromatic composition. 48:181-186.
 thermotolerance. 48:131-136, 459-464, 465-470.
 variety. identification by DNA fingerprinting. 48:492-501; 50:236-242, 243-246.
 vegetative growth. 49:359-366.
 virus. Albaña response to. 48:7-12.
 graft transmission. 48:7-12.
 incidence in Missouri vineyards. 52:56-57.
 leafroll. and rugose wood. 48:438-442.
 Rupestris stem pitting. 48:449-458.
 survey. 50:133-134.
 Trebiano Romagnolo. 48:7-12.
 water relations. budbreak induction by water stress. 48:115-120.
 effects on composition of maturing berries. 50:418-434.
 osmotic adjustment of leaf tissue. 50:76-80.
 rootstock influence on. 51:137-143.
 water potential. girdling effects on. 51:49-54.
 waterberry. 51:319-328.
 wild. 48:323-327.
 pollination. 49:1-5.
 wood carbohydrate reserves. 51:390-396.
 yield. See also Yield.
 mechanical pruning effects. 50:87-90.
 nitrogen fertilization of Cabernet. 50:351-358.

Rupestris virus effects on. 48:449-458.
variation. 48:323-327; 49:1-5.
xylem sap. chemical composition. 51:329-339.

Gray mold. pH control. 52:12-20.

Growing site. effects on flavonoid compositional differences. 50:277-284.

Guide to authors. 52:60-65.

Gustation. physiology of sensory response to wine. 48:271-279.

H

Hanseniaspora uvarum. population during fermentation in a new winery. 48:339-344.

Haze. wine. 50:120-127.

Headspace solid-phase microextraction analysis of headspace compounds. 49:100-104; 51:379-382.

Health. antioxidant activity of grape seed extract. 51:379-382.
dietary fiber from grape pomace. 48:328-332.
grape pomace as a potential food ingredient. 48:328-332.
manganese content of grapes and wines from France. 51:103-107.

Heartwood, oak. 50:469-478, 479-494, 503-512, 513-518, 519-526.
lignin fractions. 49:49-55, 79-85.
tannins. 50:469-478

Heat. formation during malolactic fermentation. 48:423-427.
shock of Cabernet Sauvignon vines. 48:459-464, 465-470.
therapy. leafroll and rugose wood. 48:438-442.
tolerance of dormant *Vitis vinifera* cuttings. 48:459-464, 465-470.

Heavy metal toxicity in vines. 51:269-275.

Hedging. 48:482-491.

Hexose transport capacity. 50:107-119.

High malate must deacidification with *Schizosaccharomyces pombe*. 49:408-412.

High-performance liquid chromatography. See Chromatography.

Histamine-producing lactic acid bacteria in wine. 49:199-204.

Histone(s). electrophoretic heterogeneity. 50:13-18.

Historical databases. decision tree analysis. 52:175-184.

HPLC. See Chromatography.

Hydroalcoholic extracts from oak. 50:162-165.

Hydrogen cyanamides. budbreak control. preparations for control of budbreak. 51:409-414.

Hydrogen sulfide formation during fermentation. 51:91-97, 233-248.

Hydrophilic organic microfiltration membrane. 50:51-56.

Hyperoxidation. 48:150-156; 49:65-73; 51:98-102.

I

Identification. of grapevine rootstocks. with simple sequence repeat (SSR) DNA markers. 49:403-407.
of pesticide residues in wine. 50:435-442.

Immobilized alcohol dehydrogenase. 50:259-263.

Immobilized yeast. in double-layer gel beads or strands. 48:471-481.
volatile compound formation. 52:210-218.

Immunoblotting. wine protein characterization. 51:22-28.

Inorganic acid(s). separation by capillary zone electrophoresis in wines and juices. 48:408-412.

In vitro. dual culture with phylloxera and *Vitis* species. 48:157-159.

Iron content in wine. 51:131-136.

Irradiance regimes. 51:122-130.

Irrigation. effects on composition of maturing berries. 50:418-434.
effects of preveraison cup-off on wine. 49:152-162.
nitrogen fertilization with drip. 49:191-198.
sap-flow sensors for scheduling. 49:171-176, 413-420.

Isoenzymatic polymorphism. 49:86-90.

Isotopic ratios to characterize geographic origin of Bordeaux wines. 50:409-417.

Isozymes. characterization of Albillo accessions. 52:127-135.

J

Juice, grape. arginine. 51:227-232.
Botrytis cinerea effect on pectolytic composition. 50:456-460.
color. polyphenoloxidase effects on. 48:13-25.
composition. 50:291-298.
concentrate. 52:345-351.
Debaryomyces hansenii application in processing. 50:231-235.
ethyl carbamate. 51:227-232.
glucose oxidase treatment for low alcohol wine. 50:291-298, 299-306, 307-316.
hyperoxidation. 48:150-156.
organic acid determination. 50:154-161.
organic and inorganic acids. simultaneous separation. 48:408-412.
oxidation. 50:291-298, 299-306, 307-316.
polyphenol oxidase. 50:137-143.
proteins. 48:100-114.
reduced sugar. 50:291-298, 299-306, 307-316.
simultaneous separation of organic and inorganic acids. 48:408-412.

K

KHT crystallization. 49:177-182; 50:343-350, 391-397, 398-403.

Killer yeasts. 51:65-72.

Kiln-drying of oak. 51:201-214.

Kinetic(s). characteristics of peroxidase B₅. 48:33-38.

Koshu grapevines. glutathione. 50:264-270.

Koshu wine. *sur lie* method. 48:1-6.

Kyoho grapevines. 48:115-120.

L

Laboratory methods and proficiency. 50:461-465.

L-lactate. sequential injection determination in wine. 48:428-432.

Lactic acid. enzyme reactor for conversion. 48:345-351.

Lactic acid bacteria. histamine production. 49:199-204.
lysozyme to reduce flora in must and wine. 48:49-54.
volatile phenol formation. 48:443-448.

Lactobacillus casei. 50:45-50.

Lactobacillus plantarum. 48:423-427.
utilization of malate. 48:423-427.

Lactone, oak. 48:502-508, 509-515; 50:469-478, 479-494, 495-502, 503-512, 513-518, 519-526.

Lead uptake in vines. 51:269-275.

Leaf, grapevine. area. canopy configuration effects on. 48:482-491.
effect on berry development and composition. 49:251-258.
mechanical pruning effects. 50:87-90.
cell wall elasticity. 48:352-356.
ontogeny. 48:352-356; 51:223-226.
removal. effects on fruit set. 49:359-366.
effect on glycosides. 49:35-43.
effects on vegetative growth. 49:359-366.
symplastic water content. 48:352-356.
water potential. 48:352-356.

Leafhopper. feeding impact on Concord yield and juice quality. 48:291-302.

Leafroll virus. 48:521-524.
effects on physiology and must. 50:40-44.
latent infection and fruit quality. 52:254-259.

Leuconostoc oenos. malolactic activity. 48:423-427.
relationship to sluggish fermentation. 49:445-448.

Light. exposure. effect in berry methoxyypyrazine concentration. 50:194-198.

Lime. soil content. 48:93-99.

Linear discriminant analysis of wine. 51:108-114.

Lipid composition of *Saccharomyces cerevisiae*. skin maceration effect on 49:119-124.

Listan blanco wine. descriptive analysis. 49:440-444.

Low alcohol wine. 50:291-298, 299-306, 307-316.

Lysozyme. to inhibit malolactic fermentation and stabilize wine. 48:49-54.

M

Maceration. effect on lipid composition of *S. cerevisiae*. 49:119-124.
effects on phenolic compounds and color stability. 52:266-270.
temperature. effects on glycosides. 50:385-390.

Malate. dehydrogenase. transport. 48:193-197.

MALDI. See Matrix assisted laser desorption ionization mass spectrometry

Malic acid. buffering of model wine solutions. 51:347-351, 352-356.
enzyme reactor for conversion. 48:345-351.

Malic enzyme. 48:345-351.

Malolactic fermentation. Burgundy wines. 48:187-192.
Chancellor wines. 51:42-48.
enzyme reactor to initiate. 48:345-351.
via genetically engineered strain of *S. cerevisiae*. 48:193-197.
heat formation during. 48:423-427.
inhibition by lysozyme. 48:49-54.
inhibitory effect of copper and dichlofluanid. 52:223-229.
resveratrol glucoside concentrations, influence on. 48:214-219.
sensory properties of Burgundy wines. 48:187-192.

Malvidin. grape. 50:199-203.

Manganese content of grapes and wines. 51:103-107, 131-136.

Mannoproteins. filterability of wine. 50:51-56.
patterns during red wine aging. 50:25-32.
production in juice and must. 49:325-332.

Marc distillates. 49:56-94.

Matrix assisted laser desorption ionization mass spectrometry analysis of grape anthocyanins. 50:199-203.

Matrix modifier. selenium detection in wines. 49:115-118.

Maturation. grape. modelling and characterization. 48:317-322.

Mechanical pruning. 48:482-491; 50:87-90.

Meloidogyne sps. 52:310-316.

Merbein Seedless. ripening and furrow irrigation. 49:375-382.

Merlot. catechin and epicatechin concentrations. 49:23-34.
clone wines. volatile components. 49:44-48.
DNA typing. 52:396-399.

Mesocriconea xenoplax. 52:304-309.

Metals determination in wine. 51:131-136.

Méthode Champenoise process effect on wine aroma. 49:289-294.

Methoxypyrazine concentration in grape berries. 50:194-198.

Metschnikowia. native flora fermentations. 52:198-203.

Microbial calorimetry. yeast growth inhibition by alcohols and organic acids. 48:413-422.

Microcalorimetry. heat formation during malolactic fermentation. 48:423-427.

Microfiltration. polysaccharide impact on organic membrane. 50:51-56.

Microsatellite markers. 50:236-242, 243-246.

Mineral. deficiency symptoms. 48:85-92.
irrigation effects on in maturing berries. 50:418-434.
potassium. 48:85-92.

Minimal pruning. effect on vine performance. 52:45-48.

Mitochondrial DNA analysis. wild yeast strains. 50:219-224.

Modelling. alcoholic fermentation. 50:166-178.

Molecular markers. 48:492-501.

Monoterpenes. Muscat grapes. 48:181-186.
Riesling. canopy management effects on. 49:35-43.

Morphology, grapevine. characterization of wild vines. 50:443-446.

Multiple mass spectrometry. anthocyanin analysis. 51:55-64.

Multivariate statistical analysis. 48:177-180.

Muscadine grapes. cellulase characterization. 50:19-24.

Muscat Bailey A. yeast polygalacturonases. 52:41-44.

Muscat grapes. aromatic composition. 48:181-186; 51:404-408.

Must, grape. acidification. 50:45-50.
of sherry. amino acid determination. 48:229-235.
amino acid concentrations. in Chardonnay. 50:253-258.
in Tempranillo. 50:144-154.
arginine. 51:227-232.
Botrytis cinerea effect on pectolytic composition. 50:456-460.
clarification. effects on amino acids. 49:389-396.
deacidification with *Schizosaccharomyces pombe*. 49:408-412.
ethyl carbamate. 51:227-232.
high malate. 49:408-412.
hyperoxidation. 48:150-156; 49:65-73.
mannoprotein production. 49:325-332.
oxidation. 49:91-94.
pectic polysaccharides. 51:115-121.
phenol removal from white musts. 51:357-361.
polysaccharides. 51:115-121.
proteins. fermenting must. 48:100-114.
turbidity effect on yeast cell wall porosity. 49:325-332.
xyloglucans. 51:115-121.

Mycorrhizae. 51:269-275.

Mycorrhizal fungi. comparative response of rootstocks. 52:8-11

N

N-carbamoylputrescine. 48:137-144.

Necrosis. See also Grapevine.
nitrogen source effects on. 51:319-328.

Nematodes. ectoparasitic. 52:304-309.
endoparasitic. 52:310-316.

Neural networks. blending. 52:386-395.

Nickel in wine and grapes. 49:205-210.

Nitrogen. concentration in vines. 48:115-120; 51:122-130.
demands of yeasts during fermentation. 51:168-177, 215-222.
fertilization. effect on Cabernet Sauvignon. 50:351-358.
trickle-irrigated Thompson Seedless vines. 49:191-198.

NOPA. 52:400-401.

Norisoprenoids. Merlot clone wines. 49:44-48.

Nuclear microsatellites. genetic comparison of Greek cultivars. 52:101-108.

Nutrient. analysis. 51:319-328.
reserves in Kyoho vines. 48:115-120.
uptake. 51:269-275.

Nutrition. See Grapevine, mineral nutrition.

O

Oak. See also Barrel aging.
barrel-to-barrel variation among individual trees. 50:447-455.
cask properties. 48:502-508, 509-515.
chemical composition. 49:79-85; 50:469-478, 479-494, 503-512, 513-518, 519-526.
comparison to stainless steel. 52:159-164.
ellagitannin content. 50:447-455; 51:201-214.
extraction kinetics of phenolics. 50:33-39.
heartwood. tannins influence on wine flavor. 50:469-478
hydroalcoholic extracts from oak. 50:162-165.
kiln drying. 51:201-214.
lactones. 50:447-455.
lignin. 49:49-55.
model cask. 48:502-508, 509-515.
pedunculate oak. anatomy related to cask properties. 48:502-508; 50:469-478, 479-494, 503-512, 513-518, 519-526.
ellagitannin content. 48:502-508, 509-515; 50:447-455.
 β -methyl- γ -octalactone stereoisomers. 48:502-508, 509-515.
Quercus petraea. 51:201-214.
seasoning effects on wine sensory characteristics. 50:469-478, 479-494, 495-502, 503-512, 513-518, 519-526.
sessile oak. anatomy related to cask properties. 48:502-508; 50:469-478, 479-494, 503-512, 513-518, 519-526.
ellagitannin content. 48:502-508, 509-515; 50:447-455.
 β -methyl- γ -octalactone stereoisomers. 48:502-508, 509-515.
storage temperature effects on aroma. 48:310-316.
toasting. intensities. 50:479-494, 495-502.

- ultrastructure. 49:79-85.
 volatile extractives. 50:162-165, 479-494.
 wood anatomy. 48:502-508; 50:513-518.
- Odor analysis. physiology of human sensory response to wine. 48:271-279.
- Okuzgozu grapes. 49:95-99.
- Olfactometry. physiology of sensory response to wine. 48:271-279.
- Oenococcus oeni*. 51:362-369.
 inhibitory effect of copper and dichlofluanid. 52:223-229.
- Olien. defoaming agent. 51:415-417.
- Oligomeric procyanidins in grape seed extracts. 51:383-389.
- Organic acids. analysis. determination in grape juice and wine. 48:408-412.
 irrigation effects on in maturing berries. 50:418-434.
 separation by capillary zone electrophoresis in wines and juices. 48:408-412.
 yeast growth inhibition. 48:413-422.
- Organoleptic properties of oak in wine. 50:469-478, 479-494, 503-512, 513-518, 519-526.
- Osmotic adjustment of leaf tissue. 50:76-80; 51:223-226.
- Oxidation. sherry wine. 52:151-155.
 sparkling wine. 48:225-228.
- Oxygen. bottle-cap permeability and dimethylsulfide formation. 52:54-55.
 demand of yeasts during fermentation. 51:215-222.
- P Q**
- Palo negro. 51:319-328.
- Palomino fino grapes. characterization. 48:317-322.
- Palynological classification of seedless grapes. 48:207-213.
- Partial least squares. decision tree analysis. 52:175-184.
- p*-coumaric acid concentrations in wines. 49:142-151.
- Pectic polysaccharides. 50:25-32, 51-56; 51:115-121.
- Pectolytic enzymes. effects on wine color. 50:271-276.
- Pedunculate oak. ellagitannin content. 50:447-455.
- Peonidin. grape. 50:199-203.
- Peptides. angiotensin I converting enzyme (ACE). 50:65-68.
 organoleptic. 52:376-380.
- Peroxidase isoenzyme B₅. 48:33-38.
- Pest(s). leafhoppers. 48:291-302.
- Pesticide(s). in grapes. dissipation of. 52:35-40.
 inhibition of malolactic fermentation. 52:223-229.
 in wines. multiresidue analysis. 50:435-442.
- Petunidin. grape. 50:199-203.
- pH. effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 effect on stuck fermentations. 49:295-301.
- Phenol(s). See also Polyphenols.
 changes during storage. 52:109-114.
 comparison of oak and stainless steel. 52:159-164.
 extraction from oak. 50:33-39.
 irrigation effects on in wine. 49:152-162.
 removal from white musts. 51:357-361.
 skin fermentation time effects on. 49:152-162.
 volatile. 48:443-448.
- Phenol-free glycosyl-glucose. 50:385-390.
- Phenolic(s). acids. cold stabilization of white wines. 50:391-397, 398-403.
 compounds in cork. 49:6-10.
 cork stoppers. 50:285-290.
 oxidation effects. 49:91-94.
 processing effects on. 48:39-48.
 processing enzymes effects on. 48:39-48.
 sparkling wine. 51:29-36; 51:144-149.
 standard red wine. 50:91-100.
- Phloem unloading. 51:340-346.
- Photosynthesis. blackleaf-affected Concord vines. 49:367-374.
 girdling effects on. 51:49-54.
 leafroll virus effects on. 50:40-44.
 virus presence effects. 48:438-442.
 water deficit and crop level influences on. 52:364-375.
- Phthalimide. degradation from folpet in aqueous solutions and yeast suspensions. 48:63-66.
 detection in grape must and wine. 48:67-70.
- Phylloxera. interaction with grape in isolation chamber. 52:28-34.
 resistance. 49:17-22; 50:101-106.
 surface sterilization of eggs. 48:157-159.
- Pinking. treatments for. 52:156-158.
- pI. of glycoproteins. 48:100-114.
- Pigments. effect of seed tannins. 52:93-100.
- Pinot noir grapevines. genetic relationships. 51:7-14.
- Pinot noir wines. catechin and epicatechin concentrations. 49:23-34.
 oak wood influence on flavor. 50:447-455.
 processing enzymes effects on anthocyanins and phenolics. 48:39-48.
 resveratrol glucosides. 48:214-219.
- Pisco. 51:404-408.
- Plant growth regulators. 51:315-318.
- Pollen. classification by grain dimensions. 48:323-327.
 morphology. 48:323-327.
 tube growth inhibitors. 48:323-327.
- Pollination. 49:1-5.
- Polyamines. in fruiting cuttings. 48:80-84.
 training system. 52:357-363.
- Polydatin. presence in commercial wines. 48:169-176; 50:185-193.
- Polygalacturonase. berry. 52:331-335.
 induced during fermentation. 52:41-44.
- Polymerase chain reaction (PCR). detection of virus. 52:21-27.
 identification of yeasts. 52:49-53.
- Polyose caramelization. 50:495-502.
- Polyphenol(s). See also Phenols.
 biosensor analysis. 52:219-222.
 concentrations in white wines. 50:185-193.
 components in red wines. microbial synthesis of volatile phenols. 48:443-448.
 effect of skin maceration time. 52:266-270.
 fining agent effects on amount and nature in wines. 50:81-86.
 oligomeric. from grape seed extracts. 51:383-389.
 sensor. 52:381-385.
- Polyphenoloxidase. enzymatic decolorization. effects of seed tannins. 52:93-100.
 in juice. 48:13-25; 50:137-143.
- Polysaccharides. content in must. 51:115-121.
 impact on performance of organic microfiltration membranes. 50:51-56.
 influence on wine foaming. 52:146-150.
 patterns during aging of red wine. 50:25-32.
 tartrate precipitation during cold stabilization. 50:391-397, 398-403.
- Polyvinylpyrrolidone (PVPP). treatments for pinking. 52:156-158.
- Pomace. calcium tartrate in. 49:95-99.
 dietary fiber. 49:135-141.
 nutritional and physiological properties. 48:328-332.
 storage conditions relationship to volatile composition of distillates. 49:56-94.
 tartaric acid production. 49:95-99.
- Portuguese wines. composition. 52:324-330.
- Port wine. detection of imitations. 51:262-268.
 enzyme effects on color and sensory properties. 50:271-276.
- Potassium. bitartrate. concentration and pH imbalance as a cause of stuck fermentations. 49:295-301.
 hydrogen tartrate. 50:343-350, 391-397, 398-403.
- Powdery mildew. 49:11-16; 51:1-6.
 impact of vine shelter on. 52:204-209.
- Pratylenchus* sp. 52:310-316.

- Principal component analysis. clarification treatment effects on amino acids. 49:389-396.
- Processing. cork slabs. 49:6-10
enzymes. effects on anthocyanins and phenolics. 48:39-48.
- Proanthocyanidin(s). composition in red wines. 51:397-403.
developmental changes in seeds during grape development. 51:397-403.
influence of altitude. 52:115-121.
precipitation by gelatin. 50:81-86.
transfer from solid parts of grape cluster into wine. 50:179-184.
- Procyanidins. 51:397-403.
evolution during grape maturation. 52:230-234.
- Proficiency testing and analytical methods. 50:461-465.
- Protease(s). activity during fermentation. 48:1-6; 51:155-167.
- Protein(s). adsorption by bentonite. 52:122-126.
analysis by capillary zone electrophoresis. 50:120-127.
estimation by the Bradford method. 48:303-309.
fermenting must proteins. 48:100-114; 51:155-167.
fingerprinting wine proteins. 49:231-239.
fraction analysis of white wine by FPLC. 49:383-388.
origin of wine proteins. 48:100-114.
precipitation. 50:247-252.
soluble. 48:100-114.
stability. 52:324-330.
- Proteolytic activity in *sur lie* wine. 48:1-6.
- Purification. polyphenol oxidase. 50:137-143.
- Putrescine. biosynthesis. 48:137-144.
in fruiting grape cuttings. 48:80-84, 85-92.
- Quercetin. concentrations in wines. 49:142-151.
processing enzyme effects on levels in Pinot noir and Cabernet Sauvignon wines. 48:39-48.
- Quercus*. See Oak.
- ## R
- Raisins. furrow irrigation effects on ripening. 49:375-382.
- RAPD markers. genetic relationships of grape cultivars. 50:69-75.
- Red wine. See Wine.
- Red-free glycosyl-glucose. 50:385-390.
- Redox stability. sherry wine. 52:151-155.
- Reduced alcohol wine. 50:291-298, 299-306, 307-316.
- Residual sugars. determination of. 52:271-274
- Resveratrol. concentration in wine. 48:214-219; 50:185-193; 51:37-41.
evaluation of assay methods. 48:169-176; 51:37-41.
variety, light, and fining effects on. 50:57-64.
glucoside. 48:214-219.
oxidation by peroxidase isoenzyme. 48:33-38.
- Rhamnogalactans. 51:115-121.
- Rhamnogalacturonan. 50:25-32, 51-56.
- Riesling grapevines. artificial shade effects on bud necrosis. 49:429-439.
fruit zone leaf removal. effect on canopy structure, microclimate, glycosides. 49:35-43, 259-265.
- Riesling wine. glycoconjugates. 48:397-402.
- Ripening. See Berry.
- Rootstock(s), grapevine. comparative response with mycorrhizal fungi. 52:8-11.
influence on water relations and gas exchange. 51:137-143.
phylloxera resistance. 50:101-106.
VAM fungi influence on growth. 48:93-99.
- ## S
- Saccharomyces*. dynamics of yeast population. 48:75-79, 339-344.
- Saccharomyces bayanus*. immobilized in double-layer gel beads or strands. 48:471-481.
- Saccharomyces cerevisiae*. biogenic amines. 52:185-190.
cell wall composition. 49:325-332.
genetically engineered strain. 48:193-197; 50:45-50.
glycoconjugates. effects on. 48:397-402.
hydrogen sulfide formation. 51:233-248.
liberation of volatile thiols. 52:136-139.
macromolecule excretion. 49:325-332.
malate transport. 48:193-197.
metabolism during fermentation and aging. 49:240-250.
population in new winery. 48:339-344.
sherry wine. 48:55-62, 160-168.
skin maceration effect on lipid composition. 49:119-124.
sparkling wine production. 48:471-481.
stuck fermentations. 49:295-301.
sulfide formation. 51:233-248.
turbidity effect on cell wall porosity. 49:325-332.
thermotolerance. 49:319-324.
vellum formation. 48:55-62, 160-168.
- Sap-flow. device for simulating high rates of. 52:260-265.
sensors for irrigation scheduling. 49:171-176, 413-420.
- Sauvignon blanc wines. liberation of volatile thiols. 52:136-139.
- Schizosaccharomyces pombe*. deacidification of high malate must. 49:408-412.
- Seedless grapes. palynological classification. 48:207-213.
- Seedlessness. streptomycin-induced. 49:302-305.
- Seed tannins. effects on enzymatic decolorization. 52:93-100.
- Selenium in table wines. 49:115-118.
- Sensory. polyphenols. 52:381-385.
- Sensory analysis. blends. 52:386-395.
- Sensory characteristics of wine. See also specific characteristics.
aroma. *Méthode Champenoise* process effect on. 49:289-294.
Burgundy wines. 48:187-192; 50:447-455.
ethanol concentration effects on temporal perception of viscosity and density. 49:306-318.
fino sherry. 49:240-250.
identification. 48:177-180.
low-alcohol wines. 50:307-316.
malolactic fermentation. effects on Burgundy wines. 48:187-192.
mouthfeel. 49:306-318.
oak wood influence on Burgundy Pinot noir. 50:447-455.
qualifications of tasting panels. 48:177-180.
reduced-alcohol wines. 50:307-316.
starter culture effects on. 51:42-48.
- Sensory evaluation. yeast strains. 52:336-344.
- Sequential injection analysis. determination of L-lactate in wine. 48:428-432.
- Sessile oak. ellagitannin content. 50:447-455; 51:201-214.
- Seyval blanc grapevines. canopy configuration effects. 48:482-491.
- Shading. See Canopy management.
- Sherry. aroma compounds. 49:240-250.
oxidation. 52:151-155.
rho mutants. 48:71-79.
S. cerevisiae metabolism during fermentation and aging. 49:240-250.
velum formation by flor yeasts. 48:55-62; 71-79, 160-168; 51:15-21.
- Shiraz grapevines. irrigation scheduling. 49:413-420, 421-428.
- Shiraz wine. catechin and epicatechin concentrations. 49:23-34.
- Simple sequence repeat (SSR). cultivar identification. 52:396-399.
DNA markers for grapevine identification. 50:236-242.
- Shoot(s), grapevine. lateral shoot length. 51:390-396.
tipping. 51:390-396.
- Sluggish fermentation. acetic acid effect on. 50:204-210.
lactic acid bacteria antagonistic activity against yeast. 49:445-448.
potassium concentration and pH imbalance. 49:295-301.
yeast-assimilable nitrogenous compounds. 49:125-134; 51:168-177, 215-222.
- Soil. lime content. 48:93-99; 50:1-12.
nutrients. effects on anthocyanins in berry skins. 50:1-12.
effects on xylem sap. 51:329-339.
polluted. 51:269-275.
- Solid-phase microextraction headspace analyses for aroma compounds. 51:379-382.
- Source:sink relationships. girdling effects on. 51:49-54.

- Sparkling wines. aging with yeast. 50:404-408.
autolysis. 51:65-72.
Botrytis cinerea effect on pectolytic composition of base wines. 50:456-460.
 browning. 51:29-36.
 bubble formation. 52:88-92.
 headspace aroma analysis to determine age. 50:404-408.
 vinification and variety effects on foam capacity. 49:397-402.
 yeast, immobilized in double-layer gel beads or strands. 48:471-481.
- Spectrophotometry. assay of yeast-assimilable nitrogenous compounds in juice. 49:125-134.
 ethanol determination in wines. 50:259-263.
 yeast-assimilable nitrogenous compounds in juice. 49:125-134.
- Spectroscopy. fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. 49:231-239.
- Spermidine. in fruiting grape cuttings. 48:80-84, 85-92.
- Stability, wine. effect of method of addition of bentonite. 52:275-279.
 reduced-alcohol wine. 50:299-306.
 tartrate crystal seeding. 49:177-182.
- Stainless steel. comparison to oak. 52:159-164.
- Standard red wine. data on concentration of phenolic compounds. 50:91-100.
- Steaming potential. 50:343-350.
- Stiellähme. 51:319-328.
- Stilbenes. 48:169-176; 51:37-41.
- Stokes' law. 50:317-323.
- Stomatal density. 52:317-323.
- Storage, wine. temperature. effects on Chardonnay aroma. 48:310-316.
- Stuck fermentation. 51:168-177, 215-222.
- Sucrose accumulation in grapes. 48:403-407; 51:340-346.
 metabolizing enzyme. 48:403-407.
- Sugar(s). accumulation in ripening grape berries. 51:340-346.
 effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 irrigation effects on in maturing berries. 50:418-434.
- Sulfate reduction in *Saccharomyces*. 51:233-248.
- Sulfite(s). residue persistence on table grapes. 48:121-124.
- Sulfur compounds. complex media effects on GC analysis in Cognac. 48:333-338.
 detection in Cognac. 48:333-338.
 vinification parameters effects on. 50:334-342.
- Sulfur dioxide. in reduced-alcohol wine. 50:299-306.
- Sultana grapevines. ripening characteristics under furrow irrigation. 49:375-382.
- Sunlight exposure. effects on berry growth and composition. 51:1-7.
- Sur lie* method for Koschu wines. 48:1-6.
- ### T
- Table grapes. palynological classification of seedless grapes. 48:207-213.
 pH control of gray mold. 52:12-20.
 sulfite residue persistence. 48:121-124.
 sulfur dioxide fumigation. 48:121-124.
- Tannin(s). analysis in grapes and red wines. 50:247-252.
 compositional differences among planting sites. 50:277-284.
 in grape pomace. 49:135-141.
 in grape seed. 51:383-389.
- Tartaric acid. production in pomace. 49:95-99.
 buffering of model wine solutions. 51:347-351, 352-356.
 crystallization. 49:177-182.
 stabilization of wine. 50:343-350.
- Taste. physiology of human sensory response to wine. 48:271-279.
- Taxonomy of wild vines. 50:443-446.
- Tempranillo grapevines. amino acid concentrations in berries during ripening. 50:144-154.
 training system. 52:357-363.
- Thermal processing. effect on glycoconjugates in White Riesling. 48:397-402.
- Thermotolerance. Cabernet Sauvignon. 48:459-464, 465-470.
- Thermotherapy. 48:131-136.
- Thiols. contribution to white wine aroma. 51:178-181.
- Thompson Seedless grapevines. nitrogen fertilization on trickle-irrigated vines. 49:191-198.
- Toasting techniques of oak. 50:479-494, 495-502, 503-512, 519-526.
- Total soluble solids. 51:73-80.
- Touriga Francesa grapevines. 49:74-78.
- Trace element measurements characterize geographic origin of Bordeaux wines. 50:409-417.
- trans*-Resveratrol. oxidation by peroxidase isoenzyme. 48:33-38.
 processing enzymes effects on. 48:39-48.
- Training system, grapevine. See also Canopy management.
 reproductive development. 52:357-363.
- Transduction mechanisms in human sensory response to wine. 48:271-279.
- Transpiration. sap flow. 52:260-265.
- Trebbiano Romagnolo vines. virus effects on. 48:7-12.
- Trichloroanisole. effect of composite cork on Champagne. 52:280-281.
- Trihydroxystilbene. See Resveratrol.
- Tylenchulus* sp. 52:310-316.
- Tyrosinase. biosensor for polyphenolics. 52:219-222.
- ### U V
- Uncinula necator*. 49:11-16; 51:1-6. 52:204-209.
- VA mycorrhiza. interaction with soil lime content. 48:93-99.
- Varietal identification. 48:492-501; 50:236-242.
- Vegetative response. to girdling and leaf removal. 49:359-366.
- Velum formation by flor yeasts in sherry. 48:55-62, 71-79.
- Verdello wine. descriptive analysis. 49:440-444.
- Vine. See Grapevine.
- Vine shelter. impact on powdery mildew. 52:204-209.
- Vineyards. evaluation techniques. 52:292-303.
- Vinification treatments. effects on volatile sulfur compounds. 50:334-342.
 influence on aroma constituents. 48:198-206.
 influence on resveratrol concentration. 48:214-219.
- Virus. See also specific virus.
 effects on growth, yield, and fruit. 48:7-12.
 graft-transmission. 48:7-12.
 leafroll. and rugose wood. 48:438-442.
 effects on physiology and must. 50:40-44.
 purification procedure. 48:521-524.
 rootstock identification. 49:403-407.
 vineyard survey for. 50:133-134.
 yields. 48:521-524.
- Vitaspirine, 50:404-408.
- Viticultural zones. 48:285-291.
- Vitis coignetiae*. 48:323-327.
 pollination. 49:1-5.
- Vitis riparia* rootstock. 51:137-143.
- Vitis rotundifolia*. changes in phenols during storage. 52:109-114.
- Vitis vinifera*. autochthonous cultivars. 51:370-378.
 ampelography. 51:370-378.
 budbreak and flowering. 49:74-78.
 climate effects on. 51:249-261.
 cover crops. 52:292-303.
 crown gall resistance. 48:145-149.
 cultivar identification. 52:396-399.
 developmental changes. 52:317-323.
 dormant buds. heat shock proteins. 48:465-470.
 drying varieties. ripening characteristics under furrow irrigation. 49:375-382.
 fruit set. 49:333-340, 341-349.
 fruit zone leaf removal. effect on total glycoconjugates and

- Vitis vinifera*, cont.
- conjugate fraction concentration. 49:259-265.
 - genetic comparison of Greek cultivars. 52:101-108.
 - genetic relationships of grape cultivars. 50:69-75, 236-242, 243-246.
 - β -1,3-glucanase gene expression in botrytis-infected leaves. 51:81-87
 - growth. 49:333-340, 341-349.
 - histone heterogeneity study by electrophoresis. 50:13-18.
 - identification. 50:236-242, 243-246.
 - leaf. cell wall elasticity. 48:352-356.
 - heat shock protein expression. 48:459-464.
 - leaf area effect on development. 49:251-258.
 - leaf removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 - ontology. 48:352-356; 51:223-226.
 - symplastic water. 48:352-356.
 - nitrogen. availability. 49:333-340, 341-349.
 - osmotic adjustment of leaf tissue. 50:76-80; 51:223-226.
 - palynological classification. 48:207-213.
 - powdery mildew. 49:11-16; 51:1-6.
 - sylvestris*. 50:443-446.
 - thermotolerance. 48:459-464, 465-470.
- Volatile(s). acetic acid effects on fermentation and yeast inhibition. 50:204-210.
 - extraction from oak. 50:162-165.
 - immobilized yeast. 52:210-218.
 - phenols. 48:443-448.
 - sulfur compounds. in Cognac. 48:333-338.
 - in wine. 51:91-97.
 - thiols. 51:178-181.
 - liberation in Sauvignon blanc wine. 52:136-139.
- W**
- Water potential. girdling effects on. 51:49-54.
- Water stress. blackleaf development. 52:364-375.
 - to induce budbreak. 48:115-120.
 - osmotic adjustment of leaf tissue. 50:76-80.
 - photosynthetic strain. 52:364-375.
- Waterberry. 51:319-328.
- White Riesling wine. glycoconjugates. 48:397-402.
- White wine. See Wine.
- Wild grapevines. characterization. 50:443-446.
- Wine(s). See also specific wine.
 - acidity. 51:347-351, 352-356.
 - alcohol content determination. 48:220-224.
 - amino acid. in wines. 48:229-235; 49:389-396; 50:253-258; 51:347-351, 352-356.
 - amino nitrogen fraction. 49:125-134.
 - analysis methods validation and laboratory proficiency. 50:461-465.
 - anthocyanins. copigmentation. in model wine solution. 50:211-218.
 - irrigation cut-off timing effects on. 49:152-162.
 - oxidative changes. 48:225-228.
 - skin fermentation time effects on. 49:152-162.
 - standard red wine. 50:91-100.
 - apple. 51:144-149.
 - arginine. 51:227-232.
 - aroma. See also Sensory characteristics of wine.
 - amino acids relationship to. 50:253-258.
 - analysis by HS-SPME of sparkling wine. 50:404-408.
 - aromatic composition. 48:198-206; 49:44-48; 51:379-382.
 - headspace analysis. 51:379-382.
 - oak wood aging effects on. 50:469-478, 479-494, 503-512, 513-518, 519-526.
 - Oenococcus oeni*. 51:362-369.
 - physiology of human sensory response to wine. 48:271-279.
 - varietal. 51:178-181.
 - volatile phenols. 48:443-448.
 - authenticity. 50:409-417.
 - biogenic amines. 49:266-278, 279-282; 50:128-132.
 - browning. 49:65-73.
 - calcium tartrate crystallization. 49:177-182.
 - catechin concentration. 49:23-34; 50:179-184, 185-193.
 - cava. 51:29-36.
 - chemical classification. 51:108-114.
 - clarification. 49:389-396; 50:219-224.
 - classification. neural networks. 51:108-114.
 - climate effects on quality. 51:249-261.
 - clone wines. volatile components. 49:44-48.
 - cold stabilization. 49:177-182; 50:343-350, 391-397, 398-403.
 - collaborative testing. 50:461-465.
 - colloid content and fouling. 52:191-197.
 - color. See also Color.
 - fermentation temperature effects on. 48:198-206.
 - irrigation cutoff timing effects on. 49:152-162.
 - measurement. 48:357-363, 364-369; 50:359-363.
 - pectolytic enzymes effects on. 50:271-276.
 - Port wine. 50:271-276.
 - skin fermentation time effects on. 49:152-162.
 - composition. 52:324-330.
 - condensation products in red wine. 48:370-373.
 - condensed tannins. 50:81-86.
 - copigmentation. occurrence and relation to aging. 50:211-218.
 - copper content. 51:131-136.
 - corks. phenols. 50:285-290.
 - Debaryomyces hansenii*. application in winemaking. 50:231-235.
 - defoaming agent. 51:415-417.
 - density. ethanol concentration effects on temporal perception. 49:306-318.
 - descriptive analysis. 49:306-318, 440-444; 50:307-316.
 - dessert. alcohol content determination. 48:220-224.
 - differentiation techniques. 48:285-291.
 - distillates. Pisco. 51:404-408.
 - effects of temperature, pH, and sugar concentration on the growth rates and cell biomass of wine yeasts. 49:283-288.
 - epicatechin concentrations. 49:23-34; 50:185-193.
 - ethanol. analysis. 48:280-284; 50:259-263.
 - concentration effects on temporal perception of viscosity and density. 49:306-318.
 - ethyl carbamate. 51:227-232.
 - fermentation. See Fermentation, Alcoholic fermentation, and Malolactic fermentation.
 - fingerprinting wine proteins. 49:231-239.
 - finer treatment effects on. 48:303-309; 50:57-64, 81-86.
 - flavonoids. in red wines. 49:23-34; 50:91-100.
 - in white wines. 50:185-193.
 - flavor. See also Flavor and Sensory characteristics of wine.
 - oak effects on. 50:447-455, 469-478, 479-494, 503-512, 513-518, 519-526.
 - physiology of human sensory response to wine. 48:271-279.
 - stability. hyperoxidation. 49:65-73.
 - gelatin fining. 50:81-86.
 - glutathione. 50:264-270.
 - glycoconjugates. 48:397-402; 51:362-369.
 - glycosyl-glucose. 50:385-390.
 - haze. 49:231-239; 50:120-127.
 - headspace compounds. 49:100-104; 50:404-408.
 - high alcohol. 52:345-351.
 - histamine-producing lactic acid bacteria. 49:199-204.
 - hydrogen sulfide. 50:334-342; 51:91-97; 233-248.
 - hydroxycinnamic acids. 48:225-228.
 - hyperoxidation. 48:150-156; 49:65-73.
 - iron content. 51:131-136.
 - isotopic ratios to characterize geographic origin of Bordeaux wines. 50:409-417.
 - kinetics of phenolic extraction during oak aging. 50:33-39.
 - laboratory proficiency testing. 50:461-465.
 - L-lactate. sequential injection. determination. 48:428-432.
 - lactic acid bacteria. 49:445-448.
 - histamine production. 49:199-204.
 - low alcohol. 50:291-298, 299-306, 307-316.
 - malic acid determination. 51:347-351, 352-356.
 - malolactic fermentation. See Fermentation.
 - manganese content. 51:103-107; 51:131-136.
 - metal content. 51:131-136.
 - nickel content. 49:205-210; 51:131-136.
 - oak. aging. See Aging.
 - organoleptic properties. 50:469-478, 479-494, 503-512, 513-218, 519-526.

- oak-related compounds. 50:447-455.
 organic acids determination. 50:154-161.
 organic and inorganic acids. simultaneous separation. 48:408-412.
 origin. differentiation techniques. 48:285-291.
 oxidation. 48:225-228; 49:65-73, 91-94; 50:264-270.
p-coumaric acid concentrations. 49:142-151.
 pectic polysaccharides. 50:25-32.
 pectolytic enzymes. 50:271-276.
 peptides. angiotensin I converting enzyme (ACE). 50:65-68.
 organoleptic characterization. 52:376-380.
 pesticide residue analysis. 50:435-442.
 pH. effect on stuck fermentations. 49:295-301.
 phenol-free glycosyl-glucose. 50:385-390.
 phenolic(s). See also Phenolics.
 acids. in tartrate precipitates. 50:391-397, 398-403.
 concentration in standard red wine. 50:91-100.
 kinetics of extraction from oak. 50:33-39.
 microbial synthesis. 48:443-448.
 oxidative changes. 48:225-228; 49:95-99.
 removal from white must. 51:357-361.
 phenological stages. 49:74-78, 91-94.
 Pinot noir. canopy management effects on composition and sensory characteristics. 48:198-206.
 temperature effects on. 48:198-206.
 polyphenols. 51:397-403.
 Port. detection of imitations. 51:262-268.
 Portuguese. biogenic amines. 50:128-132.
 potassium concentration and pH imbalance as a cause of stuck fermentations. 49:295-301.
 potassium hydrogen tartrate. 50:343-350.
 polyphenol concentration in white wines. 50:185-193.
 polysaccharide patterns during aging. 50:25-32.
 proanthocyanidin(s). precipitation by gelatin fining. 50:81-86.
 transfer from grape cluster into wine. 50:179-184; 51:397-403.
 protein. activity during fermentation. 51:155-167.
 analysis by capillary electrophoresis. 50:120-127.
 characterization by immunoblotting. 51:22-28.
 fingerprinting wine proteins. 49:231-239.
 fractionation and characterization. 49:383-388.
 origin of. 48:100-114.
 quantification using Bradford method. 48:303-309.
 quercetin concentrations. 49:142-151.
 quality systems. 50:461-465.
 recognition techniques. 48:285-291.
 red. acetaldehyde-flavanol condensation products.
 color measurement. 48:357-363; 50:359-363.
 glycoproteins. 48:100-114.
 oxidation. 49:95-99.
 sugar composition. 48:100-114.
 red-free glycosyl-glucose. 50:385-390.
 redox state. 50:264-270.
 reduced alcohol. 50:291-298, 299-306, 307-316.
 resveratrol. analysis. 48:169-176; 51:37-41.
 concentration in wine. 48:214-219; 50:185-193.
 effect of variety, UV light exposure, and enological practices on. 50:57-64.
 fining effects on. 50:57-64.
 rootstock influence on water relations and gas exchange. 51:137-143.
 rosé. color measurement. 48:357-363; 50:359-363.
 selenium content. 49:115-118.
 sensory. analysis. See also Aroma, Sensory analysis, Flavor, and Sensory characteristics of wine.
 color. measurement. 50:359-363.
 descriptors. 48:198-206.
 differential response. 48:271-279.
 ethanol effect on temporal perception of viscosity and density. 49:306-318.
 fermentation temperature effects. 48:198-206.
 identification. 48:177-180.
 Méthode Champenoise process effect on aroma. 49:289-294; 50:404-408.
 oak effects on. 50:469-478, 479-494, 503-512, 513-518, 519-526.
 pectolytic enzymes. 50:271-276.
 physiology of human sensory response to wine. 48:271-279.
 sequential injection. determination of L-lactate in wine. 48:428-432.
 sherry. aging. 49:240-250; 51:98-102.
 velum formation by flor yeasts. 48:55-62; 71-79, 160-168; 51:15-21.
 skin contact. effects on color, anthocyanins, phenols. 49:152-162.
 sluggish fermentation. 51:168-177.
 soluble solids. 51:73-80.
 sparkling. See also Sparkling wines.
 aging with yeast. 50:404-408.
 apple. 51:144-149.
 aroma analysis. 50:404-408.
 autolysis by interaction of killer and sensitive yeasts. 51:65-72.
 Botrytis cinerea effect on pectolytic composition of base wines. 50:456-460.
 bottle-fermented. yeast immobilized in double-layer gel beads or strands. 48:471-481.
 browning. 51:29-36.
 bubble formation. 50:317-323.
 Méthode Champenoise and aroma. 49:289-294.
 phenols during aging. 51:29-36; 51:144-149.
 vinification and variety effect on foam capacity. 49:397-402.
 spontaneous fermentation. 50:219-224.
 stabilization. 49:177-182.; 50:343-350, 391-397, 398-403.
 steaming potential. 50:343-350.
 stilbenes. 51:37-41.
 stoppers. 50:285-290.
 stuck fermentations. 51:168-177.
 sulfur compounds in wine. 50:334-342.
sur lie method. free amino acid behavior and proteolytic activities during fermentation. 48:1-6.
 storage. effect on glycoconjugates. 48:397-402.
 tannins. 50:247-252; 51:397-403.
 tartaric stabilization. 50:343-350, 391-397, 398-403.
 tasting panels. 48:177-180.
 temperature. effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 thermal processing. effects on glycoconjugates in White Riesling. 48:397-402.
 thiol contribution to varietal aroma. 51:178-181.
 time-intensity studies to evaluate taste and mouthfeel. 49:306-318.
 trace element measurements to characterize geographic origin of Bordeaux wines. 50:409-417.
 transfer of catechins and proanthocyanidins from solid parts of grape cluster into wine. 50:179-184.
 varietal aroma. 51:178-181.
 volatile components. 49:44-48.
 sulfur compounds. 50:334-342; 51:91-97.
 thiols. 51:178-181.
 white. color measurement. 48:364-369; 50:359-363.
 identification. 48:177-180.
 yeast. See Yeast(s).

X Y Z

- Xarel.lo wines. *Botrytis cinerea* effect on pectolytic composition of must and base wines. 50:456-460.
Xiphinema americanum. 52:304-309.
Xiphinema index. 52:304-309.
 Xyloglucans in must. 51:115-121.
 Yeast(s). See also specific yeast.
 acetic acid effects on. 50:204-210.
 acid production. 52:336-344.
 amino acid. anthocyanin adsorption by yeast lees. 48:433-437.
 anthocyanidin adsorption by lees. 48:433-437.
 arginine assimilations. 51:227-232.
 assimilable nitrogen. 49:125-134. 52:400-401.
 autolysis. in sparkling wine. 48:471-481.
 Brettanomyces/Dekkera spp. effect on ethylphenol content of red wine. 48:443-448.
 cell concentration in tartrate precipitates in cold-stabilized wines. 50:391-397, 398-403.
 cell concentration profiles. 51:73-80.

Yeast(s), cont.

- cell wall composition. 49:325-332.
 - Debaryomyces hansenii*. isolation and properties. 50:231-235.
 - effects of temperature, pH, and sugar concentration on the growth rates and cell biomass. 49:283-288.
 - flor. velum formation in sherry. 48:55-62, 160-168; 51:15-21.
 - genetically engineered to produce lactic acid. 50:45-50.
 - genotypic selection. 51:15-21.
 - growth. inhibition. 48:413-422.
 - Hanseniopsis uvarum*. 48:339-344.
 - identification of indigenous yeasts. 52:49-53.
 - immobilized. double-layer gel beads or strands. 48:471-481.
 - inhibition. acetic acid. 50:204-210.
 - by alcohols and organic acids. 48:413-422.
 - killer. incidence in spontaneous fermentation. 52:352-356.
 - to promote autolysis. 51:65-72.
 - Lactobacillus casei*. 50:45-50.
 - Lactobacillus kunkeei*. 50:204-210.
 - Lactococcus lactis*. 48:193-197.
 - Leuconostoc oenos*. malolactic activity. 48:423-427.
 - relationship to sluggish fermentation. 49:445-448.
 - macromolecule excretion. turbidity effects on. 49:325-332.
 - metabolism during fino sherry fermentation and aging. 49:240-250.
 - molecular strain identification. 48:339-344; 51:15-21.
 - natural fermentation profiling. 52:198-203.
 - nutrient requirements during fermentation 51:215-222; 227-232.
 - pH effects on the growth rates and cell biomass. 49:283-288.
 - population. dynamics. 48:75-79.
 - during alcoholic fermentation in a new winery. 48:339-344.
 - presence on berry surface. 47:435-440.
 - rho* mutants. 48:71-79.
 - role in stuck and sluggish fermentations. 51:155-167.
 - S. cerevisiae*. 48:339-344, 397-402; 49:240-250, 31-324, 325-332; 50:45-50, 204-210, 219-224.
 - Schizosaccharomyces pombe*. 48:193-197; 49:408-412.
 - sensory evaluation. 52:336-344.
 - simultaneous separation of organic and inorganic acids. 48:408-412.
 - starter culture effects on. 51:42-48.
 - strain(s). effects on glycoconjugates. 48:397-402.
 - evaluation during fermentation. 52:336-344.
 - identification. 48:339-344.
 - sugar concentration effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 - temperature effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 - thermotolerant *S. cerevisiae*. 49:319-324.
 - turbidity effect on yeast cell wall porosity. 49:325-332.
 - velum formation in sherry wine. 48:55-62, 71-79, 160-168.
 - wild. activity during fermentation. 50:219-224; 51:155-167.
- Yield, grapevine. canopy manipulation. See also Canopy management.
- leafhopper feeding impact on. 48:291-302.
 - mechanical pruning effects. 50:87-90.
 - nitrogen fertilization of Cabernet Sauvignon. 50:351-358.
 - Rupestris* virus effects on. 48:449-458.
 - variation. pollination and stigma receptivity. 49:1-5.
- Zinc content in wine. 51:131-136.