

AMERICAN JOURNAL *of* ENOLOGY AND VITICULTURE

2003 Revision

Guide to Authors

The *American Journal of Enology and Viticulture* (AJEV) publishes full-length research papers, literature reviews, technical briefs, and research notes on all subjects related to enology and viticulture.

Research papers are scientific communications that present a new principle, rigorously test an existing hypothesis, or otherwise provide important novel information to the scientific community. Descriptive studies that are hypothesis generating also fit into this category.

Literature reviews synthesize the hypotheses and results within the research area under review and critically compare the published literature.

Technical briefs provide important new information to technical members of the industry, but might not advance the forefront of science in viticulture or enology. Appropriate manuscripts may describe a new assay method, validate or improve upon an existing method, or provide a comparative analysis of the impact of use of different processing methods.

Research notes present data of value to the scientific community. One example would be an extensive compositional study or survey from a single region that would be valuable in a larger analysis of variation of composition in different wine-growing areas. Research notes are generally no longer than two to four pages. Important but negative results may also be presented in this format.

Sequential papers submitted together will most often be returned to the authors to be revised either as a single work or as separate papers, each of which can stand on its own.

The AJEV does not accept articles published in or submitted to other publications. Authorship of papers in the Journal is not limited to members of the American Society for Enology and Viticulture (ASEV); however, non-ASEV members are charged \$40.00 per final printed page.

Review Process

The science editor assigns each manuscript received to an associate editor. Manuscripts then undergo a two-step review process. Associate editors and the managing editor screen the manuscript to determine whether it meets standards of scientific rigor and language. (Manuscripts that are largely descriptive, confirmatory, or only of regional significance that otherwise do not present any new information or novel insights will not be accepted.) If a manuscript passes this initial screening review, it is sent to two peer reviewers. (Research notes may

receive one review.) Additional reviewers are consulted as necessary. Reviewers' comments and the associate editor's decision regarding acceptability of the manuscript will be forwarded to the corresponding author by the managing editor. This entire review process may take up to twelve weeks. Authors may be required to revise their manuscript before formal acceptance of the paper for publication.

Authors of submitted manuscripts may recommend three qualified reviewers who are not members of their institutions and who are not collaborators. Provide the name, institution, email and mailing addresses, fax and phone numbers, and area of expertise for each suggested reviewer. Such reviewers are contacted at the discretion of the associate editor.

The science editor, associate editors, and managing editor are responsible for judging the suitability of each manuscript for publication. The editors reserve the right to edit manuscripts to make them conform with the adopted style and/or to return them to the authors for revision.

Content of Manuscripts

All manuscripts submitted must be in English, following American-English standards of spelling and scientific notation (see the following list of abbreviations and consult *The ACS Style Guide: A Manual for Authors and Editors* [American Chemical Society, 1997] as a reference). Authors whose primary language is not English must have manuscripts proofread by an English-speaking expert before submittal. Prepare the content of manuscripts in the following order:

Title. The title (in upper- and lowercase type) must reflect the important aspects of the article as concisely as possible, in no more than 100 characters and spaces. Do not use both common and scientific names in the title. Titles may not be in the form of questions.

Authorship and byline. List the first and last names of all authors beneath the title. Authorship should be based only on substantial contributions to (1) the conception and design or analysis and interpretation of data and to (2) the drafting of the paper or major revision for important intellectual content; and (3) on final approval of the published paper. All authors must have agreed to submission of the paper and take public responsibility for defending its content, including acknowledgments and citations, and have agreed that the corresponding author act on their behalf on all matters pertaining to publication.

Authors' professional titles and current addresses, corresponding author's email and/or fax number, acknowledgments (see below), and submission date should be given in separate paragraphs below the byline.

Acknowledgments. Note the source(s) of funds used to conduct the research and where research was conducted, if applicable. Personal acknowledgments of assistance may be given in a second paragraph.

Abstract. For full research articles, include a one-paragraph abstract from 80 to no more than 250 words that states the hypothesis, intent, or purpose of the research, the theoretical or experimental plan used, key findings (without experimental details or data), and major conclusions. Do not cite references, figures, or tables. Limit abstracts for research notes to no more than 100 words.

Key words. Include a list of four key words for indexing.

Introduction. Include a background review of the experimental design of your study and the measurement techniques employed, citing salient literature. Conclude with the hypothesis involved and/or the purpose of the investigation and how it will address deficiencies in existing knowledge.

Materials and methods. Enough detail must be given so that others may repeat your work. Identify the number of replications of experimental treatments and the number of times individual experiments were duplicated. For standard methods, cite the corresponding literature; describe in adequate detail those procedures that have not been fully described in cited publications. List model number and sources (vendor, city, state, country) of equipment and media used. When appropriate, include statistical analysis. Specify conditions or variables whose control influences the experimental results (use of colored lights or glasses in sensory evaluation, for example). See also the sections *Reporting Information* and *Reporting Sensory Evaluation* in the following pages.

Results. Report the results of your study here; reserve your interpretation of the results for the discussion section. Present results concisely in the text and any accompanying tables (and figures, if necessary). Avoid extensive use of graphs; tables are often more effective. In short papers, the Results and Discussion sections may be combined.

Discussion. The purpose of this section is to interpret the results in relation to previous literature, to propose explanations for the results observed, and to discuss possible applications. Avoid speculation unsupported by the data obtained.

Conclusion. This final section should draw conclusions concerning the original problem/hypothesis and the information given in the study. Base conclusions on the information given in the paper. Do not summarize the paper, repeat information given in the results and discussions sections, introduce new information, or cite additional sources.

Literature cited. Beginning in 2003, AJEV has revised its reference/literature cited format. We now use the author and date, rather than the numbered, system; samples are given below. Authors are responsible for the accuracy of all citations, which will be copyedited for format only.

The Literature Cited section should contain only published, relevant sources that are accessible through an information system. These sources include journal articles, books (and chapters in books), proceedings, bulletins, reports, *published* abstracts of papers presented at meetings, patents, theses, and dissertations. Do not include the following in the Literature Cited section: unpublished abstracts, unpublished data, personal communications, manuscripts in preparation or submitted for publication, letters, company publications, databases, and software used for analysis; these should be referred to in parentheses in the text (see examples below).

Arrange citations alphabetically by author(s) (letter by letter) and chronologically when there are multiple citations for the same first author. List authors by senior author (last name first, then initials) followed by additional authors (initials first) (e.g., Concord, L.V., J.M. Merlot, and N.Y. Pinot) and ending with a period. All authors of an article must be listed in the Literature Cited section. If a source has no author, list the sponsoring organization or publisher, such as "OIV" or "ASEV." Do not use "Anonymous."

The year of publication follows the author(s). Place a period after this date. If more than one work by the same author is cited, list the publications in chronological order; if the year is identical, insert lowercase letters (i.e., a, b, c) after the date according to the order each source is cited in the text. In the text of the paper, reference citations by author and date in parentheses.

The title follows the date. Lowercase all words except for the first word and proper nouns, and do not place quotation marks around the title. Do not abbreviate any part of the title. Retain italicized words (e.g., *Vitis vinifera*). Journal name follows the title. Spell out all journals with one-word names (such as *Phytopathology*). Next give the volume, followed by a colon and the page numbers of the article. (Issue numbers are only necessary when each issue within a volume begins with page 1; include the issue number in parentheses after the volume number.) Give full pagination, with no spaces (e.g., 53:2096-2103). The correct order of elements in sources other than journals is noted in the examples.

References listed in Literature Cited. Sources listed include all journal articles, books, chapters, published proceedings, theses, government/agency publications, *published* meeting abstracts, and patents, as well as in-press journal articles, books, and chapters. All sources in the Literature Cited section must be cited in the text.

Journal article (for online journals, place "[online]" after the journal title abbreviation):

Spayd, S.E., J.M. Tarara, D.L. Mee, and J.C. Ferguson. 2002. Separation of sunlight and temperature effects on the composition of *Vitis vinifera* cv. Merlot berries. *Am. J. Enol. Vitic.* 53:171-182.

In-text citation: (Spayd et al. 2002) [for three or more authors, use "et al." following the senior author's name in the text citation]

In-press article:

Frivik, S.K., and S.E. Ebeler. 2003, in press. Influence of sulfur dioxide on the formation of aldehydes in white wine. *Am. J. Enol. Vitic.* [include volume and page numbers, if known]

In-text citation: (Frivik and Ebeler 2003)

Book:

Boulton, R., V. Singleton, L. Bisson, and R. Kunkee. 1996. Principles and Practices of Winemaking. Chapman & Hall, New York.

In-text citation: (Boulton et al. 1996)

Chapter in book:

Sponholz, W.R. 1993. Wine spoilage by microorganisms. *In* Wine Microbiology and Biotechnology. G.H. Fleet (Ed.), pp. 395-420. Harwood Academic Publishers, Chur, Switzerland.

In-text citation: (Sponholz 1993)

Symposium/meeting proceedings:

Wample, R.L., and T.K. Wolf. 1996. Practical considerations that impact vine cold hardiness. *In* Proceedings for the Fourth International Symposium on Cool Climate Enology and Viticulture. T. Henick-Kling et al. (Eds.), pp. 23-38. N.Y. State Agric. Exper. Stat., Geneva, NY.

In-text citation: (Wample and Wolf 1996)

Symposium series:

Butzke, C.E., T.J. Evans, and S.E. Ebeler. 1998. Detection of cork taint in wine using automated solid-phase microextraction in combination with GC/MS-SIM. *In* Chemistry of Wine Flavor. A.L. Waterhouse and S.E. Ebeler (Eds.), pp. 208-216. ACS Symp. Ser. 714. American Chemical Society, Washington, DC.

In-text citation: (Butzke et al. 1998)

Thesis:

Wolpert, J.A. 1983. Cold acclimation of Concord grapevines. Thesis, Michigan State University.

In-text citation: (Wolpert 1983)

Patent:

Garner, I. December 2002. Process for unbalanced wine. U.S. patent 123,456,789.

In-text citation: (Garner 2002)

Abstract:

Turbow, S., and D. Block. 2002. Effects of viticultural practices on the aroma of 2000 Napa Valley Cabernet Sauvignon wines. *Abstr. ASEV 53rd Annu. Meet. Am. J. Enol. Vitic.* 53:249A.

In-text citation: (Turbow and Block 2002)

References listed in text. References to unpublished data, personal communication, articles submitted for publication, software, web sites, databases, company publications, and unpublished abstracts should be listed in the text in parentheses, as follow:

Unpublished data and communications: (A.G. Reynolds 2002, unpublished data); (G.L. Creasy 2001, personal communication); (B. Gump 2003, submitted for publication)

Software: “. . . data was analyzed with SAS statistical software (version 8.1; SAS Institute, Inc. Cary, NC).”

Web site: “. . . information found on the ASEV web site (<http://www.asev.org>).”

Database: “. . . vector sequences were removed by cross-match (<http://www.genome.washington.edu>).”

Company catalog: “. . . odors are described as bacon and smoky (Aldrich catalog, Sigma-Aldrich, Milwaukee, WI).”

Tables and Figures

Tables. Information presented in a table must be self-explanatory and agree with the text. The table caption should summarize the information in the table without repeating the col-

umn headings. Each column must have a heading that names the variable being measured and indicates the unit of measure within parentheses [e.g., (mg/L) (%)]. Keep column headings brief. (Follow the list of abbreviations found at the end of the Guide to Authors.) Explain nonstandard abbreviations in footnotes. Designate footnotes with superscript lowercase letters beginning with ^a (a, b, c). Use the same style for all tables.

If only a few values are presented, then place the information in the text rather than in a table. Data presented in tables should not be repeated in figures.

Cite tables in numeric order in the manuscript. In electronic files: Place tables in the same rtf file as the manuscript and literature citations. Do not submit tables in Excel format; use the standard table format in your word-processing program.

Figures. Submitted figures must be high quality and ready to be published. AJEV does not create or revise figures. Place each figure on a separate page and label each one with the appropriate figure number. Cite all figures in numeric order in the manuscript. Legends (captions) should describe the contents so that each illustration is understandable when considered apart from the text. All symbols and abbreviations must conform to AJEV standards.

For callouts (labels) within figures: the typeface (or “font”) must be consistent for all figures and artwork within a paper. Use a sans serif typeface such as Helvetica or Arial; do not use bold type. Use upper- and lowercase lettering that is no less than 8 point type (“font size”) at final reduced size. Figures should be either single or double column (3½ or 7¼ inches in width, respectively).

For line graphs, frame graphs and affix index marks to the vertical axis (y axis, or ordinate) and to the horizontal axis (x axis, or abscissa). Symbols are used to indicate data points. Use open circles for the first set of data and filled circles for the second; triangles, open and filled, are next; then squares, open and filled (○●△▲□■). If a graph requires more than six symbols, consider presenting the data in two graphs. (Diamonds are the fourth set of symbols.) Keys to symbols should be set in a small, inset box in the line graph (or next to it); they should not be placed in the text of the legend/caption.

Special effects, such as 3-dimensional bar charts or graphs, are unacceptable as they are difficult to read. Report such information in a table, if necessary. When applying multiple shades of gray in a bar chart, differentiate the gray levels by at least 20%. Line weight in the artwork should be no less than .30 points. For prominent lines such as plot lines on graphs, the weight should be approximately 1 point.

Black and white illustrations are standard, but color may be considered by the managing editor. Color costs are borne by the author and run approximately \$800.00. A cost quotation may be provided, and the author or an institutional officer must indicate acceptance of responsibility for the quoted rate in writing before processing of that figure will be started.

Submitting printed originals. A 1:1 reproduction is best to maintain maximum detail when printed (single column width is 3½ inches and double column is 7¼ inches); however, larger figures are acceptable if they are suitable for reduction without loss of detail or readability of text. Maximum page size for originals to be scanned is 8½ x 11 inches.

Photographs should be high-quality glossy prints cropped at right angles to show only essential details. Overlays may be used to indicate cropping. Insert a scale bar when necessary to indicate magnification.

To avoid damage in transit, do not paperclip figures together or to the manuscript. Place small figures in an envelope.

Submitting electronic figure files. We encourage authors to submit figures digitally. Provide figures on a PC-formatted disk. We accept the following media:

- 3.5-inch floppy disk
- Iomega Zip disk
- CD-ROM

Include high-quality printed copies that are identical to the artwork in the files. Discrepancies between printed copies and electronic files will delay publication.

Accepted file formats. The Journal supports the following applications and formats for Windows and will accept only TIFF or EPS files as listed.

For pictures/halftones:

- Adobe Photoshop, TIFF files
- CorelPhoto-Paint, TIFF files

For line art:

- Adobe Illustrator, EPS or TIFF files
- CorelDRAW, EPS or TIFF files

Do not send figures in PowerPoint.

Images should be saved and submitted in the size at which they will be printed. Crop, scale, rotate, and manipulate images during the scanning or imaging stage (i.e., in Adobe Photoshop) before submitting them to the Journal.

Assemble multipanel figures (figures with parts labeled A, B, C, D, etc.) into one piece and supply as one file.

Internet graphics downloaded or saved from Web pages are not acceptable for printing. These graphics have very low-resolution images (usually 72 dpi) that are intended for screen display but are far below acceptable quality standards for print.

Scanning figures. When scanning images and placing them in programs like Illustrator or CorelDRAW to be manipulated, it is important to use the correct resolution or dpi (dots per inch, also referred to as pixels per inch or ppi). Use the following guide to set the proper resolution for the type of image you are scanning.

- **Lineart** (graphs, charts, diagrams): scan at 900 to 1200 dpi and save in bitmap/monochrome mode.
- **Halftones** (black and white pictures): scan at 300 dpi and save in grayscale mode.
- **Combination halftones** (black and white pictures with text and/or graphics added): scan at 600 dpi and save in grayscale mode.

If you have questions about preparing files, please email the publications coordinator at edward@asev.org.

Reporting Information

Trade names. The names of manufacturers or suppliers of special (not reagent grade) materials should be given (includ-

ing city, state, and country). Trade names must be capitalized and followed by ® or ™. In experimentation, a chemical compound should be identified by its common name (if such name exists) or by the chemical name and structural formula.

Nomenclature. The binomial or trinomial (in italics) must be shown for plant, insects, and pathogens when first used in the abstract and in the text (for example, *Vitis vinifera*). Following citation in Materials and Methods, the generic name may be abbreviated to the initial, except when confusion could arise by reference to other genera with the same initial. A collection number or that of a comparable listing should identify algae and microorganisms referred to in the manuscript.

For varietal names, the AJEV conforms to spellings listed in the BATF *Working List of US Wine Grape Varieties*.

Chemical identification. Papers reporting on flavor constituents should conform to the recommendations made by the International Organization of the Flavor Industry [see J. Agric. Food Chem. 44:10 (1996)]. Any flavoring substance must have its identity confirmed by at least two methods. Otherwise, the identification should be labeled “tentative.” Authors should include at least semiquantitative data on the concentration of an identified component in the original source. Ranges such as <1 µg/L, 1 to 10 µg/L, 10 to 100 µg/L, rather than absolute amounts, are acceptable.

Numerals. Spell out all numbers or fractions that begin a sentence. Do not use a dash or hyphen to replace the preposition “to” between numerals (13 to 22 min, 3 to 10°C) within the text; however, a dash or hyphen may be used in tables and figures.

Write out numerals one through nine, except with units of measure. Write out and hyphenate simple fractions (for example, two-thirds). It is best to use decimals instead of fractions.

Time and dates. When reporting time, use the 24-hour time system with four digits; the first two for hours and the last two for minutes (for example, 0400 hr for 4:00 a.m., 1630 hr for 4:30 p.m.). Dates are reported as day of month, month, and then year (9 April 2002).

Units. Units of measure are treated as collective nouns and take singular verbs (for example, “2.5 mL of bentonite was added to the sample”). Observe the following:

Wine volume: report as liter (L) or milliliter (mL). Hectoliters are not recommended. Abbreviate liter as a capital L, not lowercase, to avoid confusion with the number 1.

Grape weights: report as grams (g), kilograms (kg), and metric tons (t).

Temperature: report as degrees Celsius (°C) only.

Parts per million (ppm) and parts per billion (ppb) are not recommended. Use the equivalent milligrams per L (mg/L) and micrograms per liter (µg/L).

Wine or juice yield: report as liters per 1000 kg (L/1000 kg) or milliliters per kilogram (mL/kg) (equivalent).

Land area: report as hectares (one hectare = 2.47 acres).

Statistical methods. Authors must report enough details of their experimental design so that the results can be judged for

validity and so that previous experiments may serve as a basis for the design of future experiments.

Multiple comparison procedures such as Duncan's multiple range test are frequently misused. Such misuse may result in incorrect scientific conclusions. Multiple range tests should be used only when the treatment structure is not well understood (for example, studies to compare cultivars). When treatments have a logical structure, significant differences among treatments should be shown using *t*- or *F*-tests.

Field experiments, such as studies on crop yield and yield components, that are sensitive to environmental interactions and in which the crop environment is not rigidly controlled or monitored, should be repeated (over time and/or space) to demonstrate that similar results can (or cannot) be obtained in another environmental regime. Perform replicate chemical or sensory evaluations to show reproducibility and consistency, respectively.

Abbreviations and symbols. See the accompanying list of abbreviations. Replacement of certain unwieldy chemical names by well-known abbreviations is acceptable (for example, ATP, DNA). Standard chemical symbols may be used without definition (Ca, NaOH). If the paper uses numerous abbreviations, define all in a single paragraph after the key words; use such abbreviations only if a term is used at least five times.

With the exception of those standard for international usage (for example, HPLC, ATP), do not use abbreviations in the title or abstract. The metric system is standard, and SI units should be used (other units may be placed in parenthesis after the SI). Symbols and abbreviations in figures and tables must also conform to guidelines.

Reporting Sensory Evaluation

As with other disciplines, manuscripts reporting sensory information should present some new principle, rigorously test an existing hypothesis, or otherwise provide important new information to the scientific community. In all cases, authors must clearly indicate exactly how the test was conducted, at what temperature the wines were stored, for how long the wines were stored, at what temperature the wines were served to the panelists, what type of glassware was used, how much wine was poured in each glass, how many tests the panelists performed, and how many samples were served per session.

Panelists. Trained panelists or "expert" panelists may not be asked to indicate their liking or the acceptability of the sample(s). Only true consumer panelists can give this type of information. Consumer panelists usually should not be asked to score the intensities of specified sensory attributes. However, there may be isolated situations where this would be acceptable.

Discrimination testing. With discrimination testing (such as paired difference, duo-trio, triangle, two-out-of-five) the objective is to determine whether two samples are perceptibly different. In all cases, except the directional paired difference test, that is the only information the test provides.

The major issue with discrimination tests is ensuring that the test had enough power. (Power is defined as the probability of finding a difference that actually exists). Power is affected by

several factors, but the one that the experimenter usually has control over is the number of panelists evaluating the samples.

If a discrimination test shows that two samples are perceived to be significantly different, then the test had enough power (regardless of the number of panelists).

If a discrimination test shows that two samples are not perceived to be significantly different, then the power issue becomes crucially important and the authors must then indicate the power associated with their test. (This is usually the issue when authors want to show that a new method or variation does not affect the sensory properties of the product—the power of such tests is low when the number of panelists is small.¹)

Using the directional paired difference test with wines can be problematic. The requirement for this test is that the two samples may only differ in a single sensory attribute: for example, a 1% salt-water solution is less salty than a 2% salt-water solution, but it does not differ in any other sensory modality. However, when real products are used this is often not true; for example, a wine with 2% residual sugar is perceived to be less sweet than one with 4% residual sugar, but the first wine may also be perceived to be sourer than the second. In such cases, the paired directional test should not be used.

Description analysis. When authors use the descriptive analysis techniques to evaluate their samples, there are three major issues:

First, unless the panel was trained by or in direct consultation with the Tragon Corp. (Palo Alto, CA), the technique used was not QDA (Quantitative Descriptive Analysis). QDA is a registered trademark of the above-mentioned company. The same is true for FPA (Flavor Profile Analysis), which is trademarked by A.D. Little Company (Boston, MA) and the SDA (Spectrum Descriptive Analysis) (Sensory Spectrum, East Hanover, NJ).

Second, usually authors use variations of the above techniques. They could refer to a variation of the QDA technique as the consensus training method and to variations of the FPA and SDA as ballot training methods. It is also possible to amalgamate the two methodologies as a combination training method.

Third, authors must give explicit information on the following: number of panelists; source of panelists; method of train-

¹Example: Authors want to indicate that using a new fining agent produces a wine that is not perceptibly different from a wine fined with a more traditional agent.

Before starting the study, the authors determine that they want a power of 90% (a 90% chance of detecting a difference if it exists). This is analogous to a Type II error (beta) of 10%. In addition, the authors use the usual Type I error (alpha) of 5%; they want less than 10% of the population to discriminate between the samples. Given these assumptions, the authors determine that to perform a triangle test they would need at least 342 panelists. Using the same assumptions but a duo-trio test, authors would need 853 panelists.

After completing the study, the authors write a paper stating that they used alpha at 5%, a duo-trio test, and 50 panelists and found that the two fining agents did not significantly differ in how they affected the sensory quality of the wine. The reviewer determines that assuming that less than 25% of the population can detect a difference; the power of this test is about 55%. If the authors had performed a triangle test, then the power would have been 78%.

ing; length of training; assessment of training; attributes used; references standards/verbal descriptors used for attributes; number of times each panelist evaluated each sample; number of samples per session; number of sessions; duration of sessions; time between sessions.

Submission of Manuscripts

Mail three paper copies of your manuscript and a 3.5" high-density PC-formatted disk, CD, or zip disk to:

Ms. Judith McKibben, Managing Editor
American Journal of Enology and Viticulture
P.O. Box 2160
Davis, CA 95617-2160 USA

For packages sent by special courier services such as Federal Express, our street address is 1784 Picasso Ave, Suite D, Davis, CA 95616. All manuscripts received are acknowledged by email.

We do not accept emailed manuscripts. Manuscripts that do not follow the guidelines for submission and format will be returned.

The AJEV office hours are 9 A.M. to noon and 1 to 5 P.M., Pacific Time, Monday through Friday (tel: 530-753-3142; fax: 530-753-3318; email: editor@asev.org).

Cover letter. Include a cover letter that contains the telephone and fax numbers and an email address of the corresponding author and that states the manuscript is not being submitted, in review, or otherwise considered for publication elsewhere.

Format of printed manuscripts. Organize printed manuscripts as stated above in the *Content of Manuscripts* section and as follows:

- Printed, double-spaced, on 8.5 x 11 inch (21.5 x 28 cm) paper (or on A4 paper with the margins set for US letter size paper).
- Number each page beginning with the title page, and number the lines on each page for ease of reference by reviewers.
- The text of the paper must be followed in order by literature cited, tables (one per page), figure legends/captions (grouped together), and figures (one per page). (See below for electronic format.)
- Send three printed copies of the entire manuscript, including figures, tables, and one copy of original (not photocopied) artwork.

Format of electronic files. The electronic file must match the printed manuscript exactly. Use a PC-formatted, high-density disk (or Zip disk or CD). We cannot accept files on Mac-formatted disks.

- Include the text of the paper, literature citations, tables, and figure legends in one (1) rich text format (.rtf) file. (Make sure tables are included in this file; do not submit tables as Excel files.)
- Place each figure in a separate TIFF or EPS file. See the section on *Tables and Figures* for guidelines on formatting graphics files.

- Include all linked files.
- Do not use the "compare" or "insert" feature in your word-processing program to highlight changes in the original or revised file.
- Do not create symbols or equations as graphics. Use the "insert symbol" function in your word-processing program.
- Label the disk with the title of the paper and the name of the corresponding author.

Publication Information

Publishing and printing fees. AJEV does not pay authors for their manuscripts. Corresponding authors who are ASEV members are not charged for the publication of manuscripts. Nonmembers will be charged \$40 per printed page. AJEV reserves the right to charge an author for any extra printing costs of unusual or improperly submitted materials and for extensive author alterations.

Authorship. Please refer to the information in the paragraph on authorship in the *Content of Manuscripts* section.

Copyright release. AJEV requires the corresponding author to sign a copyright transfer agreement on behalf of all authors when a manuscript is accepted. Manuscripts will not be published until this agreement is signed and returned.

The copyright transfer agreement grants the author(s) the right to republish select portions (abstract, figures, tables) of their article in other publications of which the author(s) are editors on the condition that credit is given to the original AJEV source, as in the following: ©2002 American Society for Enology and Viticulture. AJEV 53:323-328.

Authors may post their own published articles on their own university or personal web sites, but not on company or institutional web sites, provided the above credit line is included.

The copyright transfer also stipulates that authors who are (or were) U.S. government employees and who wrote the article as part of the employment duties identify themselves. Works authored solely by U.S. government employees are not subject to copyright protection, so there is no copyright to be transferred. Other provisions of the copyright transfer, such as author representation of originality, apply to all authors, including U.S. government employees.

Neither AJEV nor ASEV is responsible for statements or opinions printed in its publications; they represent the views of the authors or persons to whom they are credited and are not binding on ASEV as a whole.

Conflict of interest. The authors must reveal any financial relationship with a funding source, such as a consulting agreement or any ownership, as well as any financial interest in any entities manufacturing, distributing, or selling any products that figure prominently in the report. These revelations will be held in confidence, but in some cases, publication may be contingent on their disclosure.

Corrections. Corrections are published, if necessary, in the number 4 issue of each volume. Authors should notify the managing editor of any necessary corrections.

Reprints. While we do not offer reprints, we do send authors printed tearsheets from which you may make copies, provided all AJEV citations and page numbers are visible.

Publication rights. The AJEV reserves first right of refusal to publish any paper or poster presented at the ASEV Annual Meetings. The managing editor may release papers that may be more appropriate for another publication if requested in writing by the author(s).

Publication release policy. Written permission to include in other scientific publications reprints of and quotations from articles published in the journal may be granted by the managing editor on the conditions that full credit be given to both AJEV and the author(s) and that volume, number, page numbers, and year of publication be stated.

day, days	day
decibel	dB
degree (angular)	°
deoxyribonucleic acid	DNA
dextro (preceding chemical name)	(small cap) D
dextrorotatory (preceding chemical name)	(italic) <i>d</i> (+)
diameter	diam
direct current	DC
dissociation constant, negative logarithm of	pK
effective dose, 50%	ED ₅₀
electromotive force	emf
electron volt	eV
equation (reference in text)	(eq)
equivalent	equiv
exponential	exp
foot	ft
for example (in tables and figure captions only)	e.g.
freezing point	fp
frequency modulation	FM
gallon	gal
gas chromatography	GC
gram	g
gravity (gravitation constant)	(italic) <i>g</i>
hectare	Ha
hertz	Hz
high-performance liquid chromatography	HPLC
hour	hr
hydrogen ion concentration, negative logarithm of	pH
inch	in
infrared	IR
inhibitor constant	K _i
inside diameter	i.d.
joule	J
kelvin	°K
kilo (x 10 ³)	K
kilocalorie	Kcal
kilogram	kg
kilometer	Km
kilowatt	KW
lethal dose, 50%	LD ₅₀
levo- (preceding chemical name)	(small cap) L
levorotary (preceding chemical name)	l (-)
liter	L
logarithm (to base 10; common logarithm)	log
logarithm, natural	ln
lumen	lm
lux	lx
mass	(italic) <i>m</i>
mass-to-charge ratio	(italic) <i>m/z</i>
mass charge on electron	(italic) <i>m/e</i>
maximum	max.
mega (x 10 ⁶)	M
melting point	mp
meta- (preceding chemical name)	(italic) <i>m</i>
meter	m
Michaelis constant	k _m
micro (x 10 ⁻⁶)	μ

AJEV ABBREVIATIONS AND SYMBOLS

Term	Abbreviation or Symbol
absorbance (in tables and figures)	abs
acetoxyl	AcO
acetyl	Ac
active ingredient	a.i.
Adenosine 5' diphosphate (adenosine diphosphate)	ADP
Adenosine 5' monophosphate (adenosine monophosphate)	AMP
Adenosine 5' triphosphate (adenosine triphosphate)	ATP
alternating current	AC
Ampere	A
et alia (Latin; and others)	et al.
ante meridiem	a.m.
atmosphere (see also standard atmosphere)	Atm
average (abbreviate in tables and equations only)	avg
°Balling	Brix
boiling point	bp
British thermal unit	Btu
Brix (no degree sign)	Brix
capillary electrophoresis-mass spectrometry	CE-MS
°Celsius	°C
°centigrade	°C
chemically pure	CP
coefficient	coeff.
coenzyme A	CoA
colony forming units	cfu
concentrate	conc.
concentration (in tables and figures)	concn
constant	const.
cosecant	csc
cosine	cos
cotangent	cot
counts per second	counts/sec
cubic centimeter	cm ³
cultivar (only after specific epithet)	cv.

microequivalent	μeq	racemic (optical configuration, a mixture of dextro- and levo-) (preceding chemical name)	(small caps) DL
microgram	μg		
microliter	μL	rate change of a process with 10° increase	Q ₁₀
micrometer (micron)	μm	retardation factor (distance unknown factor has traveled relative to a solvent front in chromatography)	R _f
micromole	μmol		
milli (x 10 ⁻³)	m	revolutions per minute	rpm
milliampere	mA	ribonucleic acid	RNA
milliequivalent	meq	roentgen equivalent man	rem
milligram	mg	second (angular)	"
milliliter	mL	second (time)	sec
millimeter	mm	secondary (preceding chemical name; s subscript (e.g., BA _s))	(italic) <i>sec-</i>
millimole	mmol	significant at 0.05 level	*
millivolt	mV	significant at 0.01 level	**
minimum	min.	significant at 0.001 level	***
minute (angular)	'	sine	sin
minute (time)	min	species (only after generic name)	sp., spp.
mitochondrial deoxyribonucleic acid	mtDNA	specivies nova (only after specific epithet)	sp. nov.
molar (concentration)	(italic) <i>M</i>	specific gravity	sp gr
mole	mol	specific heat	sp ht
month	mo	specific volume	sp vol
nano (x 10 ⁻⁹)	n	square	sq
nanometer	nm	standard atmosphere	atm
Nephelos turbidity unit	NTU	standard deviation	SD
newton	N	standard error	SE
nicotinamide adenine dinucleotide	NAD	standard temperature and pressure	STP
nicotinamide adenine dinucleotide, reduced	NADH	substrate constant (see Michaelis)	(italic) <i>K_m</i>
nicotinamide adenine dinucleotide phosphate (reduced)	NADP	surface tension	N/m
normal (concentration)	<i>N</i>	tangent	tan
normal (preceding chemical name)	<i>n</i>	temperature	temp
not significant	ns	tera (x 10 ¹²)	T
nuclear magnetic resonance	NMR	tertiary (preceding chemical name)	(italic) <i>tert-</i>
number (in table headings)	No.	that is (in tables and figure captions only)	i.e.
ohm	W	thin layer chromatography	TLC
ortho- (position; preceding chemical name)	(italic) <i>o</i>	tonne (metric ton)	t
ounce (avoirdupois)	oz	transfer ribonucleic acid	tRNA
outside diameter	o.d.	ultrahigh frequency	UHF
para- (preceding chemical name)	(italic) <i>p</i>	ultraviolet	UV
parts per billion	μg/L	varietas (variety; only after specific epithet)	var.
parts per million	mg/L	versus (only in tables and figures; spell out in text)	vs
pascal	Pa	volt	V
per	/	volume	vol
percent	%	volume ratio (volume per volume)	v/v
peta (x 10 ¹⁵)	P	watt	W
pico (x 10 ⁻¹²)	p	week	wk
polymerase chain reaction	PCR	weight	wt
post meridiem	p.m.	weight per volume	w/v
pound (avoirdupois)	lb	weight ratio (weight per weight)	w/w
pounds per square inch	lb/in ²	year	yr
probability (lowercase italic)	<i>p</i>		

Author Index

Volumes 49, 50, 51, 52, 53
(1998, 1999, 2000, 2001, 2002)

A

- Ablett, E.F. See J.P. Tomkins. 52:287-291.
- Achaerandio, I., V. Pachova, C. Güell, and F. López. Protein adsorption by bentonite in a white wine model solution: Effect of protein molecular weight and ethanol concentration. 52:122-126.
- Adams, D.O., and J.F. Harbertson. Use of alkaline phosphatase for the analysis of tannins in grapes and red wines. 50:247-252.
See F.M. Dewey. 51:276-282.
See J.F. Harbertson. 53:54-59.
- Adrian, M., P. Jeandet, A.C. Breuil, D. Levite, S. Debord, and R. Bessis. Assay of resveratrol and derivative stilbenes in wines by direct injection high performance liquid chromatography. 51:37-41.
- Ageorges, A. See A.S. Renault. 51:81-87.
- Agosin, E., A. Belancic, A. Ibacache, R. Baumes, E. Bordeu, A. Crawford, and C. Bayonove. Aromatic potential of certain *Muscat* grape varieties important for Pisco production in Chile. 51:404-408.
- Aguirrezábal, F. See H. Baigorri. 52:357-363.
- Aguile, L. See G.J. Martin. 50:409-417.
- AJEV. Guide to authors. 52:60-65; 53:334-341.
- Alarcon-Mendez, A., and R. Boulton. Automated measurement and interpretation of wine filterability. 52:191-197.
- Albert, P. See C. Redon. 50:13-18.
- Alexandre, H. See S. Boivin. 49:325-332.
- Allain, P. See G.J. Martin. 50:409-417.
- Allara, P. See S. Guidoni. 53:224-226.
- Alspach, P. See H. Caspari. 49:359-366.
- Alves, A. See F.G. Braga. 53:41-45.
See I. Festas. 51:150-154.
See P. Herbert. 51:262-268.
See I. Mafra. 50:128-132.
- Amati, A. See M. Castellari. 49:91-94.
- Ancín Azpilicueta, C. See D. Torrea Goñi. 52:185-190.
- Andary, C. See H. Ojeda. 53:261-267.
- Andrés-Lacueva, C., M. Ibern-Gómez, R.M. Lamuela-Raventós, S. Buxaderas, and M.C. de la Torre-Boronat. Cinnamates and resveratrol content for sparkling wine characterization. 53:147-150.
See M. Ibern-Gómez. 51:29-36; 52:159-164; 53:218-221.
- Anocibbar Beloqui, A. See Y. Kotseridis. 49:44-48.
- Antolin, I. See H. Baigorri. 52:357-363.
- Anwar, S.A., M. McKenry, and D. Ramming. A search for more durable grape rootstock resistance to root-knot nematode. 53:19-23.
See M.V. McKenry. 52:304-309, 310-316.
- Aragon, P., J. Atienza, and M.D. Climent. Influence of clarification, yeast type, and fermentation temperature on the organic acid and higher alcohols of Malvasia and Muscatel wines. 49:211-219.
- Araújo, A.N. See R.C.C. Costa. 51:131-136.
- Arfelli, G. See M. Castellari. 49:91-94.
- Arnink, K.J. See M. Keller. 49:333-340.
- Arola, L. See J.N. Canals. 49:383-388.
- ASEV. Abstracts: ASEV 53rd annual meeting (2002). 53:240A-260A.
- ASEV. Abstracts: Eastern section 26th annual meeting (2001). 53:235A-239A.

- ASEV Japan. Abstracts from papers published in the Journal of ASEV Japan, 2000. 52:58-59.
- . Abstracts of papers presented at the ASEV Japan chapter annual meeting, Chiba, Japan, 17 November 2000. 52:282-285.
- . Abstracts of papers presented at the ASEV Japan chapter annual meeting, Kofu, Yamanashi, Japan, 22 November 2001. 53:330A-333A.
- Asselin, C. See F. Brossaud. 50:277-284.
- Atienza, J. See P. Aragon. 49:211-219.
- Augustine, M.P. See A.J. Weekley. 53:318-321.
- Austin, K.T., and C.E. Butzke. Spectrophotometric assay for arginine in grape juice and must. 51:227-232.
- Avallone, S. See P. Sarni-Manchado. 50:81-86.
- Ayala, F., J.F. Echávarri, and A.I. Negueruela. A new simplified method for measuring the color of wines. III. All wines and brandies. 50:359-363.

B

- Baigorri, H., C. Antolin, I. De Luis, L. Geny, M. Broquedis, F. Aguirrezábal, and M. Sánchez-Díaz. Influence of training system on the reproductive development and hormonal levels of *Vitis vinifera* L. cv. Tempranillo. 52:357-363.
- Bakker, J., S.J. Bellworthy, H.P. Reader, and S.J. Watkins. Effect of enzymes during vinification on color and sensory properties of Port wines. 50:271-276.
- Baltenweck-Guyot, R. See T. Tominaga. 51:178-181.
- Bandman, E.B. See C.P. Meredith. 50:236-242.
- Baptista, E. See S. Dequin. 50:45-50.
- Barba, A. See S. Navarro. 52:35-40.
- Barnes, M.F. See G.J. Pickering. 49:306-318; 50:291-298, 299-306, 307-316.
- Barre, P. See S. Dequin. 50:45-50.
- Barrios, M.L. See E. Souffleros. 49:266-278.
- Barros, P. See I. Festas. 51:150-154.
See P. Herbert. 51:262-268.
See I. Mafra. 50:128-132.
- Basha, S.M. See H. Mazhar. 53:87-91.
- Basinal, L.M. See L. Palou. 53:110-115.
- Bates, R.P. See M.N. Musingo. 52:109-114.
- Baudoin, A.B. See S.A. Finger. 53:116-124.
- Bauer, R. See H.A. Nel. 53:191-196.
- Baumes, R. See E. Agosin. 51:404-408.
See E. Masson. 51:201-214.
- Baumgartner, K., and D.M. Rizzo. Spread of *Armillaria* root disease in a California vineyard. 53:197-203.
- Bayonove, C. See E. Agosin. 51:404-408.
- Belancic, A. See E. Agosin. 51:404-408.
- Bell, S.J., and A. Robson. Effect of nitrogen fertilization on growth, canopy density, and yield of *Vitis vinifera* L. cv. Cabernet Sauvignon. 50:351-358.
- Belleville, M.P. See A. Vernhet. 50:51-56.
- Bellworthy, S.J. See J. Bakker. 50:271-276.
- Benítez, T. See P. Martínez. 49:340-350.

- Bergqvist, J., N. Dokoozlian, and N. Ebisuda. Sunlight exposure and temperature effects on berry growth and composition of Cabernet Sauvignon and Grenache in the central San Joaquin Valley of California. 52:1-7.
- Bertrand, A. See E. Coton. 49:199-204.
See V. Gerbaux. 53:131-137.
See Y. Kotseridis. 49:44-48.
See E. Soufleros. 49:266-278.
- Bessis, R. See M. Adrian. 51:37-41.
- Bettiga, L.J. See K.J. Dell. 49:11-16.
- Bierne, J. See C. Redon. 50:13-18.
See A. S. Renault. 51:81-87.
- Biscay, P.J. See L.E. Williams. 51:49-54.
- Bisson, L.F. Stuck and sluggish fermentations. 50:107-119.
———, and C.E. Butzke. Diagnosis and rectification of stuck and sluggish fermentations. 51:168-177.
See M. Dizy. 50:120-127; 51:155-167.
See M. Kudo. 49:295-301.
See C.L. Pallmann. 52:198-203.
See A. Spiropoulos. 51:233-248.
See K.C. Weiss. 49:231-239; 52:275-279; 53:28-36.
- Bizzarri, D. See M.A. Daeschel. 53:154-157.
- Blaas, W. See A. Heier. 53:78-86.
- Blaich, M. See A. Forneck. 52:28-34.
- Block, D.E. See J.G. Ferrier. 52:386-395.
See V. Subramanian. 52:175-184.
See S.B. Turbow. 53:158-162.
See S. Vlassides. 51:73-80.
- Boivin, S., M. Feuillat, H. Alexandre, and C. Charpentier. Effect of must turbidity on cell wall porosity and macromolecule excretion of *Saccharomyces cerevisiae* cultivated on grape juice. 49:325-332.
- Bonham, C.C. See J.A. Sugui. 50:199-203.
- Bordeu, E. See E. Agosin. 51:404-408.
- Bordons, A. See M.T. Vidal. 52:223-229.
- Bornia, L. See E. Celotti. 50:343-350.
- Borrego, J., M.T. de Andrés, J.L. Gómez, and J. Ibáñez. Genetic study of Malvasia and Torrontes groups through molecular markers. 53:125-130.
- Boulange-Petermann, L. See A. Vernhet. 50:391-397; 398-403.
- Boulton, R.B. The copigmentation of anthocyanins and its role in the color of red wine: A critical review. 52:67-87.
See Alarcon-Mendez, A. 52:191-197.
See S.K. Park. 51:91-97.
- Bourgeois, G. See N. Vivas. 49:49-55.
- Boursiquot, J.M. See P. Hinrichsen. 52:396-399.
- Bowers, J.E., G.S. Dangi, and C.P. Meredith. Development and characterization of additional microsatellite DNA markers for grape. 50:243-246.
See P. Hinrichsen. 52:396-399.
See C.P. Meredith. 50:236-242.
- Braga, F.G., F.A. Lencart e Silva, and A. Alves. Recovery of winery by-products in the Douro Demarcated Region: Production of calcium tartrate and grape pigments. 53:41-45.
- Bravo, L., and F. Saura-Calixto. Characterization of dietary fiber and the *in vitro* indigestible fraction of grape pomace. 49:135-141.
- Breuil, A.C. See M. Adrian. 51:37-41.
- Broquedis, M. See H. Baigorri. 52:357-363.
- Brossaud, F., V. Cheynier, C. Asselin, and M. Moutounet. Flavonoid compositional differences of grapes among site test plantings of Cabernet franc. 50:277-284.
- Brown, J.A. See C.L. Pallmann. 52:198-203.
- Bruins, P. See A.J. Weekley. 53:318-321.
- Brun, O. See N. Martin. 53:6-13.
- Bruno-Sousa, R. See J.E. Eiras-Dias. 49:86-90.
- Buck, K.K.S. See V. Subramanian. 52:175-184.
- Buescher, W.A., C.E. Siler, J.R. Morris, R.T. Threlfall, G.L. Main, and G.C. Cone. High alcohol wine production from grape juice concentrates. 52:345-351.
- Burns, G., and A. Caputi, Jr. Adoption of international units of measurement in United States wine analysis. 53:222-223.
- Butzke, C.E. Survey of yeast assimilable nitrogen status in musts from California, Oregon, and Washington. 49:220-224.
———. 2000/2001 Survey of winery laboratory proficiency. 53:163-169.
———, and S.E. Ebeler. Survey of analytical methods and winery laboratory proficiency. 50:461-465.
See K.T. Austin. 51:227-232.
See L.F. Bisson. 51:168-177.
See R.M. Cook. 49:225-228.
See B.C. Dukes. 49:125-134.
- Buxaderas, S. See C. Andrés-Lacueva. 53:147-150.
See S. Francioli. 50:456-460.
See M. Ibern-Gómez. 51:29-36; 52:159-164.
See M. López-Barajas. 49:97-402; 52:146-150.
- Byrne, K.J. See A. Caputi. 51:415-417.

C

- Cabaleiro, C., A. Segura, and J.J. García-Berrios. Effects of grapevine leafroll associated virus 3 on the physiology and must of *Vitis vinifera* L. cv. Albariño following contamination in the field. 50:40-44.
- Cabanis, J.C. See C. Cabrera-Vique. 51:103-107.
See P.L. Teissedre. 49:205-210.
- Cabanis, M.T. See C. Cabrera-Vique. 51:103-107.
See P.L. Teissedre. 49:205-210.
- Cabanne, C., and B. Donèche. Changes in polygalacturonase activity and calcium content during ripening of grape berries. 52:331-335.
- Cabaroglu, T., A. Canbas, J.P. Lepoutre, and Z. Gunata. Free and bound volatile composition of red wines of *Vitis vinifera* L. cv. Öküzgözü and Bogazkere grown in Turkey. 53:64-68.
- Cabello, F. See M.T. Cervera. 52:127-135.
- Cabezas, J.A. See M.T. Cervera. 52:127-135.
- Cabezudo, M.D. See M. S. Pérez-Coello. 50:162-165.
- Cabral, M. See I. Festas. 51:150-154.
- Cabrera-Vique, C., P.L. Teissedre, M.T. Cabanis, and J.C. Cabanis. Manganese determination in grapes and wines from different regions of France. 51:103-107.
See P.L. Teissedre. 49:205-210.
- Cacho, J. See A. Guitart. 49:389-396; 50:253-258.
See P. Hernández Orte. 50:144-154.
- Cadahia, E. See A. Peña-Neira. 50:285-290.
- Caixach, J. See S. Francioli. 50:404-408.
- Caldentey, P. See V. Mazzoleni. 49:6-10.
- Canals, J. N., L. Arola, and F. Zamora. Protein fraction analysis of white wine by FPLC. 49:383-388.
- Canbas, A. See C. Nurgel. 49:95-99.
See T. Cabaroglu. 53:64-68.
- Cantoral, J.M. See J.J. Mesa. 51:15-21.
- Capps, E.R., and T.K. Wolf. Reduction of bunch stem necrosis of Cabernet Sauvignon by increased tissue nitrogen concentration. 51:319-328.

- Caputi, A., A. Ribeiro, and K.J. Byrne. Gas chromatographic determination of mono- and diglycerides in wine and their natural removal from wine. 51:415-417.
See G. Burns. 53:222-223.
- Carbonneau, A. See H. Ojeda. 53:261-267.
- Cardoso, M.I. See R.C.C. Costa. 51:131-136.
- Caro Pina, I. See V.M. Palacios Macias. 52:151-155.
- Cartechini, A. See A. Palliotti. 51:122-130; 52:317-323.
- Caspari, H.W., A. Lang, and P. Alspach. Effects of girdling and leaf removal on fruit set and vegetative growth in grape. 49:359-366.
- Castagnoli, S. See M. Vasconcelos. 51:390-396.
- Castellari, L. See S. Rainieri. 49:319-325.
- Castellari, M., G. Arfelli, C. Riponi, and A. Amati. Evolution of phenolic compounds in red winemaking as affected by must oxygenation. 49:91-94.
- Castro, R., and C. García Barroso. Behavior of a hyperoxidized must during biological aging of Fino sherry wine. 51:98-102.
- Celotti, E., L. Borna, and E. Zoccolan. Evaluation of the electrical properties of some products used in the tartaric stabilization of wines. 50:343-350.
See E. Peterlunger. 53:14-18.
- Cervera, M.T., I. Rodriguez, J.A. Cabezas, J. Chavez, J.M. Martínez-Zapater, and F. Cabello. Morphological and molecular characterization of grapevine accessions known as Albillo. 52:127-135.
- Charoenchai, C., G.H. Fleet, and P.A. Henschke. Effects of temperature, pH, and sugar concentration on the growth rates and cell biomass of wine yeasts. 49:283-288.
- Charpentier, M. See S. Boivin. 49:325-332.
See C. Desportes. 52:376-380.
- Chatonnet, P. Discrimination and control of toasting intensity and quality of oak wood barrels. 50:479-494.
———, and D. Dubourdieu. Comparative study of the characteristics of American white oak (*Quercus alba*) and European oak (*Quercus petraea* and *Q. robur*) for production of barrels used in barrel aging of wines. 49:79-85.
- Chavez, J. See M.T. Cervera. 52:127-135.
- Cheyrier, V. See F. Brossaud. 50:277-284.
See C. Maury. 52:140-145.
See P. Sarni-Manchado. 50:81-86.
See A. Vernhet. 50:391-397, 398-403.
- Cichelli, A., F. Damiani, F. Murmura, M.S. Simonetti, M. Odoardi, P. Damiani. Classification of Montepulciano d'Abruzzo wines by linear discriminant analysis and artificial neural networks. 51:108-114.
- Cliff, M., D. Yuksel, B. Girard, and M. King. Characterization of Canadian ice wines by sensory and compositional analyses. 53:46-53.
See P. Delaquis. 51:42-48.
See A.G. Reynolds. 52:235-240, 336-344.
- Climont, M.D. See P. Aragon. 49:211-219.
- Clingeffer, P.R. See B.A. Uhlig. 49:375-382.
- Cocolin, L., A. Heisey, and D.A. Mills. Direct identification of the indigenous yeast in commercial wine fermentations. 52:49-53.
———, M. Manzano, S. Rebecca, and G. Comi. Monitoring of yeast population changes during a continuous wine fermentation by molecular methods. 53:24-27.
See C.L. Pallmann. 52:198-203.
- Comi, G. See L. Cocolin. 53:24-27.
- Conceição Tanganho, M. See R.B. Ferreira. 51:22-28.
- Cone, G.C. See W.A. Buescher. 52:345-351.
- Connell, L., H. Stender, and C.G. Edwards. Rapid detection and identification of *Brettanomyces* from winery air samples based on peptide nucleic acid analysis. 53:322-324.
- Constantí, M. See M.T. Vidal. 52:223-229.
- Cook, R.M., B.R. Devlin, S.E. Ebeler, and C.E. Butzke. Evaluation of a digital blood glucose monitor for measuring residual glucose in wines. 49:225-228.
- Costa, R.C.C., M.I. Cardoso, and A.N. Araújo. Metals determination in wines by sequential injection analysis with flame atomic absorption spectrometry. 51:131-136.
- Coton, E., G. Rollan, A. Bertrand, and A. Lonvaud-Funel. Histamine-producing lactic acid bacteria in wines: Early detection, frequency, and distribution. 49:199-204.
- Crawford, A. See E. Agosin. 51:404-408.
- Crisosto, C.H. See L. Palou. 53:110-115.
- Cumsille, A.M. See D. Roujou de Boubée. 53:1-5.

D

- Da Dalt, G. See E. Peterlunger. 53:14-18.
- Daeschel, M.A., T. Musafija-Jeknic, Y. Wu, D. Bizzarri, and A. Villa. High-performance liquid chromatography analysis of lysozyme in wine. 53:154-157.
See M.B.A. Glória. 49:279-282.
- Damiani, F. See A. Cichelli. 51:108-114.
- Damiani, P. See A. Cichelli. 51:108-114.
- Dangl, G.S. See J.E. Bowers. 50:243-246.
See C.P. Meredith. 50:236-242.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Changes in the buffering capacity of model solutions of 40 mM tartaric or malic acids in relation to amino acids. 51:347-351.
- Darriet, P. See M. Murat. 52:136-139.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Study of the contribution of the major organic acids of wine to the buffering capacity of wine in model solutions. 51:374-378.
- Davies, H.D. See C. de la Presa Owens. 49:289-294.
- Davis, E.A. See R.G. Linderman. 52:8-11.
- Davis, R.E. See G.V. Jones. 51:249-261.
- de Andrés, M.T. See J. Borrego. 53:125-130.
- De Benedictis, J.A., P. Schlich, H.D. Davies, and A.C. Noble. Effect of *Méthode Champenoise* process on aroma of four *V. vinifera* varieties. 49:289-294.
- Debord, S. See M. Adrian. 51:37-41.
- Delaquis, P., M. Cliff, M. King, B. Girard, J. Hall, and A.G. Reynolds. Effect of two commercial malolactic cultures on the chemical and sensory properties of Chancellor wines vinified with different yeasts and fermentation temperatures. 51:42-48.
See B. Girard. 53:99-109.
- Deleris, A. See P. Sarni-Manchado. 50:81-86.
- Dell, K.J., W.D. Gubler, R. Krueger, M. Sanger, and L.J. Bettiga. The efficacy of JMS Stylet-Oil on grape powdery mildew and botrytis bunch rot and effects on fermentation. 49:11-16.
- Deloire, A. See H. Ojeda. 53:261-267.
See A.S. Renault. 51:81-87.
- Dequin, S., E. Baptista, and P. Barre. Acidification of grape musts by *Saccharomyces cerevisiae* wine yeast strains genetically engineered to produce lactic acid. 50:45-50.
- Desportes, C., M. Charpentier, B. Duteurtre, A. Maujean, and F. Duchiron. Isolation, identification, and organoleptic characterization of low-molecular-weight peptides from white wine. 52:376-380.
- De Stefano, G. See M. Servili. 51:352-356.
- Devlin, B.R. See R.M. Cook. 49:225-228.
- Dewey, F.M., S.E. Ebeler, D.O. Adams, A.C. Noble, and U.M. Meyer. Quantification of *Botrytis* in grape juice determined by a monoclonal antibody-based immunoassay. 51:276-282.

- Dharmadhikari, M.R., and K.L. Wilker. Deacidification of high malate must with *Schizosaccharomyces pombe*. 49:408-412.
- Dicks, L.M.T. See H.A. Nel. 53:191-196.
- Di Marzio, L. See L. Moio. 52:271-274.
- Dittmer, T.W. See T.J. Zabadal. 53:204-209.
- Dixon, G. See J.A. James. 50:19-24.
- Dizy, M., and L.F. Bisson. Proteolytic activity of yeast strains during grape juice fermentation. 51:155-167.
- . White wine protein analysis by capillary zone electrophoresis. 50:120-127.
- Doazan, J.P. See Y. Kotseridis. 49:44-48.
- Dobó, A. See G. Vas. 49:100-104.
- Doco, T., N. Quellec, M. Moutounet, and P. Pellerin. Polysaccharide patterns during the aging of Carignan noir red wines. 50:28-32. See S. Vidal. 51:115-121.
- Dokoozlian, N. See J. Bergqvist. 52:1-7.
- Donèche, B. See C. Cabanne. 52:331-335.
- Dreier, L.P., G.S. Stoll, and H.P. Ruffner. Berry ripening and evapotranspiration in *Vitis vinifera* L. 51:340-346.
- Droß, A. See A. Heier. 53:78-86.
- Dubourdieu, D. See P. Chatonnet. 49:79-85. See M. Murat. 52:136-139. See C. Peyrot des Gachons. 53:144-146. See D. Roujou de Boubée. 53:1-5. See T. Tominaga. 51:178-181.
- Duchiron, F. See C. Desportes. 52:376-380.
- Dugar, S.M. See J. Jaganathan. 49:115-118.
- Dukes, B.C., and C.E. Butzke. Rapid determination of primary amino acids in grape juice using an *o*-phthalaldehyde/N-acetyl-L-cysteine spectrophotometric assay. 49:125-134.
- Dulau, L. See A. Julien. 51:215-222.
- Duncan, S.E. See B.W. Zoecklein. 49:259-265.
- Dupre, K. See A. Vernhet. 50:391-397; 398-403.
- Duteurtre, B. See C. Desportes. 52:376-380. See G. Liger-Belair. 52:88-92.
- E**
- Eastham, J., and S.A. Gray. A preliminary evaluation of the suitability of sap flow sensors for use in scheduling vineyard irrigation. 49:171-176. See C. Ginestar. 49:413-420, 421-428.
- Ebeler, J.D. See M.N. Lau. 50:324-333.
- Ebeler, S.E. See C.E. Butzke. 50:461-465. See R.M. Cook. 49:225-228. See F.M. Dewey. 51:276-282. See W.T. Jewell. 52:219-222. See M.N. Lau. 50:324-333; 52:219-222.
- Ebisuda, N. See L.E. Williams. 51:49-54. See J. Bergqvist. 52:1-7.
- Echavarrí, J.F. See F. Ayala. 48:370-376, 377-382; 50:359-363.
- Eder, R. See U. Vrhovsek. 48:214-219.
- Edwards, C.G., K.M. Haag, and M.D. Collins. Identification and characterization of two lactic acid bacteria associated with sluggish/stuck fermentations. 49:445-448.
- , A.G. Reynolds, A.V. Rodriguez, M.J. Semon, and J.M. Mills. Implication of acetic acid in the induction of slow/stuck grape juice fermentations and inhibition of yeast by *Lactobacillus* sp. 50:204-210. See L. Connell. 53:322-324. See A.G. Reynolds. 52:336-344.
- Egli, C.M., and T. Henick-Kling. Identification of *Brettanomyces/Dekkera* species based on polymorphism in the rRNA internal transcribed spacer region. 52:241-247.
- Eiras-Dias, J.E., and R. Bruno-Sousa. Isoenzymatic polymorphism differentiation of Portuguese grapevine cultivars. 49:86-90.
- Eisenheld, C. See F. Regner. 51:7-14.
- Epifanio, S.I., A.R. Gutierrez, M.P. Santamaría, and R. López. The influence of enological practices on the selection of wild yeast strains in spontaneous fermentation. 50:219-224. See A.R. Gutiérrez. 52:352-356.
- Esteban, M.A., M.J. Villanueva, and J.R. Lissarrague. Effect of irrigation on changes in berry composition of Tempranillo during maturation. Sugars, organic acids, and mineral elements. 50:418-434.
- Eugenio Diaz, M. See V.L. Gutierrez Afonso. 49:440-444.
- Ewert, B. See B. Girard. 53:99-109.
- F**
- Famini, R. See D. Favretto. 51:55-64.
- Farkas, M. See G. Vas. 49:100-104.
- Favretto, D., and R. Famini. Application of electrospray ionization mass spectrometry to the study of grape anthocyanins. 51:55-64.
- Fekete, S. See H. Hou. 53:289-293.
- Ferguson, J.C. See S.E. Spayd. 53:171-182. See J.M. Tarara. 51:182-188; 52:260-265.
- Fernandez de Simón, B. See A. Peña-Neira. 50:285-290.
- Fernández-Fernández, J.I. See E. Gómez-Plaza. 52:266-270.
- Ferranti, F. See A. Palliotti. 51:122-130.
- Ferreira, R.B., S. Monteiro, M.A. Piçarra-Pereira, M. Conceição Tanganho, V.B. Loureiro, and A.R. Teixeira. Characterization of the proteins from grapes and wines by immunological methods. 51:22-28. See P.R. Mesquita. 52:324-330.
- Ferreira, V. See A. Guitart. 50:253-258.
- Ferrier, J.G., and D.E. Block. Neural-network-assisted optimization of wine blending based on sensory analysis. 52:386-395.
- Festas, I., P. Herbert, L. Santos, M. Cabral, P. Barros, and A. Alves. Ochratoxin A in some Portuguese wines: Method validation and screening in Port wine and Vinho Verde. 51:150-154.
- Feuillat, F., R. Keller, F. Sauvageot, and J.L. Puech. Characterization of French oak cooperage (*Quercus robur* L., *Quercus petraea* Liebl.). Research of the study group on barrel-aging burgundy wines. 50:513-518. See J.R. Mosedale. 50:503-512. See J.L. Puech. 50:469-478. See F. Sauvageot. 50:447-455.
- Feuillat, M. See S. Boivin. 49:325-332.
- Finger, S.A., T.K. Wolf, and A.B. Baudoin. Effects of horticultural oils on the photosynthesis, fruit maturity, and crop yield of winegrapes. 53:116-124.
- Fleet, G.H. See C. Charoenchai. 49:283-288. See B.E.N. Todd. 51:65-72.
- Flerianos, I. See A. Spiropoulos. 51:233-248.
- Forneck, A., M.A. Walker, R. Blaich, M. Yvon, and F. Leclant. Interaction of phylloxera (*Daktulosphaira vitifoliae* Fitch) with grape (*Vitis* spp.) in simple isolation chambers. 52:28-34.
- Fortenberry, M. See L.G. Kovacs. 52:254-259.
- Francioli, S., S. Buxaderas, and P. Pellerin. Influence of *Botrytis cinerea* on the polysaccharide composition of Xarel.lo musts and cava base wines. 50:456-460.
- , M. Guerra, E. López-Tamames, J. M. Guadayo, and J. Caixach. Aroma of sparkling wines by headspace/solid phase microextraction and gas chromatography/mass spectrometry. 50:404-408.

- de Freitas, V.A.P., Y. Glories, and A. Monique. Developmental changes of procyanidins in grapes of red *Vitis vinifera* varieties and their composition in respective wines. 51:397-403.
See N. Mateus. 52:115-121.
- Frøst, M.B., and A.C. Noble. Preliminary study of the effect of knowledge and sensory expertise on liking for red wines. 53:275-284.
- Fugelsang, K.C. See B.H. Gump. 53:325-329.
- Fujiyama, K. See T. Okuda. 50:137-143.
- Fukui, M. See K. Yokotsuka. 53:69-77.
- Fukumoto, L. See B. Girard. 53:99-109.

G

- Gambutí, A. See L. Moio. 52:271-274.
- García, L. See A. Picinelli. 51:144-149.
- García Barroso, C. See R. Castro. 51:98-102.
- García-Berrios, J.J. See C. Cabaleiro. 50:40-44.
- García-Vallejo, M.C. See A. Peña-Neira. 50:285-290.
- Garijo, P. See A.R. Gutiérrez. 52:352-356.
- Garner, D. See L. Palou. 53:110-115.
- Gaudillere, J.P. See N. Ollat. 49:251-258.
- Geny, L. See H. Baigorri. 52:357-363.
- Gerbaux, V., B. Vincent, and A. Bertrand. Influence of maceration temperature and enzymes on the content of volatile phenols in Pinot noir wines. 53:131-137.
- Gil-Muñoz, R. See E. Gómez-Plaza. 52:266-270.
- Ginestar, C., J. Eastham, S. Gray, and P. Iland. Use of sap-flow sensors to schedule vineyard irrigation. I. Effects of post-veraison water deficits on water relations, vine growth, and yield of Shiraz grapevines. 49:413-420.
- . Use of sap-flow sensors to schedule vineyard irrigation. II. Effects of post-veraison water deficits on composition of Shiraz grapes. 49:421-428.
- Girard, B., L. Fukumoto, G. Mazza, P. Delaquis, and B. Ewert. Volatile terpene constituents in maturing Gewürztraminer grapes from British Columbia. 53:99-109.
See M. Cliff. 53:46-53.
See P. Delaquis. 51:42-48.
See A.G. Reynolds. 52:235-240.
- Giudici, P. See S. Rainieri. 49:319-325.
- Glória, M.B.A., B.T. Watson, L. Simon-Sarkadi, and M.A. Daeschel. A survey of biogenic amines in Oregon Pinot noir and Cabernet Sauvignon wines. 49:279-282.
- Glories, Y. See V.A.P. de Freitas. 51:397-403.
See M. Mirabel. 50:211-218.
See N. Vivas. 49:49-55.
- Gogorcena, Y. See J.R. Vidal. 50:69-75.
- Goldberg, D.M., A. Karumanchiri, G.J. Soleas, and E. Tsang. Concentrations of selected polyphenols in white commercial wines. 50:185-193.
- . Catechin and epicatechin concentrations of red wines: Regional and cultivar-related differences. 49:23-34.
- . Quercetin and *p*-coumaric acid concentrations in commercial wines. 49:142-151.
- Gollino, G. See E. Peterlunger. 53:14-18.
- Gómez, J.L. See J. Borrego. 53:125-130.
- Gómez-del-Campo, M., C. Ruiz, and J.R. Lissarrague. Effect of water stress on leaf area development, photosynthesis, and productivity in Chardonnay and Airén grapevines. 53:138-143.
- Gómez-Plaza, E., R. Gil-Muñoz, J.M. López-Roca, A. Martínez-Cutillas, and J.I. Fernández-Fernández. Phenolic compounds and color stability of red wines: Effect of skin maceration time. 52:266-270.
- Gonçalves, A.C. See N. Mateus. 52:115-121.

- Gonsalves, D. See K.S. Ling. 52:21-27.
- Goodman, R.N. See B.N. Milkus. 50:133-134.
- Granett, J. See L. Kocsis. 50:101-106.
- Gray, S.A. See J. Eastham. 49:171-176.
See C. Ginestar. 49:413-420, 421-428.
- Greene, S.L. See M.A. Olmstead. 52:292-303.
- Grimaldi, A., H. McLean, and V. Jiranek. Identification and partial characterization of glycosidic activities of commercial strains of the lactic acid bacterium, *Oenococcus oeni*. 51:357-364.
- Grzegorzczak, W., and M.A. Walker. Evaluating resistance to grape phylloxera in *Vitis* species with an *in vitro* dual culture assay. 49:17-22.
- Guadayol, J.M. See S. Francioli. 50:404-408.
- Gubler, W.D. See K.J. Dell. 49:11-16.
See H.L. Ypema. 51:1-6.
- Güell, C. See I. Achaerandio. 52:122-126.
- Guerra, C. See M. Mirabel. 50:211-218.
- Guerra, M. See S. Francioli. 50:404-408.
- Guidoni, S., P. Allara, and A. Schubert. Effect of cluster thinning on berry skin anthocyanin composition of *Vitis vinifera* cv. Nebbiolo. 53:224-226.
- Guitart, A., P. Hernández Orte, and J. Cacho. Effect of different clarification treatments on the amino acid content of Chardonnay musts and wines. 49:389-396.
- , P. Hernández Orte, V. Ferreira, C. Peña, and J. Cacho. Some observations about the correlation between the amino acid content of musts and wines of the Chardonnay variety and their fermentation aromas. 50:253-258.
See P. Hernández Orte. 50:144-154.
- Gump, B.H., B.W. Zoecklein, K.C. Fugelsang, and R.S. Whiton. Comparison of analytical methods for prediction of prefermentation nutritional status of grape juice. 53:325-329.
- Gunata, Z. See T. Cabaroğlu. 53:64-68.
- Gutiérrez, A.R., S. Epifanio, P. Garijo, R. López, and P. Santamaría. Killer yeasts: Incidence in the ecology of spontaneous fermentation. 52:352-356.
See S.I. Epifanio. 50:219-224.
- Gutierrez Afonso, V.L., J. Darias, R. Armas, M.R. Medina, and M. Eugenio Diaz. Descriptive analysis of three white wine varieties cultivated in the Canary Islands. 49:440-444.
- Gutiérrez Granda, M.J. See M.J. Sipiora. 49:152-162.

H

- Haag, K.M. See C.G. Edwards. 49:445-448.
- Haba, M., A. Mulet, and A. Berna. Stability in wine differentiation of two close viticultural zones. 49:285-290.
- Hajrasulih, S., D.E. Rolston, and D.T. Louie. Fate of ¹⁵N fertilizer applied to trickle-irrigated grapevines. 49:191-198.
- Hale, M.D., K. McCafferty, E. Larmie, J. Newton, and J.S. Swan. The influence of oak seasoning and toasting parameters on the composition and quality of wine. 50:495-502.
- Hall, J. See P. Delaquis. 51:42-48.
- Hall, T.W., and W.F. Mahaffee. Impact of vine shelter use on development of grape powdery mildew. 52:204-209.
- Hanami, H. See L.G. Kovacs. 52:254-259.
- Handley, V. See C.P. Meredith. 50:236-242.
- Harbertson, J.F., J.A. Kennedy, and D.O. Adams. Tannin in skins and seeds of Cabernet Sauvignon, Syrah, and Pinot noir berries during ripening. 53:54-59.
See D.O. Adams. 50:247-252.
- Hartmann, P.J., H.M. McNair, and B.W. Zoecklein. Measurement of 3-alkyl-2-methoxy-pyrazine by headspace solid-phase microextraction in spiked model wines. 53:285-288.

- Hashizume, K., and T. Samuta. Grape maturity and light exposure affect berry methoxy-pyrazine concentration. 50:194-198.
- Heatherbell, D.A. See G.J. Pickering. 49:306-318; 50:291-298, 299-306, 307-316.
- Heier, A., W. Blaas, A. Droß, and R. Wittkowski. Anthocyanin analysis by HPLC/ESI-MS. 53:78-86.
- Heisey, A. See L. Coccolin. 52:49-53.
- Herbert, P. See I. Festas. 51:150-154.
- Henick-Kling, T. See C.M. Egli. 52:241-247.
- Henick-Kling, T. See C.E. Shively. 52:400-401.
- Henry, R.J. See J.P. Tomkins. 52:287-291.
- Henschke, P.A. See C. Charoenchai. 49:283-288.
See B.E.N. Todd. 51:65-72.
- Herbert, P., P. Barros, and A. Alves. Detection of Port wine imitations by discriminant analysis using free amino acids profiles. 51:262-268.
See I. Mafra. 50:128-132.
See S. Mínguez. 49:177-182.
- Hernández, T. See A. Peña-Neira. 50:285-290.
- Hernández Orte, P., A. Guitart, and J. Cacho. Changes in the concentration of amino acids during the ripening of *Vitis vinifera* Tempranillo variety from the *Denomination d'Origine* Somontano (Spain). 50:144-154.
See A. Guitart. 49:389-396; 50:253-258.
- Hinrichsen, P., C. Narváez, J.E. Bowers, J.M. Boursiquot, J. Valenzuela, C. Muñoz, and C.P. Meredith. Distinguishing Carmenère from similar cultivars by DNA typing. 52:396-399.
- Hirano, K. See P.H. Kimura. 49:1-5.
See S. Wang. 52:248-253.
- Holton, T.A. See J.P. Tomkins. 52:287-291.
- Hou, H., S. Fekete, and L.G. Kovacs. New members of the stilbene synthase gene family from the *Vitis aestivalis*-derived grape cultivar Norton. 53:289-293.
- Howell, G.S. Sustainable grape productivity and the growth-yield relationship: A review. 52:165-174.
See H. Jiang. 53:210-217; 53:227-230.
See D.P. Miller. 49:183-190.
See R.P. Smithyman. 49:163-170.
- Hrazdina, G. See M. Keller. 49:333-340, 341-349.
- Huix-Blanquera, M. See R.M. Lamuela-Raventós. 52:156-158.
- Hutchens, T.W. See K.C. Weiss. 49:231-239.
- I**
- Ibacache, A. See E. Agosin. 51:404-408.
- Ibáñez, J. See J. Borrego. 53:125-130.
- Ibern-Gómez, M., C. Andrés-Lacueva, R.M. Lamuela-Raventós, S. Buxaderas, V.L. Singleton, and M.C. de la Torre-Boronat. Browning of cava (sparkling wine) during aging in contact with lees due to the phenolic composition. 51:29-36.
———, C. Andrés-Lacueva, R.M. Lamuela-Raventós, C. Lao-Luque, S. Buxaderas, and M.C. de la Torre-Boronat. Differences in phenolic profile between oak wood and stainless steel fermentation in white wines. 52:159-164.
———, C. Andrés-Lacueva, R.M. Lamuela-Raventós, and A.L. Waterhouse. Rapid HPLC analysis of phenolic compounds in red wines. 53:218-221.
See C. Andrés-Lacueva. 53:147-150.
- Ignelzi, S. See A.L. Waterhouse. 51:383-389.
- Ikeda, T. See Y.T. Kong. 52:381-385.
- Iland, P. See C. Ginestar. 49:413-420, 421-428.
- Imabayashi, S.I. See Y.T. Kong. 52:381-385.
- Infante, J.J. See J.J. Mesa. 51:15-21.
- Iocco, P. See L. Torregrosa. 53:183-190.
- J**
- Jacopin, C. See Y. Vasserot. 52:54-55.
- Jaganathan, J., and S.M. Dugar. Determination of selenium in wines using electrothermal atomic absorption spectrometry with Zeeman background correction. 49:115-118.
- James, J.A., G. Dixon, and O. Lamikanra. Characterization of partially purified cellulase from muscadine grapes (*Vitis rotundifolia* Michx.). 50:19-24.
- Jasinski, Y. See H.M. McMahon. 50:385-390.
See B.W. Zoecklein. 49:35-43, 259-265.
- Jeandet, P. See M. Adrian. 51:37-41.
See C. Dartiguenave. 51:347-351, 374-378.
See G. Liger-Belair. 50:317-323; 52:88-92; 53:151-153.
See R. Marchal. 53:308-314.
See Y. Vasserot. 52:54-55, 280-281.
- Jewell, W.T., and S.E. Ebeler. Tyrosinase biosensor for the measurement of wine polyphenolics. 52:219-222.
- Jiang, H., and G.S. Howell. Applying chlorophyll fluorescence technique to cold hardiness studies of grapevines. 53:210-217.
———. Correlation and regression analyses of cold hardiness, air temperatures, and water content of Concord grapevines. 53:227-230.
- Jiranek, V. See A. Grimaldi. 51:357-364.
- Jones, G.V., and R.E. Davis. Climate influences on grapevine phenology, grape composition, and wine production and quality for Bordeaux, France. 51:249-261.
- Jordão, A.M., J. M. Ricardo-da-Silva, and O. Laureano. Evolution of catechins and oligomeric procyanidins during grape maturation of Castelão Francês and Touriga Francesa. 52:230-234.
- Joslin, W.S. See A. Zimman. 53:93-98.
- Jouitteau, C. See G.J. Martin. 50:409-417.
- Julien, A., J.L. Roustan, L. Dulau, and J.M. Sablayrolles. Comparison of nitrogen and oxygen demands of enological yeasts: Technological consequences. 51:215-222.
- K**
- Kadim, D., and C.H. Mannheim. Kinetics of phenolic extraction during aging of model wine solution and white wine in oak barrels. 50:33-39.
- Kakiuchi, T. See Y.T. Kong. 52:381-385.
- Kandl, T., and S. Kupina. An improved capillary electrophoresis procedure for the determination of organic acids in grape juice and wine. 50:155-161.
- Kano, K. See Y.T. Kong. 52:381-385.
- Kaps, M.L. See L.G. Kovacs. 52:254-259.
- Karagiannidis, N., and N. Nikolaou. Influence of arbuscular mycorrhizae on heavy metal (Pb and Cd) uptake, growth, and chemical composition of *Vitis vinifera* L. (cv. Razaki). 51:269-275.
- Karagiannis, S., and P. Lanaridis. Effect of various vinification parameters on the development of several volatile sulfur compounds in Greek white wines of the cultivars Batiki and Muscat of Hamburg. 50:334-342.
- Karumanchiri, A.L. See D.M. Golberg. 49:23-34, 142-151; 50:185-193.
- Kaserer, H. See F. Regner. 51:7-14.
- Katoh, I. See M. Sato. 48:1-6.
- Keller, M., K.J. Arnink, and G. Hrazdina. Interaction of nitrogen availability during bloom and light intensity during veraison. I. Effects on grapevine growth, fruit development, and ripening. 49:333-340.
———, and G. Hrazdina. Interaction of nitrogen availability during bloom and light intensity during veraison. II. Effects on anthocyanin and phenolic development during grape ripening. 49:341-349.

- Kennedy, J.A., M.A. Matthews, and A.L. Waterhouse. Effect of maturity and vine water status on grape skin and wine flavonoids. 53:268-274.
See J.F. Harbertson. 53:54-59.
- Kilmartin, P.A., H. Zou, and A.L. Waterhouse. Correlation of wine phenolic composition versus cyclic voltammetry response. 53:294-302.
- Kimura, P.H., G. Okamoto, and K. Hirano. The mode of pollination and stigma receptivity in *Vitis coignetiae* Pulliat. 49:1-5.
- King, M. See M. Cliff. 53:46-53.
See P. Delaquis. 51:42-48.
- Kliwer, W.M. See N. Kubota. 51:409-414.
- Kocsis, L., J. Granett, M.A. Walker, H. Lin, and A.D. Omer. Grape phylloxera populations adapted to *Vitis berlandieri* × *V. riparia* rootstocks. 50:101-106.
- Kong, Y.T., S.I. Imabayashi, K. Kano, T. Ikeda, and T. Kakiuchi. Peroxidase-based amperometric sensor for the determination of total phenols using two-stage peroxidase reactions. 52:381-385.
- Kopp, T.G. See A.G. Reynolds. 52:235-240.
- Köteleky, K. See G. Vas. 49:100-104.
- Kotseridis, Y., A. Anocibar Beloqui, A. Bertrand, and J.P. Doazan. An analytical method for studying the volatile compounds of Merlot noir clone wines. 49:44-48.
- Kovacs, L.G., H. Hanami, M. Fortenberry, and M.L. Kaps. Latent infection by leafroll agent GLRaV-3 is linked to lower fruit quality in French-American hybrid grapevines Vidal blanc and St. Vincent. 52:254-259.
See H. Hou. 53:289-293.
- Kraeva, E. See H. Ojeda. 53:261-267.
See A.S. Renault. 51:81-87.
- Kretsch, J.O. See M.V. McKenry. 52:304-309, 310-316.
- Krueger, R. See K.J. Dell. 49:11-16.
- Kubota, N., M.A. Matthews, T. Takahagi, and W.M. Kliwer. Budbreak with garlic preparations. 51:409-414.
- Kudo, M., P. Vagnoli, and L.F. Bisson. Imbalance of pH and potassium concentration as a cause of stuck fermentations. 49:295-301.
- Kupina, S. See T. Kandl. 50:155-161.

L

- Lacorre-Arescaldino, I. See C. Redon. 50:13-18.
- Lallement, A. See R. Marchal. 53:308-314.
- Lamikanra, O. See J.A. James. 50:19-24.
See M.N. Musingo. 52:109-114.
- Lamuela-Raventós, R.M., M. Huix-Blanquera, and A.L. Waterhouse. Treatments for pinking alteration in white wines. 52:156-158.
See C. Andrés-Lacueva. 53:147-150.
See M. Ibern-Gómez. 51:29-36; 52:159-164; 53:218-221.
- Lanaridis, P. See S. Karagiannis. 50:334-342.
- Lang, A. See H. Caspari. 49:359-366.
- Lange, L.W. See K.C. Weiss. 52:275-279.
- Lang, N.S., R.L. Wample, R. Smithyman, and L. Mills. Photosynthesis and chlorophyll fluorescence in blackleaf-affected Concord. 49:367-374.
See R.P. Smithyman. 52:364-375.
- Lao-Luque, C. See M. Ibern-Gómez. 52:159-164.
- Larmie, E. See M.D. Hale. 50:495-502.
- Lau, M.N., J.D. Ebeler, and S.E. Ebeler. Gas chromatographic analysis of aldehydes in alcoholic beverages using a cysteamine derivatization procedure. 50:324-333.
- Laureano, O. See A.M. Jordão. 52:230-234.
- Lavigne, V. See M. Murat. 52:136-139.

- Leandro, M.C. See B.S. Sun. 50:179-184.
- Leclant, F. See A. Forneck. 52: 28-34.
- Ledebuhr, R.L. See T.J. Zabadal. 53:204-209.
- Lee, L.S. See J.P. Tomkins. 52:287-291.
- Lefebvre, S. See C. Maury. 52:140-145.
- Lefort, F., and K.K.A. Roubelakis-Angelakis. Genetic comparison of Greek cultivars of *Vitis vinifera* L. by nuclear microsatellite profiling. 52:101-108.
- Lemaresquier, H. See G. Liger-Belair. 52:88-92.
- Lencart e Silva, F.A. See F.G. Braga. 53:41-45.
- Lepoutre, J.P. See T. Cabaroglu. 53:64-68.
- Letinois, I. See A.S. Renault. 51:81-87.
- Levite, D. See M. Adrian. 51:37-41.
- Liger-Belair, G., R. Marchal, B. Robillard, M. Vignes-Adler, A. Maujean, and P. Jeandet. Study of effervescence in a glass of Champagne: Frequencies of bubble formation, growth rates, and velocities of rising bubbles. 50:317-323.
———, H. Lemaresquier, B. Robillard, B. Duteurtre, and P. Jeandet. The secrets of fizz in Champagne wines: A phenomenological study. 52:88-92.
———, R. Marchal, and P. Jeandet. Close-up on bubble nucleation in a glass of Champagne. 53:151-153.
- Lin, H. See L. Kocsis. 50:101-106.
- Lin, J., and M.A. Walker. Identifying grape rootstocks with simple sequence repeat (SSR) DNA markers. 49:403-407.
- Linderman, R.G., and E.A. Davis. Comparative response of selected grapevine rootstocks and cultivars to inoculation with different mycorrhizal fungi. 52:8-11.
- Ling, K.S., H.Y. Zhu, N. Petrovic, and D. Gonsalves. Comparative effectiveness of ELIZA and RT-PCR for detecting grapevine leafroll-associated closterovirus-3 in field samples. 52:21-27.
- Lissarrague, J.R. See M.A. Esteban. 50:418-434.
See M. Gómez-del-Campo. 53:138-143.
- Lonvaud-Funel, A. See E. Coton. 49:199-204.
- López, F. See I. Achaerandio. 52:122-126.
- López, R. See S.I. Epifanio. 50:219-224.
See A.R. Gutiérrez. 52:352-356.
- López-Barajas, M., E. López-Tamames, S. Buxaderas, and M.C. de la Torre-Boronat. Effect of vinification and variety on foam capacity of wine. 49:97-402.
———, E. López-Tamames, S. Buxaderas, G. Suberbiola, and M.C. de la Torre-Boronat. Influence of wine polysaccharides of different molecular mass on wine foaming. 52:146-150.
- López-Roca, J.M. See E. Gómez-Plaza. 52:266-270.
- López-Tamames, E. See S. Francioli. 50:404-408.
See M. López-Barajas. 49:97-402; 52:146-150.
- Louie, D.T. See S. Hajrasuliha. 49:191-198.
- Loureiro, V.B. See R.B. Ferreira. 51:22-28.
See P.R. Mesquita. 52:324-330.
- Lu, J. See H. Mazhar. 53:87-91.
See S. Wang. 52:248-253.
- De Luis, I. See H. Baigorri. 52:357-363.
- Luz Silva, M., and F.X. Malcata. Relationships between storage conditions of grape pomace and volatile composition of spirits obtained therefrom. 49:56-64.
- Lyon, M.L. See A. Zimman. 53:93-98.

M

- Machado, J.M. See N. Mateus. 52:115-121.
- Mafra, I., P. Herbert, L. Santos, P. Barros, and A. Alves. Evaluation of biogenic amines in some Portuguese quality wines by HPLC fluorescence detection of OPA derivatives. 50:128-132.

- Mahaffee, W.F. See T.W. Hall. 52:204-209.
- Main, D. See J.P. Tomkins. 52:287-291.
- Main, G., J. Morris, and K. Striegler. Rootstock effects on Chardonnay productivity, fruit, and wine composition. 53:37-40.
See W.A. Buescher. 52:345-351.
- Malcata, F.X. See M. Luz Silva. 49:56-64.
- Mangas, J.J. See A. Picinelli. 51:144-149.
- Mansfield, A.K., B.W. Zoecklein, and R.S. Whiton. Quantification of glycosidase activity in selected strains of *Brettanomyces bruxellensis* and *Oenococcus oeni*. 53:303-307.
- Mannheim, C.H. See D. Kadim. 50:33-39.
- Manzano, M. See L. Cocolin. 53:24-27.
- Marchal, R., L. Marchal-Delahaut, F. Michels, M. Parmentier, A. Lallement, and P. Jeandet. Use of wheat gluten as clarifying agent of musts and white wines. 53:308-314.
See G. Liger-Belair. 50:317-323; 53:151-153.
- Marchal-Delahaut, L. See R. Marchal. 53:308-314.
- Marcy, J.E. See B.W. Zoecklein. 49:35-43, 259-265.
- Marin, M.R. Alcoholic fermentation modelling: Current state and perspectives. 50:166-178.
- Marques, S. See N. Mateus. 52:115-121.
- Marr, J.C. See A.G. Reynolds. 52:336-344.
- Martin, G.J., M. Mazure, C. Joutteau, Y.L. Martin, L. Aguilé, and P. Allain. Characterization of the geographic origin of Bordeaux wines by a combined use of isotopic and trace element measurements. 50:409-417.
- Martin, N., A. Minard, and O. Brun. Sweetness, sourness, and total taste intensity in Champagne wine. 53:6-13.
- Martin, Y.L. See G.J. Martin. 50:409-417.
- Martínez, M.C., and J.E. Pérez. The forgotten vineyard of the Asturias Principality (north of Spain) and ampelographic description of its grapevine cultivars (*Vitis vinifera* L.). 51:365-373.
- Martínez, P., J. Valcárcel, L. Pérez, and T. Benítez. Metabolism of *Saccharomyces cerevisiae* flor yeasts during fermentation and biological aging of fino sherry: By-products and aroma compounds. 49:340-350.
- Martínez-Cutillas, A. See E. Gómez-Plaza. 52:266-270.
- Martínez de Toda, F., and J.C. Sancha. Characterization of wild vines in La Rioja (Spain). 50:443-446.
———. Long-term effects of simulated mechanical pruning on Grenache vines under drought conditions. 50:87-90.
- Martínez-Zapater, J.M. See M.T. Cervera. 52:127-135.
- Masa, A. See J.R. Vidal. 50:69-75.
- Masneuf, I. See M. Murat. 52:136-139.
- Massolini, M., P. Caldentey, and A. Silva. Phenolic compounds in cork used for production of wine stoppers as affected by storage and boiling of cork slabs. 49:6-10.
- Masson, E., R. Baumes, M. Moutounet, and J.L. Puech. The effect of kiln-drying on the levels of ellagitannins and volatile compounds of European oak (*Quercus petraea* Liebl.) stave wood. 51:201-214.
- Mateus, N., S. Marques, A.C. Gonçalves, J.M. Machado, and V. de Freitas. Proanthocyanidin composition of red *Vitis vinifera* varieties from the Douro Valley during ripening: Influence of cultivation altitude. 52:115-121.
- Matricardi, L. Influence of toasting technique on color and ellagitannins of oak wood in barrel making. 50:519-526.
- Matthews, M.A. See J.A. Kennedy. 53:268-274.
See N. Kubota. 51:409-414.
- Maujean, A. See C. Dartiguenave. 51:347-351, 374-378.
See C. Desportes. 52:376-380.
See G. Liger-Belair. 50:317-323.
- Mauricio, J.C. See E. Valero. 49:119-124.
- Maoumoustakos, A. See R.T. Threlfall. 50:57-64.
- Maury, C., P. Sarni-Manchado, S. Lefebvre, V. Cheynier, and M. Moutounet. Influence of fining with different molecular weight gelatins on proanthocyanidin composition and perception of wines. 52:140-145.
- Mazhar, H., S.M. Basha, and J. Lu. Variation in berry protein composition of Muscadine cultivars. 53:87-91.
- Mazure, M. See G.J. Martin. 50:409-417.
- Mazza, G. See B. Girard. 53:99-109.
- McCafferty, K. See M.D. Hale. 50:495-502.
- McKenry, M.V., J.O. Kretsch, and S.A. Anwar. Interactions of selected rootstocks with ectoparasitic nematodes. 52:304-309.
———. Interactions of selected *Vitis* cultivars with endoparasitic nematodes. 52:310-316.
See S.A. Anwar. 53:19-23.
- McLean, H. See A. Grimaldi. 51:357-364.
- McMahon, H.M., B.W. Zoecklein, and Y.W. Jasinski. The effects of pre-fermentation maceration temperature and percent alcohol (v/v) at press on the concentration of Cabernet Sauvignon grape glycosides and glycoside fractions. 50:385-390.
- McNair, H.M. See P.J. Hartmann. 53:285-288.
- Medina, M.R. See V.L. Gutierrez Afonso. 49:440-444.
- Mee, D.L. See S.E. Spayd. 53:171-182.
- Meier, J. See A. Zimman. 53:93-98.
- Meredith, C.P., J.E. Bowers, S. Riaz, V. Handley, E.B. Bandman, and G.S. Dangl. The identity and parentage of the variety known in California as Petite Sirah. 50:236-242.
See J.E. Bowers. 50:243-246.
See P. Hinrichsen. 52:396-399.
- Mesa, J.J., J.J. Infante, L. Rebordinos, J.A. Sanchez, and J.M. Cantoral. Influence of the yeast genotypes on enological characteristics of sherry wines. 51:15-21.
- Mesquita, P.R., M.A. Piçarra-Pereira, S. Monteiro, V.B. Loureiro, A.R. Teixeira, and R.B. Ferreira. Effect of wine composition on protein stability. 52:324-330.
- Meyer, U.M. See F.M. Dewey. 51:276-282.
- Michels, F. See R. Marchal. 53:308-314.
- Milkus, B.N. Incidence of four NEPO viruses in Missouri vineyards. 52:56-57.
———, and R.N. Goodman. A survey of Missouri vineyards for the presence of five grape viruses. 50:133-134.
- Millan, M.C. See E. Valero. 49:119-124.
- Miller, D.P., and G.S. Howell. Influence of vine capacity and crop load on canopy development, morphology, and dry matter partitioning in Concord grapevines. 49:183-190.
See R.P. Smithyman. 49:163-170.
- Mills, D.A. See L. Cocolin. 52:49-53.
See C.L. Pallmann. 52:198-203.
- Mills, J.M. See C.G. Edwards. 50:204-210.
- Mills, L. See N.S. Lang. 49:367-374.
- Minard, A. See N. Martin. 53:6-13.
- Mínguez, S., and P. Hernández. Tartaric stabilization of red, rosé, and white wines with L(+)-calcium tartrate crystal seeding. 49:177-182.
- Mirabel, M., C. Saucier, C. Guerra, and Y. Glories. Copigmentation in model wine solutions: Occurrence and relation to wine aging. 50:211-218.
- Mlikota Gabler, F., and J.L. Smilanick. Postharvest control of table grape gray mold on detached berries with carbonate and bicarbonate salts and disinfectants. 52:12-20.
- Moio, L., A. Gambuti, L. Di Marzio, and P. Piombino. Differential pHmeter determination of residual sugars in wine. 52:271-274.
- Monique, A. See V.A.P. de Freitas. 51:397-403.

- Monteiro, S. See R.B. Ferreira. 51:22-28.
See P.R. Mesquita. 52:324-330.
- Moreno, S. See J.R. Vidal. 50:69-75.
- Morris, J.R. See W.A. Buescher. 52:345-351.
See G. Main. 53:37-40.
See R.T. Threlfall. 50:57-64.
- Mosedale, J.R., J.L. Puech, and F. Feuillat. The influence on wine flavor of the oak species and natural variation of heartwood components. 50:503-512.
See J.L. Puech. 50:469-478.
- Moutounet, M. See F. Brossaud. 50:277-284.
See T. Doco. 50:28-32.
See E. Masson. 51:201-214.
See C. Maury. 52:140-145.
See P. Sarni-Manchado. 50:81-86.
See A. Vernhet. 50:51-56, 391-397, 398-403.
See S. Vidal. 51:115-121.
- Mulet, A. See M. Haba. 49:285-290.
- Muñoz, C. See P. Hinrichsen. 52:396-399.
- Murat, M., I. Masneuf, P. Darriet, V. Lavigne, T. Tominaga, and D. Dubourdieu. Effect of *Saccharomyces cerevisiae* yeast strains on the liberation of volatile thiols in Sauvignon blanc wine. 52:136-139.
- Murmura, F. See A. Cichelli. 51:108-114.
- Musafija-Jeknic, T. See M.A. Daeschel. 53:154-157.
- Musingo, M.N., C.A. Sims, R.P. Bates, S.F. O'Keefe, and O. Lamikanra. Changes in ellagic acid and other phenols in Muscadine grape (*Vitis rotundifolia*) juices and wines during storage. 52:109-114.
- N**
- Nagao, A. See K. Yokotsuka. 50:1-12.
- Nakazawa, K. See K. Yokotsuka. 50:1-12.
- Narváez, C. See P. Hinrichsen. 52:396-399.
- Navarro, G. See S. Navarro. 52:35-40.
- Navarro, S., J. Oliva, G. Navarro, and A. Barba. Dissipation of chlorpyrifos, fenarimol, mancozeb, metalaxyl, penconazole, and vinclozolin in grapes. 52:35-40.
- Negueruela, A.I. See F. Ayala. 50:359-363.
- Nel, H.A., R. Bauer, G.M. Wolfaardt, and L.M.T. Dicks. Effect of bacteriocins pediocin PD-1, plantaricin 423, and nisin on biofilms of *Oenococcus oeni* on a stainless steel surface. 53:191-196.
- Newton, J. See M.D. Hale. 50:495-502.
- Nicholson, R.L. See J.A. Sugui. 50:199-203.
- Nikolaou, N. See N. Karagiannidis. 51:269-275.
- Noble, A.C. See C. de la Presa-Owens. 49:289-294.
See F.M. Dewey. 51:276-282.
See M.B. Frøst. 53:275-284.
See S.K. Park. 51:91-97.
- Noitsakis, B. See A. Patakas. 50:76-80.
- Nurgel, C., and A. Canbas. Production of tartaric acid from pomace of some Anatolian grape cultivars. 49:95-99.
- O**
- Odoardi, M. See A. Cichelli. 51:108-114.
- Ojeda, H., C. Andary, E. Kraeva, A. Carbonneau, and A. Deloivre. Influence of pre- and postveraison water deficit on synthesis and concentration of skin phenolic compounds during berry growth of *Vitis vinifera* cv. Shiraz. 53:261-267.
- Okamoto, G. See P.H. Kimura. 49:1-5.
See S. Wang. 52:248-253.
- O'Keefe, S.F. See M.N. Musingo. 52:109-114.

- Okuda, T., A.G. Pue, K. Fujiyama, and K. Yokotsuka. Purification and characterization of polyphenol oxidase from Muscat Bailey A grape juice. 50:137-143.
- , and K. Yokotsuka. Levels of glutathione and activities of related enzymes during ripening of Koshu and Cabernet Sauvignon grapes and during winemaking. 50:264-270.
- Olineka, T.L. See C.L. Pallmann. 52:198-203.
- Oliva, J. See S. Navarro. 52:35-40.
- Oliveira, M. Calculation of budbreak and flowering base temperatures for *Vitis vinifera* cv. Touriga Francesa in the Douro Region of Portugal. 49:74-78.
- Ollat, N., and J.P. Gaudillere. The effect of limiting leaf area during stage I of berry growth on development and composition of berries of *Vitis vinifera* L., cv. Cabernet Sauvignon. 49:251-258.
- Olmstead, M.A., R.L. Wample, S.L. Greene, and J.M. Tarara. Evaluation of potential cover crops for inland Pacific Northwest vineyards. 52:292-303.
- Omer, A.D. See L. Kocsis. 50:101-106.
- Ortega, J.M. See E. Valero. 49:119-124.
- Ortiz, J.M. See J.R. Vidal. 50:69-75.

P Q

- Pachova, V. See I. Achaerandio. 52:122-126.
- Padgett-Johnson, M., L.E. Williams, and M.A. Walker. The influence of *Vitis riparia* rootstock on water relations and gas exchange of *Vitis vinifera* cv. Carignane scion under non-irrigated conditions. 51:137-143.
- Palacios, S., I. Caro Pina, and L. Pérez Rodríguez. Factors influencing the oxidation phenomena of Sherry wine. 52:151-155.
- Palliotti, A., and A. Cartechini. Developmental changes in gas exchange activity in flowers, berries, and tendrils of field-grown Cabernet Sauvignon. 52:317-323.
- , A. Cartechini, and F. Ferranti. Morpho-anatomical and physiological characteristics of primary and lateral shoot leaves of Cabernet Franc and Trebbiano Toscano grapevines under two irradiance regimes. 51:122-130.
- Pallmann, C.L., J.A. Brown, T.L. Olineka, L. Cocolin, D.A. Mills, and L.F. Bisson. Use of WL medium to profile native flora fermentations. 52:198-203.
- Palou, L., C.H. Crisosto, D. Garner, L.M. Basinal, J.L. Smilanick, and J.P. Zoffoli. Minimum constant sulfur dioxide emission rates to control gray mold of cold-stored table grapes. 53:110-115.
- Park, S.K., R.B. Boulton, and A.C. Noble. Formation of hydrogen sulfide and glutathione during fermentation of white grape musts. 51:91-97.
- Parmentier, M. See R. Marchal. 53:308-314.
- Patakas, A. Changes in the solutes contributing to osmotic potential during leaf ontogeny in grapevine leaves. 51:223-226.
- , and B. Noitsakis. Osmotic adjustment and partitioning of turgor responses to drought in grapevine leaves. 50:76-80.
- Pellerin, P. See T. Doco. 50:28-32.
See S. Francioli. 50:456-460.
See A. Vernhet. 50:51-56, 391-397, 398-403.
See S. Vidal. 51:115-121.
- Peña, C. See A. Guitart. 50:253-258.
- Peña-Neira, A., T. Hernández, M.C. García-Vallejo, E. Cadahia, B. Fernandez de Simón, and J.A. Suarez. Low molecular weight phenols in cork stoppers. 50:285-290.
- Pérez, F.J., C. Viani, and J. Retamales. Bioactive gibberellins in seeded and seedless grapes: Identification and changes in content during berry development. 51:315-318.
- Pérez, J.E. See M.C. Martínez. 51:365-373.
- Pérez-Coello, M.S., J. Sanz, and M.D. Cabezudo. Determination of volatile compounds in hydroalcoholic extracts of French and American oak wood. 50:162-165.

- Pérez Rodríguez, L. See P. Martínez. 49:340-350.
See V.M. Palacios. 52:151-155.
- Peterlunger, E., E. Celotti, G. Da Dalt, S. Stefanelli, G. Gollino, R. Zironi. Effect of training system on Pinot noir grape and wine composition. 53:14-18.
- Peterson, D.G. See J.P. Tomkins. 52:287-291.
- Petrovic, N. See K.S. Ling. 52:21-27.
- Peuke, A.D. The chemical composition of xylem sap in *Vitis vinifera* L. cv. Riesling during vegetative growth on three different Franconian vineyard soils and as influenced by nitrogen fertilizer. 51:329-339.
- Peyrot des Gachons, C., T. Tominaga, and D. Dubourdieu. Localization of s-cysteine conjugates in the berry: Effect of skin contact on aromatic potential of *Vitis vinifera* L. cv. Sauvignon blanc must. 53:144-146.
See T. Tominaga. 51:178-181.
- Piçarra-Pereira, M.A. See R.B. Ferreira. 51:22-28.
- Picinelli, A., B. Suarez, L. Garcia, and J.J. Mangas. Changes in phenolic contents during sparkling apple winemaking. 51:144-149.
- Pianet, I. See N. Vivas. 49:49-55.
- Piacquadio, P. See M. Servili. 51:352-356.
- Piçarra-Pereira, M.A. See P.R. Mesquita. 52:324-330.
- Pickering, G.J., D.A. Heatherbell, and M.F. Barnes. The production of reduced-alcohol wine using glucose oxidase treated juice.
Part I. Composition. 50:291-298.
Part II. Stability and SO₂-binding. 50:299-306.
Part III. Sensory. 50:307-316.
- , D.A. Heatherbell, L.P. Vanhanena, and M.F. Barnes. The effect of ethanol concentration on the temporal perception of viscosity and density in white wine. 49:306-318.
- Pinto, T. See B.S. Sun. 50:179-184.
- Piombino, P. See L. Moio. 52:271-274.
- Pitois, C. See Y. Vasserot. 52:280-281.
- Planque, J. See A. Vernhet. 50:51-56.
- Poblet, M. See M.T. Vidal. 52:223-229.
- Pons, M. See D. Roujou de Boubée. 53:1-5.
- Pue, A.G. See T. Okuda. 50:137-143.
- Puech, J.L., F. Feuillat, and J.R. Mosedale. The tannins of oak heartwood: Structure, properties, and their influence on wine flavor. 50:469-478.
See F. Feuillat. 50:513-518.
See E. Masson. 51:201-214.
See J.R. Mosedale. 50:503-512.
- Quellec, N. See T. Doco. 50:28-32.
- R**
- Rainieri, S., C. Zambonelli, V. Tini, L. Castellari, and P. Giudici. The enological traits of thermotolerant *Saccharomyces* strains. 49:319-325.
- Ramming, D. See S.A. Anwar. 53:19-23.
- Rangel, A.O.S.S., and I.V. Tóth. Determination of ethanol in wines by flow injection spectrophotometry using gas-diffusion and an immobilized enzyme reactor. 50:259-263.
- Reader, H.P. See J. Bakker. 50:271-276.
- Rebecca, S. See L. Cocolin. 53:24-27.
- Rebordinos, L. See J.J. Mesa. 51:15-21.
- Redon, C., P. Albert, I. Lacorre-Arescaldino, and J. Bierre. Electrophoretic heterogeneity of grapevine histones. 50:13-18.
See A.S. Renault. 51:81-87.
- Regner, F., A. Stadlbauer, C. Eisenheld, and H. Kaserer. Genetic relationships among Pinots and related cultivars. 51:7-14.
- Renault, A. S., A. Deloire, I. Letinois, E. Kraeva, C. Tesniere, A. Ageorges, C. Redon, and J. Bierre. β -1,3-Glucanase gene expression in grapevine leaves as a response to infection with *Botrytis cinerea*. 51:81-87.
- Retamales, J. See F.J. Pérez. 51:315-318.
- Retzlaff, W.A. See L.E. Williams. 51:49-54.
- Reynolds, A.G., M. Cliff, B. Girard, and T.G. Kopp. Influence of fermentation temperature on composition and sensory properties of Semillon and Shiraz wines. 52:235-240.
- , C.G. Edwards, M.A. Cliff, J.H. Thorngate, and J.C. Marr. Evaluation of yeast strains during fermentation of Riesling and Chenin blanc musts. 52:336-344.
- , and D.A. Wardle. Evaluation of minimal pruning upon vine performance and berry composition of Chancellor. 52:45-48.
See P. Delaquis. 51:42-48.
See C.G. Edwards. 50:204-210.
- Riaz, S. See C.P. Meredith. 50:236-242.
- Ribeiro, A. See A. Caputi. 51:415-417.
- Ricardo-da-Silva, J.M. See A.M. Jordão. 52:230-234.
See B.S. Sun. 50:179-184.
- Riponi, C. See M. Castellari. 49:91-94.
- Ritchev, J.G., and A.L. Waterhouse. A standard red wine: Monomeric phenolic analysis of commercial Cabernet Sauvignon wines. 50:91-100.
- Rizzo, D.M. See Baumgartner, K. 53:197-203.
- Robillard, B. See G. Liger-Belair. 50:317-323; 52:88-92.
- Robson, A. See S.J. Bell. 50:351-358.
- Rodriguez, A.V. See C.G. Edwards. 50:204-210.
- Rodriguez, I. See M.T. Cervera. 52:127-135.
- Rollan, G. See E. Coton. 49:199-204.
- Rolston, D.E. See S. Hajrasulih. 49:191-198.
- Ros Barceló, A. See M. Morales. 48:33-38.
- Roubelakis-Angelakis, K.K.A. See F. Lefort. 52:101-108.
- Roujou de Boubée, D., A.M. Cumsille, M. Pons, and D. Dubourdieu. Location of 2-methoxy-3-isobutylpyrazine in Cabernet Sauvignon grape bunches and its extractability during vinification. 53:1-5.
- Roustan, J.L. See A. Julien. 51:215-222.
- Roytchev, V. Inheritance of grape seedlessness in seeded and seedless hybrid combinations of grape cultivars with complex genealogy. 49:302-305.
- Ruffner, H.P. See L.P. Dreier. 51:340-346.
- Ruiz, C. See M. Gómez-del-Campo. 53:138-143.
- S**
- Sablayrolles, J.M. See A. Julien. 51:215-222.
- Samuta, T. See K. Hashizume. 50:194-198.
- Sancha, J.C. See F. Martínez de Toda. 50:87-90, 443-446.
- Sanchez, J.A. See J.J. Mesa. 51:15-21.
- Sánchez-Díaz, M. See H. Baigorri. 52:357-363.
- Sanger, M. See K.J. Dell. 49:11-16.
- Santamaría, M.P. See S.I. Epifanio. 50:219-224.
See A.R. Gutiérrez. 52:352-356.
- Santos, L. See I. Festas. 51:150-154.
See I. Mafra. 50:128-132.
- Sanz, J. See M.S. Pérez-Coello. 50:162-165.
- Sarni-Manchado, P., A. Deleris, S. Avallone, V. Cheynier, and M. Moutounet. Analysis and characterization of wine condensed tannins precipitated by proteins used as fining agents in enology. 50:81-86.
See C. Maury. 52:140-145.

- Sato, M., Y. Suzuki, K. Hanamura, I. Katoh, Y. Yagi, and K. Otsuka. Winemaking from Kosho variety by the *sur lie* method: Behavior of free amino acids and proteolytic activities in the wine. 48:1-6.
See T. Yanai. 50:231-235.
See K. Yokotsuka. 50:1-12.
- Saucier, C. See M. Mirabel. 50:211-218.
- Saura Calixto, F. See L. Bravo. 49:135-141.
- Sauvageot, F., and F. Feuillat. The influence of oak wood (*Quercus robur* L., *Q. petraea* Liebl.) on the flavor of Burgundy Pinot noir. An examination of variation among individual trees. 50:447-455.
- Schiefelbein, J.W. See P. Thomas. 53:231-234.
- Schlich, P. See C. de la Presa Owens. 49:289-294.
- Schneider, V. Must hyperoxidation: A review. 49:65-73.
- Schubert, A. See S. Guidoni. 53:224-226.
- Sciancalepore, V. See M. Servili. 51:352-356.
- Segura, A. See C. Cabaleiro. 50:40-44.
- Semon, M. J. See C.G. Edwards. 50:204-210.
- Servens, C. See N. Vivas. 49:49-55.
- Servili, M., G. De Stefano, P. Piacquadio, and V. Sciancalepore. A novel method for removing phenols from grape must. 51:352-356.
- Shirley, J. R. See A.L. Waterhouse. 51:383-389.
- Shively, C.E., and T. Henick-Kling. Comparison of two procedures for assay of free amino nitrogen. 52:400-401.
- Siler, C.E. See W.A. Buescher. 52:345-351.
- Silva, A. See M. Massolini. 49:6-10.
- Simon-Sarkadi, L. See M.B.A. Glória. 49:279-282.
- Simonetti, M.S. See A. Cichelli. 51:108-114.
- Sims, C.A. See M.N. Musingo. 52:109-114.
- Singleton, V.L. See M. Ibern-Gómez. 51:29-36.
See K. Yokotsuka. 52:93-100.
- Sipiora, M.J., and M.J. Gutiérrez Granda. Effects of pre-veraison irrigation cutoff and skin contact time on the composition, color, and phenolic content of young Cabernet Sauvignon wines in Spain. 49:152-162.
- Smilanick, J.L. See F. Mlikota Gabler. 52:12-20.
See L. Palou. 53:110-115.
- Smithyman, R.P., G.S. Howell, and D.P. Miller. The use of competition for carbohydrates among vegetative and reproductive sinks to reduce fruit set and Botrytis bunch rot in Seyval blanc grapevines. 49:163-170.
- , R.L. Wample, and N.S. Lang. Water deficit and crop level influences on photosynthetic strain and blackleaf symptom development in Concord grapevines. 52:364-375.
See N.S. Lang. 49:367-374.
- Soleas, G.J. See D. M. Golberg. 49:23-34, 142-151; 50:185-193.
- Soufferos, E., M.L. Barrios, and A. Bertrand. Correlation between the content of biogenic amines and other wine compounds. Aminogenesis by indigenous malolactic flora and other lactic acid bacteria. 49:266-278.
- Spayd, S.E., J.M. Tarara, D.L. Mee, and J.C. Ferguson. Separation of sunlight and temperature effects on the composition of *Vitis vinifera* cv. Merlot berries. 53:171-182.
See J.M. Tarara. 51:182-188.
- Spiropoulos, A., J. Tanaka, I. Flerianos, and L.F. Bisson. Characterization of hydrogen sulfide formation in commercial and natural wine isolates of *Saccharomyces*. 51:233-248.
- Spranger, M.I. See B.S. Sun. 50:179-184.
- Stadlbauer, A. See F. Regner. 51:7-14.
- Stefanelli, S. See E. Peterlunger. 53:14-18.
- Stender, H. See L. Connell. 53:322-324.
- Stoll, G.S. See L.P. Dreier. 51:340-346.
- Stover, E.W., H.J. Swartz, and T.J. Burr. Crown gall formation in a diverse collection of *Vitis* genotypes inoculated with *Agrobacterium vitis*. 48:26-32.
———. *Agrobacterium vitis*-induced electrolyte leakage in crown gall-susceptible and resistant grape genotypes. 48:145-149.
- Striegler, K. See G. Main. 53:37-40.
- Suarez, B. See A. Picinelli. 51:144-149.
- Suarez, J.A. See A. Peña-Neira. 50:285-290.
- Suberbiola, G. See M. López-Barajas. 52:146-150.
- Subramanian, V., K.K.S. Buck, and D.E. Block. Use of decision tree analysis for determination of critical enological and viticultural processing parameters in historical databases. 52:175-184.
- Sugui, J.A., K.V. Wood, Z. Yang, C.C. Bonham, and R.L. Nicholson. Matrix-assisted laser desorption ionization mass spectrometry analysis of grape anthocyanins. 50:199-203.
- Sun, B.S., T. Pinto, M.C. Leandro, J.M. Ricardo-Da-Silva, and M.I. Spranger. Transfer of catechins and proanthocyanidins from solid parts of the grape cluster into wine. 50:179-184.
- Swan, J.S. See M.D. Hale. 50:495-502.

T

- Takahagi, T. See N. Kubota. 51:409-414.
- Takayanagi, T., T. Uchibori, and K. Yokotsuka. Characteristics of yeast polygalacturonases induced during fermentation on grape skins. 52:41-44.
———, and K. Yokotsuka. Angiotensin I converting enzyme-inhibitory peptides from wine. 50:65-68.
- Tanaka, J. See A. Spiropoulos. 51:233-248.
- Tarara, J.M., and J.C. Ferguson. Device for simulating high rates of sap flow in grapevines. 52:260-265.
———, J.C. Ferguson, and S.E. Spayd. A chamber-free method of heating and cooling grape clusters in the vineyard. 51:182-188.
See M.A. Olmstead. 52:292-303.
See S.E. Spayd. 53:171-182.
- Teissedre, P., C. Cabrera Vique, M.T. Cabanis, and J.C. Cabanis. Determination of nickel in French wines and grapes. 49:205-210.
See C. Cabrera-Vique. 51:103-107.
- Teixeira, A.R. See R.B. Ferreira. 51:22-28.
See P.R. Mesquita. 52:324-330.
- Tesniere, C. See A.S. Renault. 51:81-87.
- Thomas, M.R. See L. Torregrosa. 53:183-190.
- Thomas, P., and J.W. Schiefelbein. Improved method for purification of RNA from stem tissue of grapevine and its use in mRNA profiling. 53:231-234.
- Thorngate, J.H. See A.G. Reynolds. 52:336-344.
- Threlfall, R.T., J.R. Morris, and A. Mauromoustakos. Effect of variety, ultraviolet light exposure, and enological methods on the *trans*-resveratrol level of wine. 50:57-64.
See W.A. Buescher. 52:345-351.
- Tini, V. See S. Rainieri. 49:319-325.
- Todd, B.E.N., G.H. Fleet, and P.A. Henschke. Promotion of autolysis through the interaction of killer and sensitive yeasts: Potential application in sparkling wine production. 51:65-72.
- Tominaga, T., R. Baltenweck-Guyot, C. Peyrot des Gachons, and D. Dubourdieu. Contribution of volatile thiols to the aromas of white wines made from several *Vitis vinifera* grape varieties. 51:178-181.
See M. Murat. 52:136-139.
See C. Peyrot des Gachons. 53:144-146.
- Torrea Goñi, D., and C. Ancín Azpilicueta. Influence of yeast strain on biogenic amines content in wines: Relationship with the utilization of amino acids during fermentation. 52:185-190.
- de la Torre-Boronat, M.C. See C. Andrés-Lacueva. 53:147-150.
See M. Ibern-Gómez. 51:29-36; 52:159-164.
See M. López-Barajas. 49:97-402; 52:146-150.

- Torregrosa, L., P. Iocco, and M.R. Thomas. Influence of *Agrobacterium* strain, culture medium, and cultivar on the transformation efficiency of *Vitis vinifera* L. 53:183-190.
- Tóth, I.V. See A.O.S.S. Rangel. 50:259-263.
- Tomkins, J.P., D.G. Peterson, T.J. Yang, D. Main, E.F. Ablett, R.J. Henry, L.S. Lee, T.A. Holton, D. Waters, and R.A. Wing. Grape (*Vitis vinifera* L.) BAC library construction, preliminary STC analysis, and identification of clones associated with flavonoid and stilbene biosynthesis. 52:287-291.
- Tsang, E. See D.M. Goldberg. 49:23-34; 50:185-193.
- Turbow, S.B., G.H. Wehmeier, and D.E. Block. Comparison of enzymatic and ISE methods for ammonia measurements in untreated red and white juices and wines. 53:158-162.
- U V**
- Uchibori, T. See T. Takayanagi. 52:41-44.
- Uhlig, B.A., and P.R. Clingeleffer. Ripening characteristics of the fruit from *Vitis vinifera* L. drying cultivars Sultana and Merbein Seedless under furrow irrigation. 49:375-382.
- Vagnoli, P. See M. Kudo. 49:295-301.
- Valero, E., M.C. Millan, J.C. Mauricio, and J.M. Ortega. Effect of grape skin maceration on sterol, phospholipid, and fatty acid contents of *Saccharomyces cerevisiae* during alcoholic fermentation. 49:119-124.
- Valcárcel, J. See P. Martínez. 49:340-350.
- Valenzuela, J. See P. Hinrichsen. 52:396-399.
- Vanee, G.R. See T.J. Zabadal. 53:204-209.
- Vanhanena, L.P. See G.J. Pickering. 49:306-318.
- Vas, G., K. Kőteleky, M. Farkas, A. Dobó, and K. Vékey. Fast screening method for wine headspace compounds using solid-phase microextraction (SPME) and capillary GC technique. 49:100-104.
- Vasconcelos, M., and S. Castagnoli. Leaf canopy structure and vine performance. 51:390-396.
- Vasserot, Y., C. Jacopin, and P. Jeandet. Effect of bottle capacity and bottle-cap permeability to oxygen in dimethylsulfide formation in Champagne wines during aging on lees. 52:54-55.
- , C. Pitois, and P. Jeandet. Protective effect of a composite cork stopper on Champagne wine pollution with 2,4,6-trichloroanisole. 52:280-281.
- Vasudevan, L., T.K. Wolf, G.G. Welbaum, and M.E. Wisniewski. Anatomical developments and effects of artificial shade on bud necrosis of Riesling grapevines. 49:429-439.
- Vékey, K. See G. Vas. 49:100-104.
- Vernhet, A., K. Dupre, L. Boulange-Petermann, V. Cheynier, P. Pellerin, and M. Mouroulet. Composition of tartrate precipitates deposited on stainless steel tanks during the cold stabilization of wines. Part I. White wines. 50:391-397. Part II. Red wines. 50:398-403.
- , P. Pellerin, M.P. Belleville, J. Planque, and M. Moutounet. Relative impact of major wine polysaccharides on the performances of an organic microfiltration membrane. 50:51-56.
- Viani, C. See F.J. Pérez. 51:315-318.
- Vidal, J.R., S. Moreno, Y. Gogorcena, A. Masa, and J. M. Ortiz. On the genetic relationships and origins of six grape cultivars of Galicia (Spain) using RAPD markers. 50:69-75.
- Vidal, M.T., M. Poblet, M. Constantí, and A. Bordons. Inhibitory effect of copper and dichlofluanid on *Oenococcus oeni* and malolactic fermentation. 52:223-229.
- Vidal, S., T. Doco, M. Moutounet, and P. Pellerin. Soluble polysaccharide content at initial time of experimental must preparation. 51:115-121.
- Vignes-Adler, M. See G. Liger-Belair. 50:317-323.
- Vincent, B. See V. Gerbaux. 53:131-137.
- Villa, A. See M.A. Daeschel. 53:154-157.
- Villanueva, M. J. See M.A. Esteban. 50:418-434.
- Vivas, N., I. Pianet, G. Bourgeois, C. Vitry, C. Servens, and Y. Glories. Characterization of heartwood lignin fractions from *Quercus robur* L. and *Quercus petraea* (Matt) Liebl., the main oak species used for barrel making. 49:49-55.
- Vitry, C. See N. Vicas. 49:49-55.
- Vlassides, S. and D.E. Block. Evaluation of cell concentration profiles and mixing in unagitated wine fermentors. 51:73-80.
- W**
- Walker, M.A. See A. Forneck. 52:28-34. See W. Grzegorzczuk. 9:17-22. See L. Kocsis. 50:101-106. See H. Lin. 49:403-407. See M. Padgett-Johnson. 51:137-143.
- Wample, R.L. See N.S. Lang. 49:367-374. See M.A. Olmstead. 52:292-303. See R.P. Smithyman. 52:364-375.
- Wang, S., G. Okamoto, K. Hirano, J. Lu, and C. Zhang. Effects of restricted rooting volume on vine growth and berry development of Kyoho grapevines. 52:248-253.
- Wardle, D.A. See A.G. Reynolds. 52:45-48.
- Waterhouse, A.L., S. Ignelzi, and J.R. Shirley. A comparison of methods for quantifying oligomeric proanthocyanidins from grape seed extracts. 51:383-389. See M. Ibern-Gómez. 53:218-221. See J.A. Kennedy. 53:268-274. See P.A. Kilmartin. 53:294-302. See R.M. Lamuela-Raventós. 52:156-158. See L. Marticardi. 50:519-526. See J.G. Ritchey. 50:91-100. See A. Zimman. 53:93-98.
- Waters, D. See J.P. Tomkins. 52:287-291.
- Watkins, S.J. See J. Bakker. 50:271-276.
- Watson, B.T. See M.B.A. Glória. 49:279-282.
- Weekley, A.J., P. Bruins, and M.P. Augustine. Nondestructive method of determining acetic acid spoilage in an unopened bottle of wine. 53:318-321.
- Wehmeier, G.H. See S.B. Turbow. 53:158-162.
- Weiss, K.C., L.W. Lange, and L.F. Bisson. Small-scale fining trials: Effect of method of addition on efficiency of bentonite fining. 52:275-279. ———, T. Yip, T.W. Hutchens, and L.F. Bisson. Rapid and sensitive fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. 49:231-239. ———, and L.F. Bisson. Effect of bentonite treatment of grape juice on yeast fermentation. 53:28-36.
- Welbaum, G.G. See L. Vasudevan. 49:429-439.
- Whiton, R.S., and B.W. Zoeklein. Optimization of headspace solid-phase microextraction for analysis of wine aroma compounds. 51:379-382. ———. Determination of ethyl carbamate in wine by solid-phase microextraction and gas chromatography/mass spectrometry. 53:60-63. ———. Evaluation of glycosyl-glucose analytical methods for various glycosides. 53:315-317. See B.H. Gump. 53:325-329. See A.K. Mansfield. 53:303-307.
- Wilker, K.L. See M.R. Dharmadhikari. 49:408-412.
- Williams, L.E., W.A. Retzlaff, W. Yang, P.J. Biscay, and N. Ebisuda. Effect of girdling on leaf gas exchange, water status, and non-structural carbohydrates of field-grown *Vitis vinifera* L. (cv. Flame Seedless). 51:49-54. See M. Padgett-Johnson. 51:137-143.

- Wing, R.A. See J.P. Tomkins. 52:287-291.
 Wisniewski, M.E. See L. Vasudevan. 49:429-439.
 Wittkowski, R. See A. Heier. 53:78-86.
 Wolf, T.K. See E.R. Capps. 51:319-328.
 See S.A. Finger. 53:116-124.
 See L. Vasudevan. 49:429-439.
 See B.W. Zoecklein. 49:35-43, 259-265.

Wolfaardt, G.M. See H.A. Nel. 53:191-196.

Wong, J.W., and C.A. Halverson. Multiresidue analysis of pesticides in wines using C-18 solid-phase extraction and gas chromatography-mass spectrometry. 50:435-442.

Wood, K.V. See J.A. Sugui. 50:199-203.

Wu, Y. See M.A. Daeschel. 53:154-157.

Y

Yajima, M., and K. Yokotsuka. Volatile compound formation in white wines fermented using immobilized and free yeast. 52:210-218.

Yanai, T., and M. Sato. Isolation and properties of β -glucosidase produced by *Debaryomyces hansenii* and its application in winemaking. 50:231-235.

Yang, T.J. See J.P. Tomkins. 52:287-291.

Yang, W. See L.E. Williams. 51:49-54.

Yang, Z. See J.A. Sugui. 50:199-203.

Yip, T. See K.C. Weiss. 49:231-239.

Yokotsuka, K., A. Nagao, K. Nakazawa, and M. Sato. Changes in anthocyanins in berry skins of Merlot and Cabernet Sauvignon grapes grown in two soils modified with limestone or oyster shell versus a native soil over two years. 50:1-12.

———, and V.L. Singleton. Effects of seed tannins on enzymatic decolorization of wine pigments in the presence of oxidizable phenols. 52:93-100.

———, and M. Fukui. Changes in nitrogen compounds in berries of six grape cultivars during ripening over two years. 53:69-77.

 See T. Okuda. 50:264-270; 50:137-143.

 See T. Takayanagi. 50:65-68; 52:41-44.

 See M. Yajima. 52:210-218.

Ypema, H.L., and W.D. Gubler. The distribution of early season grapevine shoots infected by *Uncinula necator* from year to year: A case study in two California vineyards. 51:1-6.

Yuksel, D. See M. Cliff. 53:46-53.

Yvon, M. See A. Forneck. 52: 28-34.

Z

Zabadal, T.J., G.R. Vanev, T.W. Dittmer, and R.L. Ledebuhr. Evaluation of strategies for pruning and crop control of Concord grapevines in southwest Michigan. 53:204-209.

Zambonelli, C. See S. Rainieri. 49:319-325.

Zamora, F. See J.N. Canals. 49:383-388.

Zhang, C. See S. Wang. 52:248-253.

Zhu, H.Y. See K.S. Ling. 52:21-27.

Zimman, A., W.S. Joslin, M.L. Lyon, J. Meier, and A.L. Waterhouse. Maceration variables affecting phenolic composition in commercial-scale Cabernet Sauvignon winemaking trials. 53:93-98.

Zironi, R. See E. Peterlunger. 53:14-18.

Zoccolan, E. See E. Celotti. 50:343-350.

Zoecklein, B.W., T.K. Wolf, S.E. Duncan, J.E. Marcy, and Y. Jasinski. Effect of fruit zone leaf removal on total glycoconjugates and conjugate fraction concentration of Riesling and Chardonnay (*Vitis vinifera* L.) grapes. 49:259-265.

———, T.K. Wolf, J.E. Marcy, and Y. Jasinski. Effect of fruit zone leaf thinning on total glycosides and selected aglycone concentrations of Riesling (*Vitis vinifera* L.) grapes. 49:35-43.

 See B.H. Gump. 53:325-329.

 See P.J. Hartmann. 53:285-288.

 See A.K. Mansfield. 53:303-307.

 See H.M. McMahon. 50:385-390.

 See R.S. Whiton. 51:379-382; 53:60-63; 53:315-317.

Zoffoli, J.P. See L. Palou. 53:110-115.

Zou, H. See P.A. Kilmartin. 53:294-302.

Subject Index

Volumes 49, 50, 51, 52, 53
(1998, 1999, 2000, 2001, 2002)

A

- Abcisic acid. training system. 52:357-363.
xylem sap. 51:329-339.
- Abstracts. ASEV 53rd annual meeting (2002). 53:240A-260A.
ASEV Eastern section 26th annual meeting (2001). 53:235A-239A.
ASEV Japan chapter annual meeting (2001). 53:330A-333A.
- Acetaldehyde. in sherry wines. 51:15-21.
- Acetic acid. stuck fermentation. 50:204-210.
wine spoilage. 53:318-321.
- Acid(s). See also specific acids.
organic. determination by capillary electrophoresis. 50:154-161.
- Acidification of must by genetically engineered yeast to produce lactic acid bacteria. 50:45-50.
- Aging. biological aging of sherry. 51:98-102.
copigmentation. 50:211-218.
fino sherry. 49:240-250; 51:98-102.
low-alcohol wines. 50:299-306.
oak. 50:33-39, 469-478, 479-494, 503-512, 513-218, 519-526.
phenolic compounds. 50:33-39.
polysaccharide patterns. 50:25-32.
reduced-alcohol wines. 50:299-306.
sparkling wine. 50:404-408; 51:29-36.
volatile compounds in hydroalcoholic extracts from oak. 50:162-165.
with yeast. 50:404-408.
- Agrobacterium*. genetic transformation. 53:183-190.
- Airén grapevines. water stress. 53:138-143.
- AJEV Guide to authors. 52:60-65; 53:334-341.
- Alcohol(s). at dejuice. 50:385-390.
- Alcoholic fermentation. See also Fermentation.
acetic acid role in. 50:204-210.
computer modelling. 50:166-178.
lactic acid bacteria/yeast effects on. 50:45-50.
skin maceration effect on lipid composition of *S. cerevisiae*. 49:119-124.
- Aldehydes. in alcoholic beverages. 50:324-333.
- Alkaline phosphatase. tannin analysis. 50:247-252.
- Amines. lysozyme control. 48:49-54.
- Amino acid(s). biogenic amines. 52:185-190.
changes during Tempranillo ripening. 50:144-154.
composition in grape juice and must. 51:227-232.
contribution to buffering capacity of wines. 51:347-351, 352-356.
effect of clarification treatments. 49:389-396.
Port wine. 51:262-268.
relationship to Chardonnay must and wine aromas. 50:253-258.
- Ammonia measurement. 53:158-162.
- Ampelography. Albillo accessions. 52:127-135.
rootstock. 49:403-407.
Vitis. 49:86-90; 51:370-378.
- Amplified fragment length polymorphism (AFLP). characterization of Albillo accessions. 52:127-135.
- Analysis. See also specific analysis.
aldehydes in alcoholic beverages by GC. 50:324-333.
arginine. 51:227-232.
cysteamine derivatization procedure. 50:324-333.
fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF)-MS. 49:231-239.
HPLC quantification of biogenic amines and amino acids in wine. 49:266-278.
metal content in wine. 51:131-136.
methods and proficiency survey. 50:461-465.
protein fraction analysis of white wine by FPLC. 49:383-388.
solid-phase extraction determination of mono- and diglycerides. 51:415-417.
volatile components of wine. 49:44-48.
- Angiotensin I converting enzyme (ACE). 50:65-68.
- Anthocyanin(s). analysis. by HPLC. 53:218-221.
by HPLC/ESI-MS. 53:78-86. by MALDI. 50:199-203.
berry skins. 50:1-12.
composition. effect of cluster thinning. 53:224-226.
copigmentation relative to aging. 50:211-218.
determination by electrospray ionization. 51:55-64.
differences among planting sites. 50:277-284.
irrigation cut-off time effects on. 49:152-162.
review of copigmentation. 52:67-87.
skin fermentation time effects on. 49:152-162.
soil nutrient effects on in berry skins. 50:1-12.
standard red wine. 50:91-100.
- Antibodies. wine protein analyses. 51:22-28.
- Antioxidant(s). from grape seed extract. 51:383-389.
- Arabinogalactan(s). 50:25-32, 51-56; 51:115-121.
- Arbuscular mycorrhizae. 51:269-275.
- Arginine. 51:227-232.
- Armilaria mellea*. root. 53:197-203.
- Aroma, wine. See also Sensory characteristics of wine.
amino acid content of must and wine relationship to. 50:253-258.
analysis by HS-SPME of sparkling wine. 50:404-408.
compounds. influence of fermentation temperature. 52:235-240.
in Merlot clone wines. 49:44-48.
in Pisco. 51:404-408.
in sherry wines. 49:240-250.
descriptive analysis. 49:289-294.
enhancement. 50:231-235.
 β -glycosidase. 51:362-369.
headspace analysis. 51:379-382.
hydrogen sulfide. 50:334-342.
malolactic cultures. effects on Chancellor. 51:42-48.
Méthode Champenoise process effect on. 49:289-294.
Oenococcus oeni. 51:362-369.
potential of Muscat grapes for Pisco production. 51:404-408.
precursors. 51:404-408.
sparkling wine. 50:404-408.
- Artificial neural networks analysis. 51:108-114.
- Aspergillus niger*. 51:276-282.
- Assay. arginine. 51:227-232.
resveratrol. 51:37-41.
- Autochthonous grapevine cultivars. 51:370-378.
- Autolysis. 51:65-72.
- Authors guide. 52:60-65; 53:334-341.

B

- BAC. end sequencing. 52:287-291.
library. 52:287-291.
- Bacteriocin. effect on *Oenococcus oeni*. 53:191-196.
- Bagaceira. 49:56-94.
- Barrel(s). See also Aging.
lignin fractions. 49:49-55.
organoleptic properties. 50:469-478, 479-494, 503-512, 513-218, 519-526.
phenolic extraction kinetics. 50:33-39.
toasting. intensities. 50:479-494.

- Bentonite. adsorption of protein. 52:122-126.
effect on yeast. 53:28-36.
method of addition, effect of. 52:275-279.
- Berry, grape. See also Grape(s), Table grapes.
composition. climate effects on. 51:249-261.
irrigation effects on. 50:418-434.
leaf canopy structure effects on. 51:390-396.
minimal pruning effect on. 52:45-48.
development. girdling effects on. 51:49-54.
effect of limiting leaf area on. 49:251-258.
gibberellin content. 51:315-318.
growth. 52:317-323.
methoxypyrazine concentration. 50:194-198.
ripening. 52:331-335.
nitrogen. 53:69-77.
tannin. 53:54-59.
rooting-zone restriction. 52:248-253.
skins. anthocyanins. 50:1-12.
temperature. 51:182-188.
- Biofilm. *Oenococcus oeni*. 53:191-196.
- Biogenic amines in wines. 49:266-278, 279-282; 50:128-132.
influence of yeast strain. 52:185-190.
- Biosensor. measurement of polyphenolics. 52:219-222.
- Blackleaf. Concord vines. 49:367-374; 52:364-375.
- Blending. optimization. 52:386-395.
- Bogazkere. 49:95-99.
volatile composition. 53:64-68.
- Bordeaux wines. authenticity determination. 50:409-417.
- Botrytis cinerea*. canopy effects on Seyval blanc. 49:163-170.
control of. leaf removal. Stylet-Oil. 49:11-16.
 β -1,3-glucanase gene expression in infected leaves. 51:81-87
influence on polysaccharide composition of must and base wine.
50:456-460.
pH control. 52:12-20.
quantification by ELISA. 51:276-282.
table grapes. 53:110-115.
- Bottle-cap. permeability in Champagne wines. 52:54-55.
- Brandy. color measurement. 50:359-363.
- Brettanomyces bruxellensis*. glycosidase activity. 53:303-307.
Dekkera spp., identification of. 52:241-247.
detection of. 53:322-324.
volatile phenols. 53:131-137.
- Browning. sparkling wine. 51:29-36.
- Bubbles. formation in Champagne. 52:88-92.
nucleation in Champagne. 50:317-323; 53:151-153.
- Bud, grapevine. See also Grapevine.
necrosis. 49:429-439.
- Budbreak. calculation of. 49:74-78.
control. 51:409-414.
- Buffering capacity of tartaric and malic acids. 51:347-351, 352-356.
- Bunch rot. See *Botrytis cinerea*.
- Bunch stem necrosis. 51:319-328.
- Burgundy wines, barrel-aging. 50:513-218.
- C**
- Cabernet Franc. DNA typing. 52:396-399.
- Cabernet Sauvignon grapevines. See also Grapevine(s).
glutathione. 50:264-270.
irrigation effects on color, anthocyanins, phenols. 49:152-162.
leaf area effect on berries. 49:251-258.
2-methoxy-3-isobutylpyrazine. 53:1-5.
nitrogen fertilization. 50:351-358.
- Cabernet Sauvignon wine. catechin and epicatechin concentrations.
49:23-34.
glycosides. 50:385-390.
irrigation effects on color, anthocyanins, phenols. 49:152-162.
2-methoxy-3-isobutylpyrazine. 53:1-5.
skin contact time. effects on color, anthocyanins, phenols.
49:152-162.
- Cadmium uptake in vines. 51:269-275.
- Calcium. berry. 52:331-335.
budbreak control. 51:409-414.
tartrate. seeding. 49:177-182.
- Canary Island wines. descriptive analysis. 49:440-444.
- Canopy management. See also Grapevine, Trellising.
artificial shading effects on bud necrosis. 49:429-439.
chamber-free method for heating and cooling clusters. 51:182-188.
Chancellor. 52:45-48.
cluster zone leaf removal. 51:390-396.
density. nitrogen fertilization effects on. 50:351-358.
fruit set. 49:163-170.
lateral shoot length. 51:390-396.
Merlot berries. 53:171-182.
morphology. 49:183-190.
Riesling vines. 49:429-439.
Seyval blanc vines. 49:163-170.
shading effects. on bud necrosis. 49:429-439.
shoot tipping. 51:390-396.
- Capillary electrophoresis. organic acid determination. 50:154-161.
wine protein analysis. 50:120-127.
- Carbon partitioning. 49:183-190.
- Carmenère. DNA typing. 52:396-399.
- Catechin(s). concentration in wine. 49:23-34; 50:185-193.
in seeds and skins. 51:397-403.
transfer from grape cluster solids into wine. 50:179-184.
evolution during grape maturation. 52:230-234.
influence of altitude. 52:115-121.
- Cava. age determination. 50:404-408.
Botrytis cinerea effect on pectolytic composition. 50:456-460.
browning. 51:29-36.
- Cell wall. porosity and macromolecule excretion of *S. cerevisiae* cultivated on grape juice. 49:325-332.
- Cellulase from Muscadine grapes. 50:19-24.
- Champagne wines. bubble formation. 52:88-92.
bubble nucleation. 50:317-323; 53:151-153.
dimethylsulfide formation. 52:54-55.
protective effect of composite cork on pollution with trichloroaniline. 52:280-281.
taste intensity. 53:6-13.
- Chancellor wine. 51:42-48.
- Characterization. of cellulase from Muscadine grapes. 50:19-24.
of polyphenol oxidase from Muscat Bailey A juice. 50:137-143.
- Chardonnay. rootstock. 53:37-40.
- Chardonnay grapevines. effect of fruit zone leaf removal on total glycoconjugates and conjugate fraction concentration. 49:259-265.
- Chardonnay wine. amino acids. 49:389-396; 50:253-258.
clarification treatments. 49:389-396.
- Chemical composition of wine. determination. 51:108-114.
- Chlorophyll fluorescence. in blackleaf-affected Concord vines. 49:367-374; 52:364-375.
cold hardiness. 53:210-217.
- Chromatography. capillary gas liquid. solid-phase microextraction to determine headspace compounds. 49:100-104.
gas. aldehydes in alcoholic beverages. 50:324-333.
olfactometry. determination of changes in sensory characteristics pesticide residue analysis in wines. 50:435-442.
high-performance liquid. polyphenol concentrations in wines. 50:185-193; 51:144-149.
quantification of biogenic amines and amino acids in wine. 49:266-278.
resveratrol. 50:185-193.
- Cider. 51:144-149.
- Clarification. gluten. 53:308-314.
must and wine. 49:389-396.
practice influence on wild yeast strain selection. 50:219-224.
- Climate. 51:249-261.

- Cluster. heating and cooling. 51:182-188.
 thinning. anthocyanin composition. 53:224-226.
 effects on fruit set and botrytis. 49:163-170.
 leaf canopy structure effects on. 51:390-396.
- Collaborative testing. 50:461-465.
- Cold hardness. chlorophyll fluorescence technique. 53:210-217.
 Concord. 53:227-230.
- Cold soak. effects of glucosides. 50:385-390.
- Cold stabilization. 50:391-397, 398-403.
- Colloids. inhibitory effect on tartaric precipitation. 50:343-350.
- Color. See also Anthocyanin, Browning, Wine.
 brandy. 50:359-363.
 irrigation effects on. 49:152-162.
 measurement. 50:359-363.
 review of copigmentation. 52:67-87.
 skin contact time. effects on. 49:152-162.
 stability. effect of skin maceration time. 52:266-270.
- Computer modelling of alcoholic fermentation. 50:166-178.
- Concord grapevines. blackleaf. 49:367-374.
 chlorophyll fluorescence. 52:364-375; 53:210-217.
 cold hardness. 53:227-230.
 dry matter partitioning. 49:183-190.
 pruning and crop control. 53:204-209.
- Condensed tannins. in fined wines. 50:81-86.
 influence of gelatins on proanthocyanidins. 52:140-145.
 in grape pomace. 49:135-141.
- Continuous fermentation. yeast population. 53:24-27.
- Cooperage. 50:447-455, 469-478, 479-494, 503-512, 513-218, 519-526;
 51:201-214.
 ellagitannins in kiln-dried oak. 51:201-214.
 lignin fractions. 49:49-55.
 variations in volatile oak extractives. 49:79-85.
- Copigmentation. in model wine solutions. 50:211-218.
 red wine color, review of. 52:67-87.
- Copper content in wine. 51:131-136.
- Copper chelate regenerable carrier for removal of phenols from must.
 51:357-361.
- Cork(s). phenolic compounds. 49:6-10; 50:285-290.
 processing of cork slabs. 49:6-10.
 trichloroanisole. 52:280-281.
- Cover crops. 52:292-303.
- Crop control. thinning. 53:204-209.
- Crop level. canopy management effects on. 49:163-170.
- Crop yield. horticultural oil. 53:116-124.
- Cyanamides. effects on budbreak. 51:409-414.
- Cyanidin. grape. 50:199-203.
- Cyclic voltammetry. phenolics. 53:294-302.
- Cysteamine derivatization. 50:324-333.
- Cysteinylated precursors. liberation by yeast. 52:136-139.
- D**
- Daktulosphaira vitifoliae*. See Phylloxera.
- Debaryomyces hansenii*. isolation and properties. 50:231-235.
- Deacidification of high malate must with *Schizosaccharomyces pombe*.
 49:408-412.
- Decision tree analysis. determination of processing parameters. 52:175-184.
- Defoaming agent. 51:415-417.
- Delphinidin. grape. 50:199-203.
- Demethylation inhibitor (DMI). 49:11-16.
- Descriptive sensory analysis. See also Sensory characteristics of wines.
 Canary Island wines. 49:440-444.
 low-alcohol wines. 50:307-316.
Méthode Champenoise process effect on aroma. 49:289-294.
 reduced-alcohol wines. 50:307-316.
- Dessèchement de la rafle. 51:319-328.
- Dietary fiber. grape pomace potential as a food ingredient. 48:328-332;
 49:135-141.
- Differential pH meter. determination of sugar. 52:271-274.
- Dimethylsulfide. formation in Champagne wines. 52:54-55.
- Discriminant analysis. Port wine. 51:262-268.
- Disease, grapevine. See also specific disease.
 blackleaf-affected Concord vines. 49:367-374.
Botrytis cinerea. 49:11-16.
 leafroll. effects on physiology and must. 50:40-44.
 powdery mildew. Stylet-Oil. 49:11-16.
- Distilled beverages. volatile responses to processing. 49:56-94.
 marc distillates. 49:56-94.
 Pisco. 51:404-408.
- DNA. fingerprinting. marker analysis. 50:236-242.
 polymorphism. 50:236-242, 243-246.
- Dry matter partitioning. of Concord grapevines. 49:183-190.
- Drying varieties. ripening characteristics. 49:375-382.
- E**
- Effervescence. in champagne. 50:317-323; 53:151-153.
- Elastic adjustment of leaf tissue. 50:76-80.
- Electrode. carbon paste. 52:381-385.
- Electrophoresis. histone heterogeneity study. 50:13-18.
- Electrospray ionization. 51:55-64.
- Electrothermal atomization-atomic absorption spectrometry for deter-
 mination of manganese content. 51:103-107.
- ELISA test. botrytis quantification. 51:276-282.
 detection of virus. 52:21-27, 56-57.
- Ellagic acid. changes during storage. 52:109-114.
- Emir grapes. 49:95-99.
- Enological. practices. influence on selection of wild yeast strains dur-
 ing spontaneous fermentation. 50:219-224.
 traits of thermotolerant *S. cerevisiae*. 49:319-324.
- Epicatechin. concentrations in red wines. 49:23-34; 51:397-403.
- Epicuticular wax. 52:317-323.
- Ethanol. analysis in wine. 50:259-263.
 concentration effects on temporal perception of viscosity and
 density. 49:306-318.
 toxicity. fermentation arrest. 50:107-119.
- Ethyl carbamate. 51:227-232.
 determination of. 53:60-63.
- Evapotranspiration. 51:340-346.
- Extraction kinetics of phenolics from oak. 50:33-39.
- F**
- Fermentation. alcoholic. 50:204-210.
 computer modelling. 50:166-178.
 must deacidification with *Schizosaccharomyces pombe*.
 49:408-412.
 skin maceration effect on lipid composition of *S. cerevisiae*.
 49:119-124.
 buffering capacity. 51:347-351, 352-356.
 catechin(s). transfer from grape cluster into wine. 50:179-184.
 ethanol toxicity. 50:107-119.
 enological traits of thermotolerant *S. cerevisiae*. 49:319-324.
 hexose transport capacity. 50:107-119.
 kinetics. 51:73-80.
 malolactic. See also Malolactic fermentation.
 effects on Chancellor wine. 51:42-48.
 by genetically engineered strain of *S. cerevisiae*. 50:45-50.
 mannoprotein production in juice and must. 49:325-332.
 oxygen demands of yeasts. 51:215-222.
 pH and potassium effect on stuck fermentations. 49:295-301.
 potassium and pH concentration imbalance as a cause of stuck
 fermentations. 49:295-301
 proanthocyanidin. transfer from grape cluster to wine. 50:179-184.
 restarting. 51:168-177.

- Fermentation, cont.
 sluggish. acetic acid effects on. 50:107-119, 204-210.
 lactic acid bacteria/yeast effects on. 51:168-177.
 yeast nitrogen demands. 51:168-177, 215-222.
 spontaneous. 50:219-224; 52:352-356.
 starter cultures. 51:42-48.
 stationary phase. 51:215-222.
 stuck. 49:125-134, 295-301; 50:107-119, 204-210; 51:168-177, 215-222. 52:345-351.
 Stylet-Oil effects on. 49:11-16.
 temperature. influence on wine composition. 52:235-240.
 thermotolerant *S. cerevisiae*. 49:319-324.
 volatile sulfur compounds. 50:334-342; 51:91-97.
 yeast-assimilable nitrogenous compounds. 49:125-134; 51:168-177, 215-222.
- Fertilization, nitrogen. effect on bunch stem necrosis. 51:319-328.
 effect on Cabernet Sauvignon. 50:351-358.
 dessèchement de la rafle. 51:319-328.
 on trickle-irrigated vines. 49:191-198.
- Filtration. measurement of wine filterability. 52:191-197.
 polysaccharide effects on organic microfiltration membrane. 50:51-56.
- Fingerprinting wine proteins. 49:231-239.
- Fining. effect of method of addition of bentonite. 52: 275-279.
 effects on resveratrol concentrations. 50:57-64.
 influence of gelatins on proanthocyanidins. 52:140-145.
 polyphenols removed by gelatin. 50:81-86.
 treatments for pinking. 52:156-158.
- Fino sherry. *S. cerevisiae* metabolism during fermentation and aging. 49:240-250.
 hyperoxidation of must during aging. 51:98-102.
- Flavanols. 51:397-403.
 compositional differences among planting sites. 50:277-284.
- Flavonoids. compositional differences among planting sites. 50:277-284.
 in red wines. 49:23-34; 50:91-100.
 stilbene biosynthesis. 52:287-291.
- Flavor, wine. See also Wine, Sensory characteristics of wine, Aroma, specific wine.
 ethanol concentration effects on temporal perception of viscosity and density. 49:306-318.
 stability. hyperoxidation. 49:65-73.
 from wood during aging. 50:447-455.
- Foam-active compounds in sparkling wines. effect of vinification and variety on foam capacity. 49:397-402.
- Foam stability. influence of polysaccharides. 52:146-150.
- Formol titration. 52:400-401.
- Free amino nitrogen (FAN). 52:400-401.
- Fruit. See Berry, Grape, Table Grapes.
- Fruit composition. effect of sunlight exposure and temperature. 51:1-7.
- Fumigation. mycorrhizal fungi. 52:8-11.
- Fungal disease. See Disease.
- G**
- Garlic paste for budbreak control. preparations for control of budbreak. 51:409-414.
- Gas chromatography. See Chromatography.
- Gelatin. fining. 50:81-86.
 influence on proanthocyanidins. 52:140-145.
- Genetic(s). analysis of related cultivars. 51:7-14.
 complex hybrid combinations. 49:302-305.
 molecular markers. 50:236-242, 243-246.
 RAPD markers. 50:69-75.
 relationships of grape cultivars. 50:69-75, 236-242; 51:7-14.
 transformation. 53:183-190.
- Gibberellins. 51:315-318.
- Girdling. effects on fruit set and vegetative growth. 49:359-366.
- β -1,3-Glucanase gene expression in grapevine leaves. 51:81-87.
- β -Glucosidase. activities of *Oenococcus oeni*. 51:362-369.
 produced by *Debaryomyces hansenii*. 50:231-235.
- Glutathione. and related enzymes in ripening of Koshu and Cabernet Sauvignon. 50:264-270.
 formation during fermentation of white musts. 51:91-97.
- Glycoconjugates. Riesling. 49:35-43.
- Glycosides. analysis of. 53:315-317.
 fruit zone leaf thinning effect on. 49:35-43, 259-265.
 maceration temperature and alcohol effects on. 50:385-390.
- Glycosyl-glucose. 50:385-390. analysis of. 53:315-317.
- Grape(s). See also Berry, Grapevine, Table grapes.
 alkaline phosphatase analysis of tannins. 50:247-252.
 anthocyanins. 49:333-340, 341-349; 50:199-203, 277-284; 51:55-64.
 BAC library. 52:287-291.
 bunch rot. quantification by ELISA. 51:276-282.
 composition. climate effects on. 51:249-261.
 irrigation effects on. 50:418-434.
 leaf area effect on berry development and composition. 49:251-258.
 skins. anthocyanin content. 50:1-12.
 flavonoid compositional differences among planting sites. 50:277-284.
 fruit zone leaf removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 glutathione. 50:264-270.
 inheritance of seedlessness. 49:302-305.
 manganese content. 51:103-107.
 nickel content. 49:205-210.
 nitrogen availability effects on skin. 49:333-340, 341-349.
 pigments. 49:333-340, 341-349.
 pomace. tartaric acid production. 49:95-99.
 protein characterization. 51:22-28.
 raisin. 49:375-382.
 ripening. amino acids in Tempranillo during. 50:144-154.
 seedlessness inheritance. 49:302-305.
 seeds. oligomeric procyanidins in extracts. 51:383-389.
 skins. anthocyanins. 51:390-396.
 gibberellins. 51:315-318.
 growth-yield relationship. 52:165-174.
 maturity. effect on methoxypyrazine concentration. 50:194-198.
 polyphenol. 53:268-274.
 methoxypyrazine concentration. 50:194-198.
 phenols. 49:333-340, 341-349.
 phloem unloading during ripening. 51:340-346.
 pomace. dietary fiber. 49:135-141.
 storage conditions relationship to volatile composition of distillates. 49:56-94.
 protein precipitation. 50:247-252.
 ripening characteristics under furrow irrigation. 49:375-382.
 seeds. procyanidin changes. 51:397-403.
 skin. maceration effect on lipid composition of *S. cerevisiae*. 49:119-124.
 soil nutrient effects on anthocyanins. 50:1-12.
 sugar accumulation during ripening. 51:340-346.
 tannins. differences among planting sites. 50:277-284.
 transfer of catechins and proanthocyanidins from solid parts of grape cluster into wine. 50:179-184.
- Grapevine(s). See also specific cultivar.
 ampelography. 49:403-407; 51:370-378.
Aspergillus niger. quantification by ELISA. 51:276-282.
 assimilate supply. 49:251-258.
 autochthonous grapevine cultivars. 51:370-378.
 balance. a review. 52:165-174
 base temperature for budbreak. 49:74-78.
 blackleaf. 49:367-374.
 botrytis bunch rot. 49:163-170.
 β -1,3-glucanase gene expression. 51:81-87
 quantification by ELISA. 51:276-282.
 budbreak. calculation. 49:74-78.
 control. 51:409-414.
 bud necrosis. 49:429-439.
 bunchstem necrosis. 51:319-328.
 cadmium uptake. 51:269-275.

- Grapevine, cont.
- canopy management. artificial shading effects on bud necrosis. 49:429-439.
 - effects on crop level. 49:163-170.
 - morphology. 49:183-190.
 - nitrogen fertilization effect on density. 50:351-358.
 - carbohydrate. accumulation. 51:49-54.
 - carbon partitioning. 49:183-190.
 - carotenoids. 51:122-130.
 - chemotaxonomy of leaves. 49:86-90.
 - chlorophyll. fluorescence in blackleaf-affected Concord. 49:367-374.
 - relationship to irradiance regime. 51:122-130.
 - cluster. heating and cooling. 51:182-188.
 - thinning. influence on fruit development. 49:163-170.
 - vine performance. 51:390-396.
 - complex hybrid combinations. 49:302-305.
 - denitrogenization. 49:191-198.
 - dessèchement de la rafle. 51:319-328.
 - disease. See Disease, specific disease.
 - DNA fingerprinting. rootstock identification. 49:403-407; 50:236-242, 243-246.
 - dry matter partitioning. 49:183-190.
 - elastic adjustment of leaf tissue. 50:76-80.
 - evapotranspiration. 51:340-346.
 - fertilization. See Fertilization.
 - flowering. base temperature. 49:74-78.
 - fruit. leaf removal influence on. 49:359-366.
 - nitrogen fertilization effects on. 49:333-340, 341-349.
 - fruit zone leaf removal. effects on fruit set. 49:359-366.
 - effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 - garlic preparations for control of budbreak. 51:409-414.
 - gas exchange. 51:122-130; 51:137-143.
 - genetic relationships. 50:69-75, 236-242, 243-246; 51:7-14.
 - gibberellins. 51:315-318.
 - girdling. 49:359-366; 51:49-54.
 - glycosides. fruit zone leaf thinning effect on. 49:35-43.
 - growing site. effect on flavonoid composition. 50:277-284.
 - growth. nitrogen availability. 49:333-340, 341-349; 50:351-358.
 - heavy metal toxicity. 51:269-275.
 - histones. 50:13-18.
 - host/pest interactions. 49:17-22.
 - hydrogen cyanamide preparations for control of budbreak. 51:409-414.
 - identification of variety. 50:236-242, 243-246.
 - irradiance. 51:122-130.
 - irrigation. effects of changes of berry composition. 50:418-434.
 - fertilization with drip. 49:191-198.
 - furrow. of drying varieties. 49:375-382.
 - sap-flow sensors for scheduling. 49:171-176, 413-420, 421-428.
 - lead uptake. 51:269-275.
 - leaf. See also Leaf.
 - age. 51:390-396
 - chemotaxonomy. 49:86-90.
 - effect on berry development and composition. 49:251-258.
 - gas exchange. 51:49-54; 122-130.
 - β -1,3-glucanase gene expression. 51:81-87
 - isoenzymes. 49:86-90.
 - ontogeny. 51:223-226.
 - removal. effect on fruit maturation. 49:359-366.
 - effect on glycosides. 49:35-43.
 - effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 - leafhopper feeding impact on Concord yield and juice quality. 48:291-302.
 - leafroll. 50:40-44.
 - detection by ELISA and RT-PCR. 52:21-27.
 - mechanical pruning. effects on berry composition and yield. 50:87-90.
 - mineral nutrition. 50:418-434.
 - modelling. 51:340-346.
 - mycorrhizae. 51:269-275.
 - necrosis. shading effects on. 49:429-439.
 - nitrogen. fertilization. 49:191-198; 51:319-328.
 - reserves. 51:122-130.
 - nutrient. accumulation. 51:269-275.
 - analysis. 51:319-328.
 - osmotic potential. 50:76-80; 51:223-226; 340-346.
 - palo negro. 51:319-328.
 - Penicillium*. quantification by ELISA. 51:276-282.
 - phenology. 49:74-78; 51:249-261.
 - photosynthesis. 49:367-374; 51:49-54.
 - phylloxera. 49:17-22; 50:101-106.
 - resistance evaluation. 49:17-22.
 - pollination. 49:1-5.
 - powdery mildew. 51:1-6.
 - pruning. effects on crop yield and berry composition. 49:163-170.
 - effects on fruit set and botrytis. 49:163-170.
 - mechanical. 50:87-90.
 - Pulliat. pollination. 49:1-5.
 - rooting-zone restriction. 52:248-253.
 - RAPD. genetic analysis among Pinot cultivars. 51:7-14.
 - rootstock. identification. 49:403-407.
 - influence on water relations and gas exchange. 51:137-143.
 - phylloxera. 50:101-106.
 - sap-flow sensors for irrigation scheduling. 49:171-176, 413-420, 421-428.
 - shading. See Canopy management.
 - shanking. 51:319-328.
 - shoot(s). powdery mildew infection. 51:1-6.
 - soil nutrients. 50:1-12; 51:329-339.
 - solar radiation. 51:182-188.
 - soluble solids. mechanical pruning effects. 50:87-90.
 - source-sink relationships. 49:183-190, 251-258; 51:49-54.
 - Stiellähme. 51:319-328.
 - stomatal. density. 51:122-130. sugar(s). accumulation during ripening. 51:340-346.
 - mechanical pruning effects on production. 50:87-90.
 - variety. identification by DNA fingerprinting. 50:236-242, 243-246.
 - vegetative growth. 49:359-366.
 - virus. incidence in Missouri vineyards. 52:56-57.
 - survey. 50:133-134.
 - water relations. effects on composition of maturing berries. 50:418-434.
 - osmotic adjustment of leaf tissue. 50:76-80.
 - rootstock influence on. 51:137-143.
 - water potential. girdling effects on. 51:49-54.
 - waterberry. 51:319-328.
 - wild. pollination. 49:1-5.
 - wood carbohydrate reserves. 51:390-396.
 - yield. See also Yield.
 - mechanical pruning effects. 50:87-90.
 - nitrogen fertilization of Cabernet. 50:351-358.
 - variation. 49:1-5.
 - xylem sap. chemical composition. 51:329-339.
 - Gray mold. pH control. 52:12-20.
 - Growing site. effects on flavonoid compositional differences. 50:277-284.
 - Guide to authors. 52:60-65; 53:334-341.
 - Gewürztraminer grapes. terpene. 53:99-109.
- ## H
- Haze. wine. 50:120-127.
 - Headspace solid-phase microextraction analysis of headspace compounds. 49:100-104; 51:379-382.
 - Health. antioxidant activity of grape seed extract. 51:379-382.
 - manganese content of grapes and wines from France. 51:103-107.
 - Heartwood, oak. 50:469-478, 479-494, 503-512, 513-518, 519-526.
 - lignin fractions. 49:49-55, 79-85.
 - tannins. 50:469-478
 - Heavy metal toxicity in vines. 51:269-275.
 - Hexose transport capacity. 50:107-119.
 - High malate must deacidification with *Schizosaccharomyces pombe*. 49:408-412.
 - High-performance liquid chromatography. See Chromatography.
 - Histamine-producing lactic acid bacteria in wine. 49:199-204.

- Histone(s). electrophoretic heterogeneity. 50:13-18.
 Historical databases. decision tree analysis. 52:175-184.
 Horticultural oil. wine grapes, effects on. 53:116-124.
 HPLC. See Chromatography.
 Hydroalcoholic extracts from oak. 50:162-165.
 Hydrogen cyanamides. preparations for budbreak control. 51:409-414.
 Hydrogen sulfide formation during fermentation. 51:91-97, 233-248.
 Hydrophilic organic microfiltration membrane. 50:51-56.
 Hydrooxidation. 49:65-73; 51:98-102.
- I**
- Ice wine. sensory analysis. 53:46-53.
 Identification. of grapevine rootstocks. with simple sequence repeat (SSR) DNA markers. 49:403-407.
 of pesticide residues in wine. 50:435-442.
 Immobilized alcohol dehydrogenase. 50:259-263.
 Immobilized yeast. volatile compound formation. 52:210-218.
 Immunoblotting. wine protein characterization. 51:22-28.
 Iron content in wine. 51:131-136.
 Irradiance regimes. 51:122-130.
 Irrigation. effects on composition of maturing berries. 50:418-434.
 effects of preveraison cup-off on wine. 49:152-162.
 nitrogen fertilization with drip. 49:191-198.
 sap-flow sensors for scheduling. 49:171-176, 413-420.
 Isoenzymatic polymorphism. 49:86-90.
 Isotopic ratios to characterize geographic origin of Bordeaux wines. 50:409-417.
 Isozymes. characterization of Albillo accessions. 52:127-135.
- J**
- Juice, grape. arginine. 51:227-232.
 Botrytis cinerea effect on pectolytic composition. 50:456-460.
 composition. 50:291-298.
 concentrate. 52:345-351.
 Debaryomyces hansenii application in processing. 50:231-235.
 ethyl carbamate. 51:227-232.
 glucose oxidase treatment for low alcohol wine. 50:291-298, 299-306, 307-316.
 organic acid determination. 50:154-161.
 oxidation. 50:291-298, 299-306, 307-316.
 polyphenol oxidase. 50:137-143.
 reduced sugar. 50:291-298, 299-306, 307-316.
- K**
- KHT crystallization. 49:177-182; 50:343-350, 391-397, 398-403.
 Killer yeasts. 51:65-72.
 Kiln-drying of oak. 51:201-214.
 Koshu grapevines. glutathione. 50:264-270.
- L**
- Laboratory methods and proficiency. 50:461-465.
 Lactic acid bacteria. histamine production. 49:199-204.
Lactobacillus casei. 50:45-50.
 Lactone, oak. 50:469-478, 479-494, 495-502, 503-512, 513-518, 519-526.
 Lead uptake in vines. 51:269-275.
 Leaf, grapevine. area. canopy configuration effects on. 48:482-491.
 effect on berry development and composition. 49:251-258.
 mechanical pruning effects. 50:87-90.
 cell wall elasticity. 48:352-356.
 ontogeny. 48:352-356; 51:223-226.
 removal. effects on fruit set. 49:359-366.
 effect on glycosides. 49:35-43.
 effects on vegetative growth. 49:359-366.
 Leafroll virus. effects on physiology and must. 50:40-44.
 latent infection and fruit quality. 52:254-259.
Leuconostoc oenos. relationship to sluggish fermentation. 49:445-448.
- Light. exposure. effect in berry methoxypyrazine. 50:194-198.
 Linear discriminant analysis of wine. 51:108-114.
 Lipid composition of *S. cerevisiae*. skin maceration effect on. 49:119-124.
 Listan blanco wine. descriptive analysis. 49:440-444.
 Low alcohol wine. 50:291-298, 299-306, 307-316.
 Lysozyme analysis. 53:154-157.
- M**
- Maceration. lipid composition of *S. cerevisiae*, effect on. 49:119-124.
 phenolic compounds and color stability, effect on. 52:266-270.
 phenols, effect on. 53:93-98.
 temperature. effects on glycosides. 50:385-390.
 MALDI. See Matrix-assisted laser desorption ionization mass spectrometry
 Malic acid. buffering of model wine solutions. 51:347-351, 352-356.
 Malolactic fermentation. Chancellor wines. 51:42-48.
 inhibitory effect of copper and dichlofluanid. 52:223-229.
 Malvasia. microsatellite analysis. 53:125-130.
 Malvidin. grape. 50:199-203.
 Manganese content of grapes and wines. 51:103-107, 131-136.
 Mannoproteins. filterability of wine. 50:51-56.
 patterns during red wine aging. 50:25-32.
 production in juice and must. 49:325-332.
 Marc distillates. 49:56-94.
 Matrix-assisted laser desorption ionization mass spectrometry analysis of grape anthocyanins. 50:199-203.
 Matrix modifier. selenium detection in wines. 49:115-118.
 Mechanical pruning. 50:87-90.
Meloidogyne spp. 52:310-316.
 rootstock resistance. 53:19-23.
 Merbein Seedless. ripening and furrow irrigation. 49:375-382.
 Merlot. catechin and epicatechin concentrations. 49:23-34.
 clone wines. volatile components. 49:44-48.
 composition of berries. sunlight and temperature effects. 53:171-182.
 DNA typing. 52:396-399.
Mesocriconema xenoplax. 52:304-309.
 Metals determination in wine. 51:131-136.
Méthode Champenoise process effect on wine aroma. 49:289-294.
 Methoxypyrazine concentration in grape berries. 50:194-198.
 2-Methoxy-3-isobutylpyrazine. 53:1-5.
Metschnikowia. native flora fermentations. 52:198-203.
 Microfiltration. polysaccharide impact on organic membrane. 50:51-56.
 Microsatellite. markers. 50:236-242, 243-246.
 V. vinifera. 53:125-130.
 Mineral. irrigation effects on in maturing berries. 50:418-434.
 Minimal pruning. effect on vine performance. 52:45-48.
 Mitochondrial DNA analysis. wild yeast strains. 50:219-224.
 Modelling. alcoholic fermentation. 50:166-178.
 Monoterpenes. Riesling. canopy management effects on. 49:35-43.
 Morphology, grapevine. characterization of wild vines. 50:443-446.
 Multiple mass spectrometry. anthocyanin analysis. 51:55-64.
 Muscadine grapes. cellulase characterization. 50:19-24.
 protein. 53:87-91.
 Muscat Bailey A. yeast polygalacturonases. 52:41-44.
 Muscat grapes. aromatic composition. 51:404-408.
 Must, grape. acidification. 50:45-50.
 amino acid concentrations. in Chardonnay. 50:253-258.
 in Tempranillo. 50:144-154.
 arginine. 51:227-232.
 Botrytis cinerea effect on pectolytic composition. 50:456-460.
 clarification. effects on amino acids. 49:389-396.
 deacidification with *Schizosaccharomyces pombe*. 49:408-412.

- Must, grape, cont.
 ethyl carbamate. 51:227-232.
 high malate. 49:408-412.
 hyperoxidation. 49:65-73.
 mannoprotein production. 49:325-332.
 oxidation. 49:91-94.
 pectic polysaccharides. 51:115-121.
 phenol removal from white musts. 51:357-361.
 polysaccharides. 51:115-121.
 turbidity effect on yeast cell wall porosity. 49:325-332.
 xyloglucans. 51:115-121.
- Mycorrhizae. 51:269-275.
- Mycorrhizal fungi. comparative response of rootstocks. 52:8-11.
- N**
- Nebbiolo. cluster thinning. 53:224-226.
- Necrosis. See also Grapevine.
 nitrogen source effects on. 51:319-328.
- Nematodes. ectoparasitic. 52:304-309.
 endoparasitic. 52:310-316.
 resistance. 53:19-23.
- Neural networks. blending. 52:386-395.
- Nickel in wine and grapes. 49:205-210.
- Nitrogen. analytical methods. 53:325-329.
 concentration in vines. 51:122-130.
 demands of yeasts during fermentation. 51:168-177, 215-222.
 fertilization. effect on Cabernet Sauvignon. 50:351-358.
 trickle-irrigated Thompson Seedless vines. 49:191-198.
 grape berries. 53:69-77.
- NOPA. 52:400-401.
- Norisoprenoids. Merlot clone wines. 49:44-48.
- Norton. stilbene synthase. 53:289-293.
- Nuclear microsatellites. genetic comparison of Greek cultivars. 52:101-108.
- Nutrient. analysis. 51:319-328.
 uptake. 51:269-275.
- Nutrition. See Grapevine, mineral nutrition.
- O**
- Oak. See also Barrel, Aging.
 barrel-to-barrel variation among individual trees. 50:447-455.
 chemical composition. 49:79-85; 50:469-478, 479-494, 503-512, 513-518, 519-526.
 comparison to stainless steel. 52:159-164.
 ellagitannin content. 50:447-455; 51:201-214.
 extraction kinetics of phenolics. 50:33-39.
 heartwood. tannins influence on wine flavor. 50:469-478.
 hydroalcoholic extracts from oak. 50:162-165.
 kiln drying. 51:201-214.
 lactones. 50:447-455.
 lignin. 49:49-55.
 pedunculate oak. anatomy related to cask properties. 50:469-478, 479-494, 503-512, 513-518, 519-526.
 ellagitannin content. 50:447-455.
Quercus petraea. 51:201-214.
 seasoning effects on wine sensory characteristics. 50:469-478, 479-494, 495-502, 503-512, 513-518, 519-526.
 sessile oak. anatomy related to cask properties. 50:469-478, 479-494, 503-512, 513-518, 519-526.
 ellagitannin content. 50:447-455.
 toasting. intensities. 50:479-494, 495-502.
 ultrastructure. 49:79-85.
 volatile extractives. 50:162-165, 479-494.
 wood anatomy. 50:513-518.
- Öküzgözü grapes. 49:95-99.
 volatile composition. 53:64-68.
- Oenococcus oeni*. 51:362-369.
 bacteriocin. 53:191-196.
 glycosidase activity. 53:303-307.
 inhibitory effect of copper and dichlofluanid. 52:223-229.
- Olien. defoaming agent. 51:415-417.
- Oligomeric procyanidins in grape seed extracts. 51:383-389.
- Organic acids. irrigation effects on in maturing berries. 50:418-434.
- Organoleptic properties of oak in wine. 50:469-478, 479-494, 503-512, 513-518, 519-526.
- Osmotic adjustment of leaf tissue. 50:76-80; 51:223-226.
- Oxidation. sherry wine. 52:151-155.
- Oxygen. bottle-cap permeability and dimethylsulfide formation. 52:54-55.
 demand of yeasts during fermentation. 51:215-222.
- P Q**
- Palo negro. 51:319-328.
- Partial least squares. decision tree analysis. 52:175-184.
- p*-coumaric acid concentrations in wines. 49:142-151.
- Pectic polysaccharides. 50:25-32, 51-56; 51:115-121.
- Pectolytic enzymes. effects on wine color. 50:271-276.
- Pedunculate oak. ellagitannin content. 50:447-455.
- Peonidin. grape. 50:199-203.
- Peptide(s). angiotensin I converting enzyme (ACE). 50:65-68.
 nucleic acid analysis. *Brettanomyces*. 53:322-324.
 organoleptic. 52:376-380.
- Pesticide(s). in grapes. dissipation of. 52:35-40.
 inhibition of malolactic fermentation. 52:223-229.
 in wines. multiresidue analysis. 50:435-442.
- Petunidin. grape. 50:199-203.
- pH. effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 effect on stuck fermentations. 49:295-301.
- Phenol(s). See also Polyphenols.
 analysis. 53:218-221.
 changes during storage. 52:109-114.
 comparison of oak and stainless steel. 52:159-164.
 extraction from oak. 50:33-39.
 irrigation effects on in wine. 49:152-162.
 removal from white musts. 51:357-361.
 skin fermentation time effects on. 49:152-162.
 volatile. *Brettanomyces*. 53:131-137.
- Phenol-free glycosyl-glucose. 50:385-390.
- Phenolic(s). cold stabilization of white wines. 50:391-397, 398-403.
 compounds. in cork. 49:6-10.
 water deficit in Shiraz. 53:261-267.
 cork stoppers. 50:285-290.
 cyclic voltammetry response. 53:294-302.
 maceration effect. 53:93-98.
 oxidation effects. 49:91-94.
 Pinot noir. 53:14-18.
 sparkling wine. 51:29-36; 51:144-149.
 standard red wine. 50:91-100.
- Phloem unloading. 51:340-346.
- Photosynthesis. blackleaf-affected Concord vines. 49:367-374.
 girdling effects on. 51:49-54.
 horticultural oil effects on. 53:116-124.
 leafroll virus effects on. 50:40-44.
 water deficit and crop level influences on. 52:364-375.
- Phylloxera. interaction with grape in isolation chamber. 52:28-34.
 resistance. 49:17-22; 50:101-106.
- Pinking. treatments for. 52:156-158.
- Pigments. effect of seed tannins. 52:93-100.
 production of. 53:41-45.
- Pinot noir grapevines. genetic relationships. 51:7-14.
 trellising system. 53:14-18.
- Pinot noir wines. catechin and epicatechin concentrations. 49:23-34.
 oak wood influence on flavor. 50:447-455.
 volatile phenols. 53:131-137.
- Pisco. 51:404-408.
- Plant growth regulators. 51:315-318.
- Pollination. 49:1-5.

Polyamines. training system. 52:357-363.

Polydatin. presence in commercial wines. 50:185-193.

Polygalacturonase. berry. 52:331-335.
induced during fermentation. 52:41-44.

Polymerase chain reaction (PCR). detection of virus. 52:21-27.
identification of yeasts. 52:49-53.

Polyose caramelization. 50:495-502.

Polyphenol(s). See also Phenols.
biosensor analysis. 52:219-222.
concentrations in white wines. 50:185-193.
effect of skin maceration time. 52:266-270.
fining agent effects on amount and nature in wines. 50:81-86.
oligomeric. from grape seed extracts. 51:383-389.
sensor. 52:381-385.

Polyphenoloxidase. enzymatic decolorization. effects of seed tannins. 52:93-100.
in juice. 50:137-143.

Polysaccharides. content in must. 51:115-121.
impact on performance of organic microfiltration membranes. 50:51-56.
influence on wine foaming. 52:146-150
patterns during aging of red wine. 50:25-32.
tartrate precipitation during cold stabilization. 50:391-397, 398-403.

Polyvinylpyrrolidone (PVPP). treatments for pinking. 52:156-158.

Pomace. calcium tartrate in. 49:95-99.
dietary fiber. 49:135-141.
storage conditions relationship to volatile composition of distillates. 49:56-94.
tartaric acid production. 49:95-99.

Portuguese wines. composition. 52:324-330.

Port wine. detection of imitations. 51:262-268.
enzyme effects on color and sensory properties. 50:271-276.

Potassium bitartrate. concentration and pH imbalance as a cause of stuck fermentations. 49:295-301.
hydrogen tartrate. 50:343-350, 391-397, 398-403.

Powdery mildew. 49:11-16; 51:1-6.
impact of vine shelter on. 52:204-209.

Pratylenchus sp. 52:310-316.

Principal component analysis. clarification treatment effects on amino acids. 49:389-396.

Processing. cork slabs. 49:6-10

Proanthocyanidin(s). composition in red wines. 51:397-403.
developmental changes in seeds during grape development. 51:397-403.
influence of altitude. 52:115-121.
precipitation by gelatin. 50:81-86.
transfer from solid parts of grape cluster into wine. 50:179-184.

Procyanidins. 51:397-403.
evolution during grape maturation. 52:230-234.

Proficiency testing and analytical methods. 50:461-465.

Protease(s). activity during fermentation. 51:155-167.

Protein(s). adsorption by bentonite. 52:122-126.
analysis by capillary zone electrophoresis. 50:120-127.
fermenting must proteins. 51:155-167.
fingerprinting wine proteins. 49:231-239.
fraction analysis of white wine by FPLC. 49:383-388.
Muscadine grapes. 53:87-91.
precipitation. 50:247-252.
stability. 52:324-330.

Proteolytic activity in *sur lie* wine. 48:1-6.

Pruning. evaluation. 53:204-209.

Purification. polyphenol oxidase. 50:137-143.

Pyrazines. solid-phase microextraction. 53:285-288.

Quercetin. concentrations in wines. 49:142-151.

Quercus. See Oak.

R

Raisins. furrow irrigation effects on ripening. 49:375-382.

RAPD markers. genetic relationships of grape cultivars. 50:69-75.

Red wine. See also Wine and specific wine.
phenolic compounds. 53:218-221.
concentration of. 50:91-100.
sensory expertise. 53:275-284.
volatile composition. 53:64-68.

Red-free glycosyl-glucose. 50:385-390.

Redox stability. sherry wine. 52:151-155.

Reduced alcohol wine. 50:291-298, 299-306, 307-316.

Residual sugars. determination of. 52:271-274

Resveratrol. concentration in wine. 50:185-193; 51:37-41.
evaluation of assay methods. 51:37-41.
sparkling wine. 53:147-150.
variety, light, and fining effects on. 50:57-64.

Rhaminogalactans. 51:115-121.

Rhamnogalacturonan. 50:25-32, 51-56.

Ribonucleic acid (RNA). purification from grape. 53:231-234.

Riesling grapevines. artificial shade effects on bud necrosis. 49:429-439.
fruit zone leaf removal. effect on canopy structure, microclimate, glycosides. 49:35-43, 259-265.

Ripening. See Berry.

Rootstock(s), grapevine. Chardonnay. 53:37-40.
comparative response with mycorrhizal fungi. 52:8-11.
influence on water relations and gas exchange. 51:137-143.
nematode resistance. 53:19-23.
phylloxera resistance. 50:101-106.

S

Saccharomyces cerevisiae. biogenic amines. 52:185-190.
cell wall composition. 49:325-332.
genetically engineered strain. 50:45-50.
hydrogen sulfide formation. 51:233-248.
liberation of volatile thiols. 52:136-139.
macromolecule excretion. 49:325-332.
metabolism during fermentation and aging. 49:240-250.
skin maceration effect on lipid composition. 49:119-124.
stuck fermentations. 49:295-301.
sulfide formation. 51:233-248.
turbidity effect on cell wall porosity. 49:325-332.
thermotolerance. 49:319-324.

Sap-flow. device for simulating high rates of. 52:260-265.
sensors for irrigation scheduling. 49:171-176, 413-420.

Sauvignon blanc. S-cysteine conjugates. 53:144-146.

Sauvignon blanc wines. liberation of volatile thiols. 52:136-139.
2-methoxy-3-isobutylpyrazine, extractability of. 53:1-5.

Schizosaccharomyces pombe. deacidification of high malate must. 49:408-412.

S-Cysteine conjugates. skin contact. 53:144-146.

Seedlessness. streptomycin-induced. 49:302-305.

Seed tannins. effects on enzymatic decolorization. 52:93-100.

Selenium in table wines. 49:115-118.

Sensory. polyphenols. 52:381-385.

Sensory analysis. blends. 52:386-395.
Champagne wine taste. 53:6-13.
expertise. preference mapping. 53:275-284.
ice wine. 53:46-53.

Sensory characteristics of wine. See also specific characteristics.
aroma. *Méthode Champenoise* process effect on. 49:289-294.
Burgundy wines. 50:447-455.
ethanol concentration effects on temporal perception of viscosity and density. 49:306-318.
fino sherry. 49:240-250.
low-alcohol wines. 50:307-316.
mouthfeel. 49:306-318.
oak wood influence on Burgundy Pinot noir. 50:447-455.

- Sensory characteristics of wine, cont.
 reduced-alcohol wines. 50:307-316.
 starter culture effects on. 51:42-48.
- Sensory evaluation. preference mapping. 53:275-284.
 yeast strains. 52:336-344.
- Sessile oak. ellagitannin content. 50:447-455; 51:201-214.
- Shading. See Canopy management.
- Sherry. aroma compounds. 49:240-250.
 oxidation. 52:151-155.
S. cerevisiae metabolism during fermentation and aging. 49:240-250.
 velum formation by flor yeasts. 51:15-21.
- Shiraz grapevines. irrigation scheduling. 49:413-420, 421-428.
 water deficit. 53:261-267.
- Shiraz wine. catechin and epicatechin concentrations. 49:23-34.
- Simple sequence repeat (SSR). cultivar identification. 52:396-399.
 DNA markers for grapevine identification. 50:236-242.
- Shoot(s), grapevine. lateral shoot length. 51:390-396.
 tipping. 51:390-396.
- Sluggish fermentation. acetic acid effect on. 50:204-210.
 lactic acid bacteria antagonistic activity against yeast. 49:445-448.
 potassium concentration and pH imbalance. 49:295-301.
 yeast-assimilable nitrogenous compounds. 49:125-134; 51:168-177, 215-222.
- Soil. lime content. 50:1-12.
 nutrients. effects on anthocyanins in berry skins. 50:1-12.
 effects on xylem sap. 51:329-339.
 polluted. 51:269-275.
- Solid-phase microextraction. headspace analyses for aroma compounds. 51:379-382.
 pyrazines. 53:285-288.
- Sorbate analysis. 53:154-157.
- Source:sink relationships. girdling effects on. 51:49-54.
- Sparkling wines. aging with yeast. 50:404-408.
 autolysis. 51:65-72.
Botrytis cinerea effect on pectolytic composition of base wines. 50:456-460.
 browning. 51:29-36.
 bubble formation. 52:88-92.
 headspace aroma analysis to determine age. 50:404-408.
 phenolic compounds. 53:147-150.
 vinification and variety effects on foam capacity. 49:397-402.
- Spectrophotometry. assay of yeast-assimilable nitrogenous compounds in juice. 49:125-134.
 ethanol determination in wines. 50:259-263.
 yeast-assimilable nitrogenous compounds in juice. 49:125-134.
- Spectroscopy. fingerprinting of wine proteins by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. 49:231-239.
- Stability, wine. effect of method of addition of bentonite. 52:275-279.
 reduced-alcohol wine. 50:299-306.
 tartrate crystal seeding. 49:177-182.
- Stainless steel. comparison to oak. 52:159-164.
- Steaming potential. 50:343-350.
- Stiellähme. 51:319-328.
- Stilbene. concentrations of *trans*- and *cis*-isomers. 51:37-41.
 synthase. multigene family. 53:289-293.
- Stokes law. 50:317-323.
- Stomatal density. 52:317-323.
- Stuck fermentation. 51:168-177, 215-222.
- Sucrose accumulation in grapes. 51:340-346.
- Sugar(s). accumulation in ripening grape berries. 51:340-346.
 effects on the growth rates and cell biomass of wine yeasts. 49:283-288.
 irrigation effects on in maturing berries. 50:418-434.
- Sulfate reduction in *Saccharomyces*. 51:233-248.
- Sulfur compounds. vinification parameters effects on. 50:334-342.
- Sulfur dioxide. in reduced-alcohol wine. 50:299-306.
 table grapes. 53:110-115.
- Sultana grapevines. ripening characteristics under furrow irrigation. 49:375-382.
- Sunlight exposure. effects on berry growth and composition. 51:1-7.
- ## T
- Table grapes. pH control of gray mold. 52:12-20.
 sulfur dioxide. 53:110-115.
- Tannin(s). analysis in grapes and red wines. 50:247-252.
 berry ripening. 53:54-59.
 compositional differences among planting sites. 50:277-284.
 in grape pomace. 49:135-141.
 in grape seed. 51:383-389.
- Tartaric acid. production in pomace. 49:95-99.
 buffering of model wine solutions. 51:347-351, 352-356.
 crystallization. 49:177-182.
 production of calcium tartrate. 53:41-45.
 stabilization of wine. 50:343-350.
- Taste. Champagne wine. 53:6-13.
- Taxonomy of wild vines. 50:443-446.
- Tempranillo grapevines. amino acid concentrations in berries during ripening. 50:144-154.
 training system. 52:357-363.
- Terpenes. Gewürztraminer grapes. 53:99-109.
- Thiols. contribution to white wine aroma. 51:178-181.
- Thompson Seedless grapevines. nitrogen fertilization on trickle-irrigated vines. 49:191-198.
- Toasting techniques of oak. 50:479-494, 495-502, 503-512, 519-526.
- Torrontes. microsatellite analysis. 53:125-130.
- Total soluble solids. 51:73-80.
- Touriga Francesa grapevines. 49:74-78.
- Trace element measurements characterize geographic origin of Bordeaux wines. 50:409-417.
- Training system, grapevine. See also Canopy management, Trellising system.
 reproductive development. 52:357-363.
- Transpiration. sap flow. 52:260-265.
- Trellising system. Pinot noir. 53:14-18.
- Trichloroanisole. effect of composite cork on Champagne. 52:280-281.
- Trihydroxystilbene. See Resveratrol.
- Tylenchulus* sp. 52:310-316.
- Tyrosinase. biosensor for polyphenolics. 52:219-222.
- ## U V
- Uncinula necator*. 49:11-16; 51:1-6. 52:204-209.
- Varietal identification. 50:236-242.
- Vegetative response. to girdling and leaf removal. 49:359-366.
- Verdello wine. descriptive analysis. 49:440-444.
- Vine. See Grapevine.
- Vine shelter. impact on powdery mildew. 52:204-209.
- Vineyards. evaluation techniques. 52:292-303.
- Vinification treatments. effects on volatile sulfur compounds. 50:334-342.
- Virus. See also specific virus.
 leafroll. effects on physiology and must. 50:40-44.
 rootstock identification. 49:403-407.
 vineyard survey for. 50:133-134.
- Vitaspirine, 50:404-408.
- Vitis coignetiae*. pollination. 49:1-5.
- Vitis riparia* rootstock. 51:137-143.
- Vitis rotundifolia*. changes in phenols during storage. 52:109-114.
- Vitis vinifera*. autochthonous cultivars. 51:370-378.
 ampelography. 51:370-378.
 budbreak and flowering. 49:74-78.

- V. vinifera*, cont.
- climate effects on. 51:249-261.
 - cover crops. 52:292-303.
 - cultivar identification. 52:396-399.
 - developmental changes. 52:317-323.
 - drying varieties. ripening characteristics under furrow irrigation. 49:375-382.
 - fruit set. 49:333-340, 341-349.
 - fruit zone leaf removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 - genetic comparison of Greek cultivars. 52:101-108.
 - genetic relationships of grape cultivars. 50:69-75, 236-242, 243-246.
 - genetic transformation. 53:183-190.
 - β-1,3-glucanase gene expression in botrytis-infected leaves. 51:81-87.
 - growth. 49:333-340, 341-349.
 - histone heterogeneity study by electrophoresis. 50:13-18.
 - identification. 50:236-242, 243-246.
 - leaf. -area effect on development. 49:251-258.
 - removal. effect on total glycoconjugates and conjugate fraction concentration. 49:259-265.
 - ontology. 51:223-226.
 - nitrogen. availability. 49:333-340, 341-349.
 - osmotic adjustment of leaf tissue. 50:76-80; 51:223-226.
 - powdery mildew. 49:11-16; 51:1-6.
 - root disease. 53:197-203.
 - sylvestris*. 50:443-446.
- Volatile(s). acetic acid effects on fermentation and yeast inhibition. 50:204-210.
 - extraction from oak. 50:162-165.
 - immobilized yeast. 52:210-218.
 - phenols. *Brettanomyces*. 53:131-137.
 - sulfur compounds. in wine. 51:91-97.
 - thiols. 51:178-181.
 - liberation in Sauvignon blanc wine. 52:136-139.
- W**
- Water potential. girdling effects on. 51:49-54.
- Water deficit. berry composition. 53:261-267.
 - polyphenol. 53:268-274.
- Water stress. Airén productivity. 53:138-143.
 - blackleaf development. 52:364-375.
 - osmotic adjustment of leaf tissue. 50:76-80.
 - photosynthetic strain. 52:364-375.
- Waterberry. 51:319-328.
- White wine. See Wine, specific wine.
- Wild grapevines. characterization. 50:443-446.
- Wine(s). See also specific wine.
 - acidity. 51:347-351, 352-356.
 - amino acids. 49:389-396; 50:253-258; 51:347-351, 352-356.
 - amino nitrogen fraction. 49:125-134.
 - analysis. methods validation and laboratory proficiency. 50:461-465; 53:163-169.
 - international units. 53:222-223.
 - anthocyanins. copigmentation in model wine solution. 50:211-218.
 - irrigation cut-off timing effects on. 49:152-162.
 - skin fermentation time effects on. 49:152-162.
 - standard red wine. 50:91-100.
 - apple. 51:144-149.
 - arginine. 51:227-232.
 - aroma. See also Sensory characteristics of wine.
 - amino acids relationship to. 50:253-258.
 - analysis by HS-SPME of sparkling wine. 50:404-408.
 - aromatic composition. 49:44-48; 51:379-382.
 - headspace analysis. 51:379-382.
 - oak wood aging effects on. 50:469-478, 479-494, 503-512, 513-518, 519-526.
 - Oenococcus oeni*. 51:362-369.
 - varietal. 51:178-181.
 - authenticity. 50:409-417.
 - biogenic amines. 49:266-278, 279-282; 50:128-132.
 - browning. 49:65-73.
 - by-products. 53:41-45.
 - calcium tartrate crystallization. 49:177-182.
 - catechin concentration. 49:23-34; 50:179-184, 185-193.
 - chemical classification. 51:108-114.
 - clarification. 49:389-396; 50:219-224.
 - gluten. 53:308-314.
 - classification. neural networks. 51:108-114.
 - climate effects on quality. 51:249-261.
 - clone wines. volatile components. 49:44-48.
 - cold stabilization. 49:177-182; 50:343-350, 391-397, 398-403.
 - collaborative testing. 50:461-465.
 - colloid content and fouling. 52:191-197.
 - color. See also Color.
 - irrigation cutoff timing effects on. 49:152-162.
 - measurement. 50:359-363.
 - pectolytic enzymes effects on. 50:271-276.
 - Port wine. 50:271-276.
 - skin fermentation time effects on. 49:152-162.
 - composition. 52:324-330.
 - condensed tannins. 50:81-86.
 - copigmentation. occurrence and relation to aging. 50:211-218.
 - copper content. 51:131-136.
 - corks. phenols. 50:285-290.
 - Debaryomyces hansenii*. application in winemaking. 50:231-235.
 - defoaming agent. 51:415-417.
 - density. ethanol concentration effects on temporal perception. 49:306-318.
 - descriptive analysis. 49:306-318, 440-444; 50:307-316.
 - distillates. Pisco. 51:404-408.
 - effects of temperature, pH, and sugar concentration on the growth rates and cell biomass of wine yeasts. 49:283-288.
 - epicatechin concentrations. 49:23-34; 50:185-193.
 - ethanol. analysis. 50:259-263.
 - concentration effects on temporal perception of viscosity and density. 49:306-318.
 - ethyl carbamate. 51:227-232.
 - fermentation. See Fermentation, Alcoholic fermentation, Malolactic fermentation.
 - fingerprinting wine proteins. 49:231-239.
 - fining treatment effects on. 50:57-64, 81-86.
 - flavonoids. in red wines. 49:23-34; 50:91-100.
 - in white wines. 50:185-193.
 - flavor. See also Flavor, Sensory characteristics of wine.
 - oak effects on. 50:447-455, 469-478, 479-494, 503-512, 513-518, 519-526.
 - stability. hyperoxidation. 49:65-73.
 - gelatin fining. 50:81-86.
 - glutathione. 50:264-270.
 - glycoconjugates. 51:362-369.
 - glycosyl-glucose. 50:385-390.
 - haze. 49:231-239; 50:120-127.
 - headspace compounds. 49:100-104; 50:404-408.
 - high alcohol. 52:345-351.
 - histamine-producing lactic acid bacteria. 49:199-204.
 - hydrogen sulfide. 50:334-342; 51:91-97, 233-248.
 - hyperoxidation. 49:65-73.
 - iron content. 51:131-136.
 - isotopic ratios to characterize geographic origin of Bordeaux wines. 50:409-417.
 - kinetics of phenolic extraction during oak aging. 50:33-39.
 - laboratory proficiency testing. 50:461-465.
 - lactic acid bacteria. 49:445-448.
 - histamine production. 49:199-204.
 - low alcohol. 50:291-298, 299-306, 307-316.
 - malic acid determination. 51:347-351, 352-356.
 - malolactic fermentation. See Fermentation, Malolactic fermentation.
 - manganese content. 51:103-107, 131-136.
 - metal content. 51:131-136.
 - nickel content. 49:205-210; 51:131-136.
 - oak. aging. See Aging.
 - organoleptic properties. 50:469-478, 479-494, 503-512, 513-218, 519-526.
 - oak-related compounds. 50:447-455.
 - organic acids determination. 50:154-161.
 - oxidation. 49:65-73, 91-94; 50:264-270.
 - p-coumaric acid concentrations. 49:142-151.
 - pectic polysaccharides. 50:25-32.
 - pectolytic enzymes. 50:271-276.

- Wine(s), cont.
- peptides. angiotensin I converting enzyme (ACE). 50:65-68. organoleptic characterization. 52:376-380.
 - pesticide residue analysis. 50:435-442.
 - pH. effect on stuck fermentations. 49:295-301.
 - phenol-free glycosyl-glucose. 50:385-390.
 - phenolic(s). See also Phenolics.
 - acids. in tartrate precipitates. 50:391-397, 398-403.
 - concentration in standard red wine. 50:91-100.
 - kinetics of extraction from oak. 50:33-39.
 - oxidative changes. 49:95-99.
 - removal from white must. 51:357-361.
 - phenological stages. 49:74-78, 91-94.
 - polyphenols. 51:397-403.
 - Port. detection of imitations. 51:262-268.
 - Portuguese. biogenic amines. 50:128-132.
 - potassium concentration and pH imbalance as a cause of stuck fermentations. 49:295-301.
 - potassium hydrogen tartrate. 50:343-350.
 - polyphenol concentration in white wines. 50:185-193.
 - polysaccharide patterns during aging. 50:25-32.
 - proanthocyanidin(s). precipitation by gelatin fining. 50:81-86. transfer from grape cluster to wine. 50:179-184; 51:397-403.
 - protein. activity during fermentation. 51:155-167. analysis by capillary electrophoresis. 50:120-127. characterization by immunoblotting. 51:22-28. fingerprinting wine proteins. 49:231-239. fractionation and characterization. 49:383-388.
 - quercetin concentrations. 49:142-151.
 - quality systems. 50:461-465.
 - red. acetaldehyde-flavanol condensation products. color measurement. 50:359-363. oxidation. 49:95-99.
 - red-free glycosyl-glucose. 50:385-390.
 - redox state. 50:264-270.
 - reduced alcohol. 50:291-298, 299-306, 307-316.
 - resveratrol. analysis. 51:37-41. concentration in wine. 50:185-193. effects of variety, UV light exposure, enological practices, fining on. 50:57-64.
 - rootstock influence on water relations and gas exchange. 51:137-143.
 - rosé. color measurement. 50:359-363.
 - selenium content. 49:115-118.
 - sensory. analysis. See also Aroma, Sensory analysis, Flavor, Sensory characteristics of wine. color. measurement. 50:359-363. ethanol effect on temporal perception of viscosity and density. 49:306-318. *Méthode Champenoise* process effect on aroma. 49:289-294; 50:404-408. oak effects on. 50:469-478, 479-494, 503-512, 513-518, 519-526. pectolytic enzymes. 50:271-276.
 - sherry. aging. 49:240-250; 51:98-102. velum formation by flor yeasts. 51:15-21.
 - skin contact. effects on color, anthocyanins, phenols. 49:152-162.
 - sluggish fermentation. 51:168-177.
 - soluble solids. 51:73-80.
 - sparkling. See also Sparkling wines. aging with yeast. 50:404-408. apple. 51:144-149. aroma analysis. 50:404-408. autolysis by interaction of killer and sensitive yeasts. 51:65-72. *Botrytis cinerea* effect on pectolytic composition of base wines. 50:456-460. browning. 51:29-36. bubble formation. 50:317-323. *Méthode Champenoise* and aroma. 49:289-294. phenols during aging. 51:29-36; 51:144-149. vinification and variety effect on foam capacity. 49:397-402.
 - spontaneous fermentation. 50:219-224.
 - stabilization. 49:177-182; 50:343-350, 391-397, 398-403.
 - steaming potential. 50:343-350.
 - stilbenes. 51:37-41.
 - stoppers. 50:285-290.
 - stuck fermentations. 51:168-177.
 - sulfur compounds in wine. 50:334-342.
 - tannins. 50:247-252; 51:397-403.
 - tartaric stabilization. 50:343-350, 391-397, 398-403.
 - thiol contribution to varietal aroma. 51:178-181.
 - time-intensity studies. taste and mouthfeel. 49:306-318.
 - trace element measurements to characterize geographic origin of Bordeaux wines. 50:409-417.
 - transfer of catechins and proanthocyanidins from solid parts of grape cluster into wine. 50:179-184.
 - varietal aroma. 51:178-181.
 - volatile components. 49:44-48. sulfur compounds. 50:334-342; 51:91-97. thiols. 51:178-181.
 - white. color measurement. 50:359-363.
 - yeast. See Yeast(s), specific yeast.
- Winery laboratory. proficiency testing. 53:163-169.
- X Y Z**
- Xarel.lo wines. *Botrytis cinerea* effect on pectolytic composition of must and base wines. 50:456-460.
- Xiphinema americanum*. 52:304-309.
- Xiphinema index*. 52:304-309.
- Xyloglucans in must. 51:115-121.
- Yeast(s). See also specific yeast. acetic acid effects on. 50:204-210. acid production. 52:336-344. arginine assimilations. 51:227-232. assimilable nitrogen. 49:125-134; 52:400-401. bentonite, effect of. 53:28-36. cell concentration in tartrate precipitates in cold-stabilized wines. 50:391-397, 398-403. cell concentration profiles. 51:73-80. cell wall composition. 49:325-332. *Debaryomyces hansenii*. isolation and properties. 50:231-235. effects of temperature, pH, and sugar concentration on the growth rates and cell biomass. 49:283-288. flor. velum formation in sherry. 51:15-21. genetically engineered to produce lactic acid. 50:45-50. genotypic selection. 51:15-21. identification of indigenous yeasts. 52:49-53. inhibition. acetic acid. 50:204-210. killer. incidence in spontaneous fermentation. 52:352-356. to promote autolysis. 51:65-72. *Lactobacillus casei*. 50:45-50. *Lactobacillus kunkeei*. 50:204-210. *Leuconostoc oenos*. relationship to sluggish fermentation. 49:445-448. macromolecule excretion. turbidity effects on. 49:325-332. metabolism during fino sherry fermentation and aging. 49:240-250. molecular methods. 53:24-27. molecular strain identification. 51:15-21. natural fermentation profiling. 52:198-203. nutrient requirements during fermentation 51:215-222; 227-232. pH effects on the growth rates and cell biomass. 49:283-288. role in stuck and sluggish fermentations. 51:155-167. *S. cerevisiae*. 49:240-250, 319-324, 325-332; 50:45-50, 204-210, 219-224. *Schizosaccharomyces pombe*. 49:408-412. sensory evaluation. 52:336-344. starter culture effects on. 51:42-48. strain(s). evaluation during fermentation. 52:336-344. sugar concentration effects on the growth rates and cell biomass of wine yeasts. 49:283-288. temperature effects on growth rates and cell biomass of wine yeasts. 49:283-288. thermotolerant *S. cerevisiae*. 49:319-324. turbidity effect on yeast cell wall porosity. 49:325-332. wild. activity during fermentation. 50:219-224; 51:155-167.
- Yield, grapevine. See also Canopy management. mechanical pruning effects. 50:87-90. nitrogen fertilization of Cabernet Sauvignon. 50:351-358. variation. pollination and stigma receptivity. 49:1-5.
- Zinc content in wine. 51:131-136.