

AMERICAN JOURNAL *of* ENOLOGY AND VITICULTURE

2005 Revision

Guide to Authors

The *American Journal of Enology and Viticulture* (AJEV) publishes full-length research papers, literature reviews, technical briefs, and research notes on all subjects related to enology and viticulture.

Research papers are scientific communications that present a new principle, rigorously test an existing hypothesis, or otherwise provide important novel information to the scientific community. Descriptive studies that are hypothesis generating also fit into this category.

Literature reviews synthesize the hypotheses and results within the research area under review and critically compare the published literature.

Technical briefs provide important new information to technical members of the industry, but might not advance the forefront of science in viticulture or enology. Appropriate manuscripts may describe a new assay method, validate or improve upon an existing method, or provide a comparative analysis of the impact of use of different processing methods.

Research notes present data of value to the scientific community. One example would be an extensive compositional study or survey from a single region that would be valuable in a larger analysis of variation of composition in different wine-growing areas. Research notes are generally no longer than two to four pages. Important but negative results may also be presented in this format.

Sequential papers submitted together will most often be returned to the authors to be revised either as a single work or as separate papers, each of which can stand on its own.

The AJEV does not accept articles published in or submitted to other publications. Authorship of papers in the Journal is not limited to members of the American Society for Enology and Viticulture (ASEV); however, non-ASEV members are charged \$40.00 per final printed page.

Review Process

The science editor assigns each manuscript received to an associate editor. Manuscripts then undergo a two-step review process. Associate editors and the managing editor screen the manuscript to determine whether it meets standards of scientific rigor and language. (Manuscripts that are largely descriptive, confirmatory, or only of regional significance that otherwise do not present any new information or novel insights will not be accepted.) If a manuscript passes this initial screening review, it is sent to two peer reviewers. (Research notes may

receive one review.) Additional reviewers are consulted as necessary. Reviewers' comments and the associate editor's decision regarding acceptability of the manuscript will be forwarded to the corresponding author by the managing editor. This entire review process may take up to 12 weeks. Authors may be required to revise their manuscript before formal acceptance of the paper for publication.

Authors of submitted manuscripts may recommend three qualified reviewers who are not members of their institutions and who are not collaborators. Provide the name, institution, email and mailing addresses, fax and phone numbers, and area of expertise for each suggested reviewer. Such reviewers are contacted at the discretion of the associate editor.

The science editor, associate editors, and managing editor are responsible for judging the suitability of each manuscript for publication. The editors reserve the right to edit accepted manuscripts to make them conform with AJEV style and/or to return them to the authors for further revision.

Content of Manuscripts

All manuscripts submitted must be in English, following American-English standards of spelling and scientific notation (see the list of abbreviations at the end of this guide and consult *The ACS Style Guide: A Manual for Authors and Editors* [American Chemical Society, 1997] as a reference). Authors whose primary language is not English must have manuscripts proofread by an English-speaking expert before submittal. Prepare the content of manuscripts in the following order:

Title. The title must reflect the important aspects of the article as concisely as possible, in no more than 100 characters and spaces. Do not use both common and scientific names in the title. Titles may not be in the form of questions.

Authorship and byline. List the first and last names of all authors beneath the title. Authorship should be based only on substantial contributions to (1) the conception and design or analysis and interpretation of data and (2) the drafting of the paper or major revision for important intellectual content. The corresponding author must obtain final approval of the manuscript from all authors. All authors must have agreed to submission of the paper and take public responsibility for defending its content, including acknowledgments and citations, and have agreed that the corresponding author act on their behalf on all matters pertaining to publication.

List the following after the authors' names: authors' professional titles and current addresses, corresponding author's email and/or fax number, acknowledgments (see below), and manuscript submission date.

Acknowledgments. In a separate paragraph, note the source(s) of funds and materials used to conduct the research and where research was conducted, if applicable. Give personal acknowledgments of assistance in a second paragraph.

Abstract. For full research articles, include a one-paragraph abstract from 80 to no more than 250 words that clearly states the hypothesis, intent, or purpose of the research, the theoretical or experimental plan used, key findings (without experimental details or data), and major conclusions. Do not cite references, figures, or tables. Limit abstracts for research notes to no more than 100 words.

Key words. Include a list of four key words for indexing.

Introduction. Include a background review of the experimental design of your study and the measurement techniques employed, citing salient literature. Conclude with the hypothesis involved and/or the purpose of the investigation and how it will address deficiencies in existing knowledge.

Materials and methods. Enough detail must be given so that others may repeat your work. Identify the number of replications of experimental treatments and the number of times individual experiments were duplicated. For standard methods, cite the corresponding literature; describe in adequate detail those procedures that have not been fully described in cited publications. List model number and sources (vendor, city, state, country) of equipment and media used. When appropriate, include statistical analysis. Specify conditions or variables whose control influences the experimental results (use of colored lights or glasses in sensory evaluation, for example). See also the sections *Reporting Information*, *Reporting Winemaking*, and *Reporting Sensory Evaluation* in the following pages.

Results. Report the results of your study here; reserve your interpretation of the results for the discussion section. Present results concisely in the text and any accompanying tables (and figures, if necessary). Avoid extensive use of graphs; tables are often more effective. In short papers, the Results and Discussion sections may be combined.

Discussion. The purpose of this section is to interpret the results in relation to previous literature, to propose explanations for the results observed, and to discuss possible applications. Avoid speculation unsupported by the data obtained.

Conclusion. This final section should draw conclusions concerning the original problem/hypothesis and the information given in the study. Base conclusions on the information given in the paper. Do not summarize the paper, repeat information given in the results and discussions sections, introduce new information, or cite additional sources.

Literature cited. AJEV uses the author and date system, rather than numbered, for citations; samples are given below. Authors are responsible for accuracy and completeness of all citations, which are copyedited for format only. Most research papers can be limited to 30 salient sources.

The Literature Cited section should contain only published, relevant sources that are accessible through an information system. These sources include journal articles, books, chapters in books, proceedings, bulletins, reports, *published* abstracts of papers presented at meetings, patents, theses, dissertations, and in-press (accepted) articles. Published sources are preferred over on-line sources, which may become unavailable. Do not include the following in the Literature Cited section: unpublished abstracts, unpublished data, personal communications, manuscripts in preparation or submitted for publication, letters, company publications, databases, and software used for analysis; these should be referred to in parentheses in the text (see examples below). All sources in the Literature Cited section must be cited in the text.

Arrange citations alphabetically by author(s) (letter by letter) and chronologically when there are multiple citations for the same first author. List authors by senior author (last name first, then initials) followed by additional authors (initials first) and ending with a period. All authors of an article must be listed in the Literature Cited section. If a source has no author, list the sponsoring organization or publisher, such as "OIV" or "ASEV." Do not use "Anonymous."

The year of publication follows the author(s), followed by a period. If more than one work by the same author is cited, list the publications in chronological order; if the year is identical, insert lowercase letters (i.e., a, b, c) after the date according to the order each source is cited in the text. In the text of the paper, reference the source by author and date in parentheses.

The title follows the date. For journal article titles, lowercase all words except for the first word and proper nouns, and do not place quotation marks around the title. (For books, capitalize titles according to the published title.) Do not abbreviate any part of the title. Retain italicized words (e.g., *Vitis vinifera*). Journal name follows the title. Spell out all journals with one-word names (such as *Phytopathology*); abbreviate multiword journals using standard abbreviation. (Consult a previous issue of the AJEV.) Next give the volume, followed by a colon and the page numbers of the article. (Issue numbers are only necessary when each issue within a volume begins with page 1; include the issue number in parentheses after the volume number.) Give full pagination, with no spaces (e.g., 53:2096-2103). The correct order of elements in sources other than journals is noted in the examples.

Journal article (for online journals, place "[online]" after the journal title abbreviation):

Spayd, S.E., J.M. Tarara, D.L. Mee, and J.C. Ferguson. 2002. Separation of sunlight and temperature effects on the composition of *Vitis vinifera* cv. Merlot berries. *Am. J. Enol. Vitic.* 53:171-182.

In-text citation: (Spayd et al. 2002) [for three or more authors, use "et al." following the senior author's name in the text citation]

In-press article:

Frivik, S.K., and S.E. Ebeler. 2003, in press. Influence of sulfur dioxide on the formation of aldehydes in white wine. *Am. J. Enol. Vitic.* [include volume and page numbers, if known]

In-text citation: (Frivik and Ebeler 2003)

Book:

Boulton, R., V. Singleton, L. Bisson, and R. Kunkee. 1996. Principles and Practices of Winemaking. Chapman & Hall, New York.

In-text citation: (Boulton et al. 1996)

Chapter in book:

Sponholz, W.R. 1993. Wine spoilage by microorganisms. *In* Wine Microbiology and Biotechnology. G.H. Fleet (Ed.), pp. 395-420. Harwood Academic Publishers, Chur, Switzerland.

In-text citation: (Sponholz 1993)

Symposium/meeting proceedings:

Wample, R.L., and T.K. Wolf. 1996. Practical considerations that impact vine cold hardiness. *In* Proceedings for the Fourth International Symposium on Cool Climate Enology and Viticulture. T. Henick-Kling et al. (Eds.), pp. 23-38. New York State Agricultural Experiment Station, Geneva.

In-text citation: (Wample and Wolf 1996)

Symposium series:

Butzke, C.E., T.J. Evans, and S.E. Ebeler. 1998. Detection of cork taint in wine using automated solid-phase microextraction in combination with GC/MS-SIM. *In* Chemistry of Wine Flavor. A.L. Waterhouse and S.E. Ebeler (Eds.), pp. 208-216. ACS Symp. Ser. 714. American Chemical Society, Washington, DC.

In-text citation: (Butzke et al. 1998)

Thesis:

Wolpert, J.A. 1983. Cold acclimation of Concord grapevines. Thesis, Michigan State University.

In-text citation: (Wolpert 1983)

Patent:

Garner, I. December 2002. Process for unbalanced wine. U.S. patent 123,456,789.

In-text citation: (Garner 2002)

Abstract:

Turbow, S., and D. Block. 2002. Effects of viticultural practices on the aroma of 2000 Napa Valley Cabernet Sauvignon wines. *Abstr. ASEV 53rd Ann. Meet. Am. J. Enol. Vitic.* 53:249A.

In-text citation: (Turbow and Block 2002)

References listed in text. References to unpublished data, personal communication, articles submitted for publication, software, web sites, databases, company publications, and unpublished abstracts should be listed in the text in parentheses, as follow:

Unpublished data and communications: (Andrew Reynolds 2002, unpublished data); (Glen Creasy 2001, personal communication); (Barry Gump 2004, submitted for publication)

Software: “. . . data was analyzed with SAS statistical software (version 8.1; SAS Institute, Cary, NC).”

Web site: “. . . information found on the ASEV web site (<http://www.asev.org>).”

Database: “. . . vector sequences were removed by cross-match (<http://www.genome.washington.edu>).”

Company catalog: “. . . odors are described as bacon and smoky (Aldrich catalog, Sigma-Aldrich, Milwaukee, WI).”

Tables and Figures

Tables. Information presented in a table must be self-explanatory and agree with the text. The table caption should summarize the information in the table without repeating the col-

umn headings. Each column must have a heading that names the variable being measured and indicates the unit of measure within parentheses, such as (mg/L) and (%). Keep column headings brief. (Follow the list of abbreviations at the end of this Guide to Authors.) Explain nonstandard abbreviations in footnotes. Designate footnotes with superscript lowercase letters beginning with ^a (a, b, c). Use the same style for all tables.

If only a few values are presented, then place the information in the text rather than in a table. Data presented in tables should not be repeated in figures.

Cite tables in numeric order in the manuscript. In electronic files: place tables in the same rtf file as the manuscript and literature citations. Do not submit tables in Excel format; use the standard table format in your word-processing program.

Figures. Submitted figures must be high quality and ready to be published. AJEV does not create or revise figures. If your figure is from another source (journal, book, etc.), then you will need to obtain permission from the copyright holder.

Place each figure on a separate page and label each one with the appropriate figure number. Cite all figures in numeric order in the manuscript. Legends (captions) should describe the contents so that each illustration is understandable when considered apart from the text. Do not include the caption with the figure itself; include all captions in the text file.

For callouts (labels) within figures: the typeface (or “font”) must be consistent for all figures and artwork within a paper. Use a sans serif typeface such as Helvetica or Arial; do not use bold type. Use upper- and lowercase lettering that is no less than 8 point type (“font size”) at final reduced size. Figures should be either single or double column (3½ or 7¼ inches in width, respectively).

For line graphs, frame graphs and affix index marks to the vertical axis (y axis, or ordinate) and to the horizontal axis (x axis, or abscissa). Symbols are used to indicate data points. Use open circles for the first set of data and filled circles for the second; triangles, open and filled, are next; then squares, open and filled (○●△▲□■). If a graph requires more than six symbols, consider presenting the data in two graphs. (Diamonds are the fourth set of symbols.) Keys to symbols should be set in a small, inset box in the line graph (or next to it); do not place them in the text of the legend/caption.

Special effects, such as 3-dimensional bar charts or graphs, are unacceptable as they are difficult to read. Report such information in a table, if necessary. Use solid shades of gray in bar charts (not patterns); differentiate among the gray levels by at least 20%. Include error bars, if appropriate. Line weight in figures should be at least .30 points. For prominent lines, such as graph plot lines, the weight should be approximately 1 point.

Black and white illustrations are standard, but color may be considered by the managing editor. Color costs are paid by the author and run approximately \$800.00.

Submitting printed originals. A 1:1 reproduction is best to maintain detail when printed (single column: 3½ inches; double column: 7¼ inches). Maximum page size for originals to be scanned is 8½ x 11 inches. Photographs must be high-quality glossy prints cropped at right angles to show only essential

details. Overlays may be used to indicate cropping. Insert a scale bar when necessary to indicate magnification.

To avoid damage in transit, do not paperclip figures together or to the manuscript. Place small figures in an envelope.

Submitting electronic figure files. We encourage authors to submit figures digitally. Provide the files for your figures on a PC-formatted 3.5-inch floppy disk, a Zip disk, or a CD. Large files may be compressed using either Zip or LZW. Include high-quality printed copies that are identical to the artwork in the files.

Images should be saved and submitted in the size at which they will be printed. Crop, scale, rotate, and manipulate images during the scanning or imaging stage (i.e., in Adobe Photoshop) before submitting them to the Journal.

Assemble multipanel figures (figures with panels labeled A, B, C, D, etc.) into one piece and supply as one file. Also provide each panel as a separate file.

The Journal can work with TIFF and EPS formats for Windows. Most software gives the option to “save as” or export as EPS or TIFF. We cannot work with PowerPoint files or files downloaded from the Internet, as the resolution is too low for printed media.

Color photos, digital photos, slides, or artwork. Save TIFF files at 300 dpi. Save EPS files as 32 bit. Save each image as a single CMYK file (do not save as RGB).

Black and white photographs, and halftones. Save TIFF files at 300 dpi. Save EPS files as 8 bit. Save each image in grayscale mode in a single file.

Scanning black and white figures. Lineart (graphs, charts, diagrams): scan at 900 to 1200 dpi and save in bitmap/monochrome mode as TIFF files.

Combination halftones (black and white photographs with text and/or graphics added): scan at 600 dpi and save in grayscale mode as TIFF files.

Using digital camera output. Most digital cameras produce JPG as their standard file format; some can be set to save as TIFF. If your camera offers this option, select it. Set the camera to produce the highest quality JPG it can (the one with the least compression). It will be called *fine/superfine/best/top* in the settings menu. Download the file from the camera and immediately save to TIFF. Follow the instructions on what to do with any other digital image. Do not manipulate the JPG in any way before saving to TIFF. Data will be lost from the figure that cannot be replaced and there will be deterioration in the quality.

If you have questions about preparing files, please email the publications coordinator at judysams@asev.org.

Reporting Information

Trade names. The trade names of materials and the names of manufacturers or suppliers of special (not reagent grade) materials must be given (including city, state, and country). In experimentation, identify a chemical compound by its common name (if such name exists) or by the chemical name and structural formula.

Nomenclature. The binomial or trinomial (in italics) must be shown for plant, insects, and pathogens when first used in the

abstract and in the text (for example, *Vitis vinifera*). Following citation in Materials and Methods, the generic name may be abbreviated to the initial, except when confusion could arise by reference to other genera with the same initial. A collection number or that of a comparable listing should identify algae and microorganisms referred to in the manuscript.

For varietal names, the AJEV conforms to spellings listed in the BATF *Working List of US Wine Grape Varieties*.

Chemical identification. Papers reporting on flavor constituents should conform to the recommendations made by the International Organization of the Flavor Industry [see J. Agric. Food Chem. 44:10 (1996)]. Any flavoring substance must have its identity confirmed by at least two methods. Otherwise, the identification should be labeled “tentative.” Authors should include at least semiquantitative data on the concentration of an identified component in the original source. Ranges such as <1 µg/L, 1 to 10 µg/L, 10 to 100 µg/L, rather than absolute amounts, are acceptable.

Numerals. Spell out all numbers or fractions that begin a sentence. Do not use a dash or hyphen to replace the preposition “to” between numerals (13 to 22 min, 3 to 10°C) within the text; however, a dash or hyphen may be used in tables and figures.

Write out numerals one through nine, except with units of measure. Write out and hyphenate simple fractions (for example, two-thirds). It is best to use decimals instead of fractions.

Time and dates. When reporting time, use the 24-hour time system with four digits; the first two for hours and the last two for minutes (for example, 0400 hr for 4:00 a.m., 1630 hr for 4:30 p.m.). Dates are reported as day of month, month, and year (9 April 2002).

Units. Units of measure are treated as collective nouns and take singular verbs (for example, “2.5 mL of bentonite was added to the sample”). Also observe the following:

Wine volume: report as liter (L) or milliliter (mL). Hectoliters are not recommended. Abbreviate liter as a capital L, not lowercase, to avoid confusion with the number 1.

Grape weights: report as grams (g), kilograms (kg), and metric tons (t).

Temperature: report as degrees Celsius (°C) only.

Parts per million (ppm) and parts per billion (ppb) are not recommended. Use the equivalent milligrams per L (mg/L) and micrograms per liter (µg/L).

Wine or juice yield: report as liters per 1000 kg (L/1000 kg) or milliliters per kilogram (mL/kg) (equivalent).

Land area: report as hectares (ha) (1 ha = 2.47 acres).

Statistical methods. Authors must report enough details of their experimental design so that the results can be judged for validity and so that previous experiments may serve as a basis for the design of future experiments.

Multiple comparison procedures such as Duncan’s multiple range test are frequently misused. Such misuse may result in incorrect scientific conclusions. Multiple range tests should be used only when the treatment structure is not well understood (for example, studies to compare cultivars). When treatments

have a logical structure, significant differences among treatments should be shown using t or F tests.

Field experiments, such as studies on crop yield and yield components, that are sensitive to environmental interactions and in which the crop environment is not rigidly controlled or monitored, should be repeated (over time and/or space) to demonstrate that similar results can (or cannot) be obtained in another environmental regime. Perform replicate chemical or sensory evaluations to show reproducibility and consistency, respectively.

Abbreviations and symbols. See the accompanying list of abbreviations. Replacement of certain unwieldy chemical names by well-known abbreviations is acceptable (for example, ATP, DNA). Standard chemical symbols may be used without definition (Ca, NaOH). If the paper uses numerous abbreviations, define all in a single paragraph after the key words; use such abbreviations only if a term is used at least five times.

With the exception of those standard for international usage (for example, HPLC, ATP), do not use abbreviations in the title or abstract. The metric system is standard, and SI units should be used (other units may be placed in parenthesis after the SI). Symbols and abbreviations in figures and tables must also conform to guidelines.

Reporting Winemaking

Winemaking experiments have specific issues that require description to allow reproducibility. While it is understood that some variables cannot be controlled, there are factors that should be reported in each study. If an experiment starts with fresh grapes, then report the following data:

- Local source of grapes
- Variety(ies) (and species if different from *vinifera*), clone and rootstock, if known.
- Harvest date
- Harvesting method
- History of grapes between harvest and crushing (or analysis), including time delay and temperatures and disease conditions (amount of *Botrytis*, etc).
- Crushing and pressing devices with settings
- Yield of juice or wine
- Juice or must samples should be analyzed for components under study in the resulting wine. Describe the sampling technique and the analytical procedures. All samples must be replicated.

For fermentations, these points must be included:

- Replicate fermentations. At least duplicate, but preferably triplicate, winemaking procedures must be applied whenever possible. It is acceptable to use field replicates to create fermentation replicates. Describe techniques used to reduce replicate variability, especially with red musts. Replicate variability should be assessed within the context of the experiment.
- Additions, including amount and time of addition, preparation, and method of mixing. For yeast or bacteria, report source and genus, species, and selection.
- Specify weight of grapes per fermentation lot, fermentation volume, and container type.
- Maceration technique for red musts

- Daily measurements during fermentation: temperatures (separate measure of cap temperature for red musts before maceration) and Brix level and, if no inoculation is used, microbial populations should be counted at the genus level.
- Analysis of these factors before fermentation: Brix, pH, titratable acid, fermentable nitrogen, and any other variable under investigation.
- Analysis of these factors after fermentation: pH, titratable acidity, ethanol, residual sugar, free and total sulfites, and, depending upon the study, malic and lactic acid, total phenols, absorbance at 420 and 520 nm, and volatile acidity or acetate, and any other variables under study.
- Specify history of samples (time and temperature) between collection and analysis.
- Replicate analyses should be conducted and statistical treatment of data reported.

If an experiment starts with finished wine, then include the following data:

- Wines should be analyzed initially for components under study. Describe the sampling technique and the analytical procedures. All samples must be replicated.
- Wine composition: pH, residual sugar, TA, ethanol and free and total sulfites
- Postfermentation storage container size and material and storage temperature
- Vintage dates and dates of experiment and analyses
- Replicate analyses should be conducted and statistical treatment of data reported.
- Bottling operations or study of bottle closures: visual examination of closures for mechanical defects, and bottled wine must be tested for dissolved oxygen immediately after bottling.

Reporting Sensory Evaluation

As with other disciplines, manuscripts reporting sensory information should present some new principle, rigorously test an existing hypothesis, or otherwise provide important new information to the scientific community. In all cases, authors must clearly indicate exactly how the test was conducted, at what temperature the wines were stored, for how long the wines were stored, at what temperature the wines were served to the panelists, what type of glassware was used, how much wine was poured in each glass, how many tests the panelists performed, and how many samples were served per session.

Panelists. Trained panelists or “expert” panelists may not be asked to indicate their liking or the acceptability of the sample(s). Only true consumer panelists can give this type of information. Consumer panelists usually should not be asked to score the intensities of specified sensory attributes. However, there may be isolated situations where this would be acceptable.

Discrimination testing. With discrimination testing (such as paired difference, duo-trio, triangle, two-out-of-five) the objective is to determine whether two samples are perceptibly different. In all cases, except the directional paired difference test, that is the only information the test provides.

The major issue with discrimination tests is ensuring that the test had enough power. (Power is defined as the probability of finding a difference that actually exists). Power is affected by several factors, but the one that the experimenter usually has control over is the number of panelists evaluating the samples.

If a discrimination test shows that two samples are perceived to be significantly different, then the test had enough power (regardless of the number of panelists).

If a discrimination test shows that two samples are not perceived to be significantly different, then the power issue becomes crucially important and the authors must then indicate the power associated with their test. (This is usually the issue when authors want to show that a new method or variation does not affect the sensory properties of the product—the power of such tests is low when the number of panelists is small.¹)

Using the directional paired difference test with wines can be problematic. The requirement for this test is that the two samples may only differ in a single sensory attribute: for example, a 1% salt-water solution is less salty than a 2% salt-water solution, but it does not differ in any other sensory modality. However, when real products are used this is often not true; for example, a wine with 2% residual sugar is perceived to be less sweet than one with 4% residual sugar, but the first wine may also be perceived to be sourer than the second. In such cases, the paired directional test should not be used.

Descriptive analysis. When authors use the descriptive analysis techniques to evaluate their samples, there are three major issues. First, unless the panel was trained by or in direct consultation with the Tragon Corp. (Palo Alto, CA), the technique used was not QDA (Quantitative Descriptive Analysis). QDA is a registered trademark of Tragon. The same is true for the FPA (Flavor Profile Analysis), which is trademarked by A.D. Little Company (Boston, MA) and the SDA (Spectrum Descriptive Analysis) of Sensory Spectrum (East Hanover, NJ).

Second, usually authors use variations of the above techniques. They could refer to a variation of the QDA technique as the consensus training method and to variations of the FPA and SDA as ballot training methods. It is also possible to amalgamate the two methodologies as a combination training method.

¹Example: Authors want to indicate that using a new fining agent produces a wine that is not perceptibly different from a wine fined with a more traditional agent.

Before starting the study, the authors determine that they want a power of 90% (a 90% chance of detecting a difference if it exists). This is analogous to a Type II error (beta) of 10%. In addition, the authors use the usual Type I error (alpha) of 5%; they want less than 10% of the population to discriminate between the samples. Given these assumptions, the authors determine that to perform a triangle test they would need at least 342 panelists. Using the same assumptions but a duo-trio test, authors would need 853 panelists.

After completing the study, the authors write a paper stating that they used alpha at 5%, a duo-trio test, and 50 panelists and found that the two fining agents did not significantly differ in how they affected the sensory quality of the wine. The reviewer determines that assuming that less than 25% of the population can detect a difference; the power of this test is about 55%. If the authors had performed a triangle test, then the power would have been 78%.

Third, authors must give explicit information on the following: number of panelists; source of panelists; method of training; length of training; assessment of training; attributes used; references standards/verbal descriptors used for attributes; number of times each panelist evaluated each sample; number of samples per session; number of sessions; duration of sessions; time between sessions.

Submission of Manuscripts

Mail two printed copies of your manuscript and a 3.5" high-density PC-formatted disk, CD, or zip disk to:

Ms. Judith McKibben, Managing Editor
American Journal of Enology and Viticulture
P.O. Box 2160
Davis, CA 95617-2160 USA

For packages sent by courier services such as Federal Express, our street address is 1784 Picasso Ave, Suite D, Davis, CA 95616. All manuscripts received are acknowledged by email.

We do not accept emailed manuscripts. Manuscripts that do not follow the guidelines for submission and format will be returned.

The AJEV office hours are 9 A.M. to noon and 1 to 5 P.M., Pacific Time, Monday through Friday (tel: 530-753-3142; fax: 530-753-3318; email: editor@asev.org).

Cover letter. Include a cover letter that contains the telephone and fax numbers and an email address of the corresponding author and that states the manuscript is not being submitted, in review, or otherwise considered for publication elsewhere.

Format of printed manuscripts. Organize printed manuscripts as stated above in the *Content of Manuscripts* section and as follows:

- Printed, double-spaced, on 8.5 x 11 inch (21.5 x 28 cm) paper (or on A4 paper with the margins set for US letter size paper).
- Number each page beginning with the title page, and number the lines on each page for reference by reviewers.
- The text of the paper must be followed in order by literature cited, tables (one per page), figure legends/captions (grouped together), and figures (one per page). (See below for electronic format.)
- Send two printouts of the entire manuscript, including figures and tables, and one copy of original (not photocopied) artwork.

Format of electronic files. The electronic file must match the printed manuscript exactly. Use a PC-formatted, high-density disk, Zip disk, or CD. We cannot accept files on Mac-formatted disks.

- Include the text of the paper, literature citations, tables, and figure captions/legends in a single rich text format (.rtf) file. (Make sure tables are included in this file; do not submit tables as Excel files.)
- Place each figure in a separate TIFF or EPS file. See the section on *Tables and Figures* for guidelines on formatting graphics files.

- Include all linked files.
- Do not use the “compare” or “insert” feature in your word-processing program to highlight changes in the original or revised file.
- Do not create symbols or equations as graphics. Use the “insert symbol” function in your word-processing program.
- Label the disk with the title of the paper, name of the corresponding author, and date.

Publication Information

Publishing and printing fees. AJEV does not pay authors for their manuscripts. Corresponding authors who are ASEV members are not charged for the publication of manuscripts. Nonmembers will be charged \$40 per printed page. AJEV reserves the right to charge an author for any extra printing costs of unusual or improperly submitted materials, for extensive editing, and for extensive author alterations.

Authorship. Please refer to the information in the paragraph on authorship in the *Content of Manuscripts* section.

Copyright release. AJEV requires the corresponding author to sign a copyright transfer agreement on behalf of all authors when a manuscript is accepted. Manuscripts will not be published until this agreement is signed and returned.

The copyright transfer agreement grants the author(s) the right to republish select portions (abstract, figures, tables) of their article in other publications of which the author(s) are editors on the condition that credit is given to the original AJEV source, as in the following: ©2004 American Society for Enology and Viticulture. AJEV 55:323-328.

Four months after print publication, authors may post their own published articles on their own university or personal web sites, but not on company or institutional web sites, provided the above credit line is included.

The copyright transfer also stipulates that authors who are (or were) U.S. government employees and who wrote the article as part of the employment duties identify themselves. Works authored solely by U.S. government employees are not subject to copyright protection, so there is no copyright to be transferred. Other provisions of the copyright transfer, such as author representation of originality, apply to all authors, including U.S. government employees.

Neither AJEV nor ASEV is responsible for statements or opinions printed in its publications; they represent the views of the authors or persons to whom they are credited and are not binding on ASEV as a whole.

Conflict of interest. The authors must reveal any financial relationship with a funding source, such as a consulting agreement or any ownership, as well as any financial interest in any entities manufacturing, distributing, or selling any products that figure prominently in the report. These revelations will be held in confidence, but in some cases, publication may be contingent on their disclosure.

Corrections. Corrections are published, if necessary, in the number 4 issue of each volume. Authors should notify the managing editor of any necessary corrections.

Reprints. While we do not offer reprints, we do send authors printed tearsheets from which you may make copies, provided all AJEV citations and page numbers are visible.

Publication rights. The AJEV reserves first right of refusal to publish any paper or poster presented at the ASEV Annual Meetings. The managing editor may release papers that may be more appropriate for another publication if requested in writing by the author(s).

Publication release policy. Written permission to include in other scientific publications reprints of and quotations from articles published in AJEV may be granted by the managing editor on the conditions that full credit be given to both AJEV and the author(s) and that volume, number, page numbers, and year of publication be stated.

AJEV ABBREVIATIONS AND SYMBOLS

Term	Abbreviation or Symbol
absorbance (in tables and figures)	abs
active ingredient	a.i.
adenosine 5' triphosphate (adenosine triphosphate)	ATP
ampere	A
et alia (Latin: and others)	et al.
ante meridiem	AM
atmosphere (see also standard atmosphere)	Atm
average (abbreviate in tables and equations only)	avg
boiling point	bp
Brix (no degree sign)	Brix
°Celsius	°C
°centigrade	°C
chemically pure	CP
coefficient	coeff.
coenzyme A	CoA
colony forming unit(s)	cfu
concentration (in tables and figures)	concn
constant	const.
cubic centimeter	cm ³
cultivar (only after specific epithet)	cv.
day, days	day
decibel	dB
degree (angular)	°
deoxyribonucleic acid	DNA
dextro (preceding chemical name)	(small cap) D
dextrorotatory (preceding chemical name)	(italic) <i>d</i> (+)
diameter	diam
electron volt	eV
equation (reference in text)	(eq)
equivalent	equiv
exponential	exp
for example (in tables and figure captions only)	e.g.
freezing point	fp
gas chromatography	GC
gram	g
gravity (gravitation constant)	(italic) <i>g</i>

hectare	ha	not significant	ns
hertz	Hz	nuclear magnetic resonance	NMR
high-performance liquid chromatography	HPLC	ohm	Ω
hour	hr	ortho- (position; preceding chemical name)	(<i>italic</i>) <i>o</i>
hydrogen ion concentration, negative logarithm of	pH	outside diameter	o.d.
infrared	IR	para- (preceding chemical name)	(<i>italic</i>) <i>p</i>
inhibitor constant	K_1	parts per billion	$\mu\text{g/L}$
inside diameter	i.d.	parts per million	mg/L
joule	J	per	/
kelvin	$^\circ\text{K}$	percent	%
kilo ($\times 10^3$)	k	peta ($\times 10^{15}$)	P
kilodalton	kDa	pico ($\times 10^{-12}$)	p
kilogram	kg	polymerase chain reaction	PCR
kilometer	km	post meridiem	PM
kilovolt	kV	probability (lowercase italic)	<i>p</i>
kilowatt	kW	racemic (optical configuration, a mixture of dextro- and levo-) (preceding chemical name)	(small caps) DL
levo- (preceding chemical name)	(small cap) L	revolutions per minute	rpm
liter	L	second (time)	sec
mass	(<i>italic</i>) <i>m</i>	secondary (preceding chemical name; s subscript (e.g., BA_s))	(<i>italic</i>) <i>sec-</i>
mass-to-charge ratio	(<i>italic</i>) <i>m/z</i>	significant at 0.05 level	*
mass charge on electron	(<i>italic</i>) <i>m/e</i>	significant at 0.01 level	**
maximum	max.	significant at 0.001 level	***
mega ($\times 10^6$)	M	species (only after generic name)	sp., spp.
megapascal	MPa	specivies nova (only after specific epithet)	sp. nov.
melting point	mp	specific gravity	sp gr
meta- (preceding chemical name)	(<i>italic</i>) <i>m</i>	specific heat	sp ht
meter	m	specific volume	sp vol
Michaelis constant	K_m	square	sq
micro ($\times 10^{-6}$)	μ	standard atmosphere	atm
microequivalent	μeq	standard deviation	SD
microgram	μg	standard error	SE
microliter	μL	substrate constant (see Michaelis)	(<i>italic</i>) K_m
micrometer (micron)	μm	surface tension	N/m
micromole	μmol	tangent	tan
milli ($\times 10^{-3}$)	m	temperature	temp
milliampere	mA	tera ($\times 10^{12}$)	T
milliequivalent	meq	tertiary (preceding chemical name)	(<i>italic</i>) <i>tert-</i>
milligram	mg	that is (in tables and figure captions only)	i.e.
milliliter	mL	tonne (metric ton)	t
millimeter	mm	ultraviolet	UV
millimole	mmol	varietas (variety; only after specific epithet)	var.
millivolt	mV	versus (only in tables and figures; spell out in text)	vs
minute (time)	min	volt	V
mitochondrial deoxyribonucleic acid	mtDNA	volume	vol
molar (concentration)	(<i>italic</i>) <i>M</i>	volume ratio (volume per volume)	v/v
mole	mol	watt	W
month	mo	week	wk
Nephelos turbidity unit	NTU	weight	wt
newton	N	weight per volume	w/v
nicotinamide adenine dinucleotide	NAD	weight ratio (weight per weight)	w/w
nicotinamide adenine dinucleotide, reduced	NADH	year	yr
nicotinamide adenine dinucleotide phosphate (reduced)	NADP		
normal (concentration)	<i>N</i>		
normal (preceding chemical name)	<i>n</i>		

Author Index

Volumes 51, 52, 53, 54, 55
(2000, 2001, 2002, 2003, 2004)

A

- Ablett, E.F. See J.P. Tomkins. 52:287-291.
- Abreu, S. See M. Cunha. 54:189-194.
See S. Silva. 54:50-55.
- Achaerandio, I., V. Pachova, C. Güell, and F. López. Protein adsorption by bentonite in a white wine model solution: Effect of protein molecular weight and ethanol concentration. 52:122-126.
- Adams, D.O. See D. De Beer. 55:389-400.
See F.M. Dewey. 51:276-282.
See J.F. Harbertson. 53:54-59.
See J.F. Harbertson. 54:301-306.
- Adden, R. See S.J. Lee. 55:346-354.
- Adrian, M., P. Jeandet, A.C. Breuil, D. Levite, S. Debord, and R. Bessis. Assay of resveratrol and derivative stilbenes in wines by direct injection high performance liquid chromatography. 51:37-41.
See B. Borie. 55:60-64.
See M. Poussier. 54:261-266.
- Ageorges, A. See A.S. Renault. 51:81-87.
- Agosin, E., A. Belancic, A. Ibacache, R. Baumes, E. Bordeu, A. Crawford, and C. Bayonove. Aromatic potential of certain Muscat grape varieties important for Pisco production in Chile. 51:404-408.
See E. Bordeu. 55:104-107.
- Agüero, C.B., J.G. Rodríguez, L.E. Martínez, G.S. Dangl, and C.P. Meredith. Identity and parentage of Torrontés cultivars in Argentina. 54:318-321.
- Aguín, O., J.P. Mansilla, A. Vilariño, and M.J. Sainz. Effects of mycorrhizal inoculation on root morphology and nursery production of three grapevine rootstocks. 55:108-111.
- Aguirrezábal, F. See H. Baigorri. 52:357-363.
- AJEV. Guide to authors. 52:60-65; 53:334-341; 54:322-329; 55:438-445.
- Alarcon-Mendez, A., and R. Boulton. Automated measurement and interpretation of wine filterability. 52:191-197.
- Allara, P. See S. Guidoni. 53:224-226.
- Alonso, G.L. See M.R. Salinas. 54:195-202.
- Alves, A. See F.G. Braga. 53:41-45.
See I. Festas. 51:150-154.
See P. Herbert. 51:262-268.
- Ancín Azpilicueta, C. See D. Torrea Goñi. 52:185-190.
- Andary, C. See H. Ojeda. 53:261-267.
- Andrade, P. See S. Silva. 54:50-55.
- Andraous, J.I., M.J. Claus, D.J. Lindemann, and K.A. Berglund. Effect of liquefaction enzymes on methanol concentration of distilled fruit spirits. 55:199-201.
- Andrés-Lacueva, C., M. Ibern-Gómez, R.M. Lamuela-Raventós, S. Buxaderas, and M.C. de la Torre-Boronat. Cinnamates and resveratrol content for sparkling wine characterization. 53:147-150.
See M. Ibern-Gómez. 51:29-36; 52:159-164; 53:218-221.
- Antolin, I. See H. Baigorri. 52:357-363.
- Anwar, S.A., M. McKenry, and D. Ramming. A search for more durable grape rootstock resistance to root-knot nematode. 53:19-23.
See M.V. McKenry. 52:304-309, 310-316; 55:218-227.
- Araújo, A.N. See R.C.C. Costa. 51:131-136.
See N. Zárata. 54:46-49.
- Arneborg, N. See J.T. Larsen. 54:246-251.
- Aronson, J., and S.E. Ebeler. Effect of polyphenol compounds on the headspace volatility of flavors. 55:13-21.
- Arroyo-García, R. See J.A. Cabezas. 54:237-245.
- ASEV. Abstracts: ASEV 53rd annual meeting (2002). 53:240A-260A.
———. Abstracts: ASEV 54th annual meeting (2003). 54:214A-236A.
———. Abstracts: ASEV 55th annual meeting (2004). 55:295A-323A.
- ASEV. Abstracts: Eastern section 26th annual meeting (2001). 53:235A-239A.
———. Abstracts: Eastern section 27th annual meeting (2002). 53:139A-142A.
———. Abstracts: Eastern section 29th annual meeting (2004). 55:431-437.
- ASEV Japan. Abstracts from papers published in the Journal of ASEV Japan, 2000. 52:58-59.
———. Abstracts of papers presented at the ASEV Japan chapter annual meeting, Chiba, Japan, 17 November 2000. 52:282-285.
———. Abstracts of papers presented at the ASEV Japan chapter annual meeting, Kofu, Yamanashi, Japan, 22 November 2001. 53:330A-333A.
- Asimont, S. See S.J. Lee. 55:346-354.
- Augustine, M.P. See A.J. Weekley. 53:318-321.
- Austin, K.T., and C.E. Butzke. Spectrophotometric assay for arginine in grape juice and must. 51:227-232.
- Ayala, F. See V. Pérez-Caballero. 54:59-62.

B

- Baigorri, H., C. Antolin, I. De Luis, L. Geny, M. Broquedis, F. Aguirrezábal, and M. Sánchez-Díaz. Influence of training system on the reproductive development and hormonal levels of *Vitis vinifera* L. cv. Tempranillo. 52:357-363.
- Baillieul, F. See A. Bonomelli. 55:51-59.
- Baltenweck-Guyot, R. See T. Tominaga. 51:178-181.
- Barba, A. See S. Navarro. 52:35-40.
- Barros, P. See I. Festas. 51:150-154.
See P. Herbert. 51:262-268.
- Barsukova, T. See D. De Beer. 55:389-400.
- Bartolomé, B. See M. Monagas. 54:163-169.
- Basha, S.M. See H. Mazhar. 53:87-91.
- Basinal, L.M. See L. Palou. 53:110-115.
- Bates, R.P. See M.N. Musingo. 52:109-114.
- Baudoin, A.B. See S.A. Finger. 53:116-124.
- Bauer, R., H.A. Nel, and L.M.T. Dicks. Pediocin PD-1 as a method to control growth of *Oenococcus oeni* in wine. 54:86-91.
See H.A. Nel. 53:191-196.
- Baumes, R. See E. Agosin. 51:404-408.
See E. Masson. 51:201-214.
- Baumgartner, K., and D.M. Rizzo. Spread of Armillaria root disease in a California vineyard. 53:197-203.
- Bayonove, C. See E. Agosin. 51:404-408.
- Beam, B.A. See I.E. Dami. 55:269-275.

- Belancic, A. See E. Agosin. 51:404-408.
- Benizri, E. See A. Bonomelli. 55:51-59.
- Berglund, K.A. See J.J. Andraous. 55:199-201.
- Bergqvist, J., N. Dokoozlian, and N. Ebisuda. Sunlight exposure and temperature effects on berry growth and composition of Cabernet Sauvignon and Grenache in the central San Joaquin Valley of California. 52:1-7.
- Berlanga, T.M., R. Peinado, C. Millán, and J.M. Ortega. Discriminant analysis of sherry wine during biological aging. 55:407-411.
- Bernizzoni, F. See S. Poni. 55:379-388.
- Berry, A.M. See A.E. Patrick. 55:187-190.
- Bertrand, A. See V. Gerbaux. 53:131-137.
- Bessis, R. See M. Adrian. 51:37-41.
See B. Borie. 55:60-64.
- Bettiga, L.J. Comparison of seven Chardonnay clonal selections in the Salinas Valley. 54:203-206.
———. Comparison of four Merlot clonal selections in the Salinas Valley. 54:207-210.
- Bierne, J. See A.S. Renault. 51:81-87.
- Biscay, P.J. See L.E. Williams. 51:49-54.
- Bisson, L.F., and C.E. Butzke. Diagnosis and rectification of stuck and sluggish fermentations. 51:168-177.
See M. Dizy. 51:155-167.
See C.L. Pallmann. 52:198-203.
See A. Spiropoulos. 51:233-248.
See K.C. Weiss. 52:275-279; 53:28-36.
- Bizzarri, D. See M.A. Daeschel. 53:154-157.
- Bjerring, P. See J.T. Larsen. 54:246-251.
- Blaas, W. See A. Heier. 53:78-86.
- Blaich, M. See A. Forneck. 52:28-34.
- Blanchard, L., P. Darriet, and D. Dubourdieu. Reactivity of 3-mercaptohexanol in red wine: Impact of oxygen, phenolic fractions, and sulfur dioxide. 55:115-120.
- Block, D.E. See J.G. Ferrier. 52:386-395.
See V. Subramanian. 52:175-184.
See S.B. Turbow. 53:158-162.
See S. Vlassides. 51:73-80.
- Bonomelli, A., L. Mercier, J. Franchel, F. Baillieul, E. Benizri, and M.C. Mauro. Response of grapevine defenses to UV-C exposure. 55:51-59.
- Bordeu, E., G. Formas, and E. Agosin. Proposal for a standardized set of sensory terms for Pisco, a young muscat wine distillate. 55:104-107.
See E. Agosin. 51:404-408.
- Bordons, A. See M.T. Vidal. 52:223-229.
- Borie, B., P. Jeandet, A. Parize, R. Bessis, and M. Adrian. Resveratrol and stilbene synthase mRNA production in grapevine leaves treated with biotic and abiotic phytoalexin elicitors. 55:60-64.
- Borrego, J., M.T. de Andrés, J.L. Gómez, and J. Ibáñez. Genetic study of Malvasia and Torrontes groups through molecular markers. 53:125-130.
See J.A. Cabezas. 54:237-245.
See J. Ibáñez. 54:22-30.
See K.M. Sefc. 54:15-21.
- Boso Alonso, S., J.L. Santiago Blanco, and M.C. Martínez Rodríguez. Intravarietal agronomic variability in *Vitis vinifera* L. cv. Albariño. 55:279-282.
- Botta, R. See K.M. Sefc. 54:15-21.
- Boulton, R.B. The copigmentation of anthocyanins and its role in the color of red wine: A critical review. 52:67-87.
See Alarcon-Mendez, A. 52:191-197.
See S.K. Park. 51:91-97.
- Boursiquot, J.M. See P. Hinrichsen. 52:396-399.
- Bowers, J.E. See P. Hinrichsen. 52:396-399.
- Braga, F.G., F.A. Lencart e Silva, and A. Alves. Recovery of winery by-products in the Douro Demarcated Region: Production of calcium tartrate and grape pigments. 53:41-45.
- Brancadoro, L. See O. Failla. 55:128-138.
- Breuil, A.C. See M. Adrian. 51:37-41.
- Brindle, I. See G. Pickering. 55:153-159.
- Broquedis, M. See H. Baigorri. 52:357-363.
- Brown, J.A. See C.L. Pallmann. 52:198-203.
- Bruins, P. See A.J. Weekley. 53:318-321.
- Brun, O. See N. Martin. 53:6-13.
- Buck, K.K.S. See V. Subramanian. 52:175-184.
- Buescher, W.A., C.E. Siler, J.R. Morris, R.T. Threlfall, G.L. Main, and G.C. Cone. High alcohol wine production from grape juice concentrates. 52:345-351.
- Burns, G., and A. Caputi, Jr. Adoption of international units of measurement in United States wine analysis. 53:222-223.
- Burrus, M. See L. Valat. 54:279-285.
- Butzke, C.E. 2000/2001 Survey of winery laboratory proficiency. 53:163-169.
See K.T. Austin. 51:227-232.
See L.F. Bisson. 51:168-177.
- Buxaderas, S. See C. Andrés-Lacueva. 53:147-150.
See S. Francioli. 54:158-162.
See M. Ibern-Gómez. 51:29-36; 52:159-164.
See M. López-Barajas. 52:146-150.
- Buzkan, N., A.F. Krivanek, A. Eskalen, and M. Andrew Walker. Improvements in sample preparation and polymerase chain reaction techniques for detection of *Xylella fastidiosa* in grapevine tissue. 54:307-312.
- Byers, P.L. See L.G. Kovács. 54:8-14.
- Byrne, K.J. See A. Caputi. 51:415-417.

C

- Cabanis, J.C. See C. Cabrera-Vique. 51:103-107.
- Cabanis, M.T. See C. Cabrera-Vique. 51:103-107.
- Cabanne, C., and B. Donèche. Changes in polygalacturonase activity and calcium content during ripening of grape berries. 52:331-335.
- Cabaroglu, T., A. Canbas, J.P. Lepoutre, and Z. Gunata. Free and bound volatile composition of red wines of *Vitis vinifera* L. cv. Öküzgözü and Bogazkere grown in Turkey. 53:64-68.
- Cabello, F. See M.T. Cervera. 52:127-135.
See J.A. Cabezas. 54:237-245.
- Cabezas, J.A., M.T. Cervera, R. Arroyo-García, J. Ibáñez, I. Rodríguez-Torres, J. Borrego, F. Cabello, and J.M. Martínez-Zapater. Garnacha and Garnacha Tintorera: Genetic relationships and the origin of Teinturier varieties cultivated in Spain. 54:237-245.
See M.T. Cervera. 52:127-135.
- Cabral, M. See I. Festas. 51:150-154.
- Cabrera-Vique, C., P.L. Teissedre, M.T. Cabanis, and J.C. Cabanis. Manganese determination in grapes and wines from different regions of France. 51:103-107.
- da Câmara Machado, A. See K.M. Sefc. 54:15-21.
- Canbas, A. See T. Cabaroglu. 53:64-68.

- Cantoral, J.M. See J.J. Mesa. 51:15-21.
- Capps, E.R., and T.K. Wolf. Reduction of bunch stem necrosis of Cabernet Sauvignon by increased tissue nitrogen concentration. 51:319-328.
- Caputi, A., A. Ribeiro, and K.J. Byrne. Gas chromatographic determination of mono- and diglycerides in wine and their natural removal from wine. 51:415-417.
See G. Burns. 53:222-223.
- Carbonneau, A. See H. Ojeda. 53:261-267.
- Cardoso, H. See P. Silva. 55:65-72.
- Cardoso, M.I. See R.C.C. Costa. 51:131-136.
- Caro Pina, I. See V.M. Palacios Macías. 52:151-155.
- Cartechini, A. See A. Palliotti. 51:122-130; 52:317-323.
- Castagnoli, S. See M. Vasconcelos. 51:390-396.
- Castro, R., and C. García Barroso. Behavior of a hyperoxidized must during biological aging of Fino sherry wine. 51:98-102.
- de Castro, R. See M. Cunha. 54:189-194.
- Cavazza, A., E. Poznanski, and G. Trioli. Restart of fermentation of simulated stuck wines by direct inoculation of active dry yeasts. 55:160-167.
- Celotti, E. See E. Peterlunger. 53:14-18.
- Cervera, M.T., I. Rodriguez, J.A. Cabezas, J. Chavez, J.M. Martínez-Zapater, and F. Cabello. Morphological and molecular characterization of grapevine accessions known as Albillo. 52:127-135.
See J.A. Cabezas. 54:237-245.
- Chapman, D.M., M.A. Matthews, and J.X. Guinard. Sensory attributes of Cabernet Sauvignon wines made from vines with different crop yields. 55:325-334.
- Charpentier, C. See G. Ramirez-Ramirez. 55:22-26.
- Charpentier, M. See C. Desportes. 52:376-380.
- Chassagne, D. See G. Ramirez-Ramirez. 55:22-26.
- Chavez, J. See M.T. Cervera. 52:127-135.
- Cheyrier, V. See T. Doco. 54:150-157.
See C. Maury. 52:140-145; 54:105-111.
- Choné, X. See C. van Leeuwen. 55:207-217.
- Cichelli, A., F. Damiani, F. Murmura, M.S. Simonetti, M. Odoardi, P. Damiani. Classification of Montepulciano d'Abruzzo wines by linear discriminant analysis and artificial neural networks. 51:108-114.
- Clare, S.S., G. Skurray, and R.A. Shalliker. Effect of pomace-contacting method on the concentration of *cis*- and *trans*-resveratrol and resveratrol glucoside isomers in wine. 55:401-406.
- Claus, M.J. See J.J. Andraous. 55:199-201.
- Cliff, M.A., D. Yuksel, B. Girard, and M. King. Characterization of Canadian ice wines by sensory and compositional analyses. 53:46-53.
See P. Delaquis. 51:42-48.
See D.J. Erasmus. 55:371-378.
See A.G. Reynolds. 52:235-240, 336-344; 55:84-95, 96-103.
- Cocolin, L., A. Heisey, and D.A. Mills. Direct identification of the indigenous yeast in commercial wine fermentations. 52:49-53.
- , M. Manzano, S. Rebecca, and G. Comi. Monitoring of yeast population changes during a continuous wine fermentation by molecular methods. 53:24-27.
- , and D.A. Mills. Wine yeast inhibition by sulfur dioxide: A comparison of culture-dependent and independent methods. 54:125-130.
See C.L. Pallmann. 52:198-203.
- Comi, G. See L. Cocolin. 53:24-27.
- Compagnone, D. See M. Esti. 54:39-45.
- Conceição Tanganho, M. See R.B. Ferreira. 51:22-28.
- Cone, G.C. See W.A. Buescher. 52:345-351.
- Connell, L., H. Stender, and C.G. Edwards. Rapid detection and identification of *Brettanomyces* from winery air samples based on peptide nucleic acid analysis. 53:322-324.
- Constantí, M. See M.T. Vidal. 52:223-229.
- Costa, R.C.C., M.I. Cardoso, and A.N. Araújo. Metals determination in wines by sequential injection analysis with flame atomic absorption spectrometry. 51:131-136.
- Crawford, A. See E. Agosin. 51:404-408.
- Creasy, G.L. See A.P. Friend. 54:313-317.
See V.P. Saxton. 55:288-291, 292-294.
- Crisosto, C.H. See L. Palou. 53:110-115.
- Cumsille, A.M. See D. Roujou de Boubée. 53:1-5.
- Cunha, M., I. Abreu, P. Pinto, and R. de Castro. Airborne pollen samples for early-season estimates of wine production in a Mediterranean climate area of northern Portugal. 54:189-194.

D

- Da Dalt, G. See E. Peterlunger. 53:14-18.
- Daeschel, M.A., T. Musafija-Jeknic, Y. Wu, D. Bizzarri, and A. Villa. High-performance liquid chromatography analysis of lysozyme in wine. 53:154-157.
- Dallas, C., P. Hipólito-Reis, J.M. Ricardo-da-Silva, and O. Laureano. Influence of acetaldehyde, pH, and temperature on transformation of procyanadins in model wine solutions. 54:119-124.
- Damani, P. See A. Cichelli. 51:108-114.
- Dami, I.E., and B.A. Beam. Response of grapevines to soybean oil application. 55:269-275.
See K. Keeley. 55:265-268.
- Dangl, G.S. See C.B. Agüero. 54:318-321.
See E. Maletia. 55:174-180.
- Danilewicz, J.C. Review of reaction mechanisms of oxygen and proposed intermediate reduction products in wine: Central role of iron and copper. 54:73-85.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Changes in the buffering capacity of model solutions of 40 mM tartaric or malic acids in relation to amino acids. 51:347-351.
- Darriet, P. See L. Blanchard. 55:115-120.
See M. Murat. 52:136-139.
- Dartiguenave, C., P. Jeandet, and A. Maujean. Study of the contribution of the major organic acids of wine to the buffering capacity of wine in model solutions. 51:374-378.
- Davenport, J.R., J.M. Marden, L.J. Mills, and M.J. Hattendorf. Response of Concord grape to variable rate nutrient management. 54:286-293.
- Davis, E.A. See R.G. Linderman. 52:8-11.
- Davis, R.E. See G.V. Jones. 51:249-261.
- de Andrés, M.T. See J. Borrego. 53:125-130.
See J. Ibáñez. 54:22-30.
- De Beer, D., J.F. Harbertson, P.A. Kilmartin, V. Roginsky, T. Barsukova, D.O. Adams, and A.L. Waterhouse. Phenolics: A comparison of diverse analytical methods. 55:389-400.
- Debord, S. See M. Adrian. 51:37-41.
- Decendit, A. See F. Larronde. 54:63-66.
- Deffieux, G. See F. Larronde. 54:63-66.
- Delaquis, P., M. Cliff, M. King, B. Girard, J. Hall, and A.G. Reynolds. Effect of two commercial malolactic cultures on the chemical and sensory properties of Chancellor wines vinified with different yeasts and fermentation temperatures. 51:42-48.
See B. Girard. 53:99-109.

- Deloire, A. See H. Ojeda. 53:261-267.
See A.S. Renault. 51:81-87.
- Desportes, C., M. Charpentier, B. Duteurtre, A. Maujean, and F. Duchiron. Isolation, identification, and organoleptic characterization of low-molecular-weight peptides from white wine. 52:376-380.
- De Stefano, G. See M. Servili. 51:352-356.
- Dewey, F.M., S.E. Ebeler, D.O. Adams, A.C. Noble, and U.M. Meyer. Quantification of *Botrytis* in grape juice determined by a monoclonal antibody-based immunoassay. 51:276-282.
- Dharmadhikari, M.R. See K.L. Wilker. 55:168-173.
- Dicks, L.M.T. See H.A. Nel. 53:191-196.
See R. Bauer. 54:86-91.
- Di Marzio, L. See L. Moio. 52:271-274.
- Dittmer, T.W. See T.J. Zabadal. 53:204-209.
- Dizy, M., and L.F. Bisson. Proteolytic activity of yeast strains during grape juice fermentation. 51:155-167.
- Doco, T., P. Vuchot., V. Cheynier, and M. Moutounet. Structural modification of wine arabinogalactans during aging on lees. 54:150-157.
See S. Vidal. 51:115-121.
- Dokoozlian, N. See J. Bergqvist. 52:1-7.
- Donèche, B. See C. Cabanne. 52:331-335.
- Dreier, L.P., G.S. Stoll, and H.P. Ruffner. Berry ripening and evapotranspiration in *Vitis vinifera* L. 51:340-346.
- Droß, A. See A. Heier. 53:78-86.
- Dubourdieu, D. See L. Blanchard. 55:115-120.
See M. Murat. 52:136-139; 54:135-138.
See C. Peyrot des Gachons. 53:144-146.
See D. Roujou de Boubée. 53:1-5.
See T. Tominaga. 51:178-181.
See C. van Leeuwen. 55:207-217.
- Duchiron, F. See C. Desportes. 52:376-380.
- Dugar, S.M. See D.P. Siantar. 54:170-177.
- Dulau, L. See A. Julien. 51:215-222.
- Duteurtre, B. See C. Desportes. 52:376-380.
See G. Liger-Belair. 52:88-92.
- Duxbury, M., G. Hotter, T. Reglinski, and N. Sharpe. Effect of chitosan and 5-chlorosalicylic acid on total phenolic content of grapes and wine. 55:191-194.
- E**
- Ebeler, S.E. See J. Aronson. 55:13-21.
See F.M. Dewey. 51:276-282.
See S.K. Frivik. 54:31-38.
See W.T. Jewell. 52:219-222.
See M.N. Lau. 52:219-222.
See S.J. Lee. 55:346-354.
- Ebisuda, N. See L.E. Williams. 51:49-54.
See J. Bergqvist. 52:1-7.
- Echávarri, J.F. See V. Pérez-Caballero. 54:59-62.
- Edwards, C.G., See L. Connell. 53:322-324.
See A.G. Reynolds. 52:336-344.
See J.T. Larsen. 54:246-251.
- Eggers, N., S. Kenefick, S. Richardson, T. Wigglesworth, and B. Girard. Evaluation of closed-loop stripping for the isolation of wine aroma compounds from aqueous solution. 54:92-98.
- Egli, C.M., and T. Henick-Kling. Identification of *Brettanomyces/Dekkera* species based on polymorphism in the rRNA internal transcribed spacer region. 52:241-247.
- Eiras Dias, J.E. See R. Magalhaes. 54:56-58.
- Eisenheld, C. See F. Regner. 51:7-14.
- Epifanio, S.I. See A.R. Gutiérrez. 52:352-356.
- Erasmus, D.J., M. Cliff, and H.J.J. van Vuuren. Impact of yeast strain on the production of acetic acid, glycerol, and the sensory attributes of icewine. 55:371-378.
- Eskalen, A. See N. Buzkan. 54:307-312.
- Esti, M., G. Volpe, D. Compagnone, G. Mariotti, D. Moscone, and G. Palleschi. Monitoring alcoholic fermentation of red wine by electrochemical biosensors. 54:39-45.
- Ewert, B. See B. Girard. 53:99-109.
- F**
- Failla, O., L. Mariani, L. Brancadoro, R. Minelli, A. Scienza, G. Murada, and S. Mancini. Spatial distribution of solar radiation and its effects on vine phenology and grape ripening in an alpine environment. 55:128-138.
- Famini, R. See D. Favretto. 51:55-64.
- Faria, M.A. See R. Magalhaes. 54:56-58.
- de Fatima Texeira, M. See S. Silva. 54:50-55.
- Favretto, D., and R. Famini. Application of electrospray ionization mass spectrometry to the study of grape anthocyanins. 51:55-64.
- Fekete, S. See H. Hou. 53:289-293.
See W. Qiu. 55:112-114.
- Ferguson, J.C. See S.E. Spayd. 53:171-182.
See J.M. Tarara. 51:182-188; 52:260-265.
- Fernández-Fernández, J.I. See E. Gómez-Plaza. 52:266-270.
- Ferranti, F. See A. Palliotti. 51:122-130.
- Ferreira Monteiro, F. See R. Magalhaes. 54:56-58.
- Ferreira, R.B., S. Monteiro, M.A. Piçarra-Pereira, M. Conceição Tangaño, V.B. Loureiro, and A.R. Teixeira. Characterization of the proteins from grapes and wines by immunological methods. 51:22-28.
See P.R. Mesquita. 52:324-330.
- Ferrier, J.G., and D.E. Block. Neural-network-assisted optimization of wine blending based on sensory analysis. 52:386-395.
- Festas, I., P. Herbert, L. Santos, M. Cabral, P. Barros, and A. Alves. Ochratoxin A in some Portuguese wines: Method validation and screening in Port wine and Vinho Verde. 51:150-154.
- Feuillat, M. Yeast macromolecules: Origin, composition, and enological interest. 54:211-213.
- Finger, S.A., T.K. Wolf, and A.B. Baudoin. Effects of horticultural oils on the photosynthesis, fruit maturity, and crop yield of winegrapes. 53:116-124.
- Fisher, K.H. See J.E. Vanden Heuvel. 55:253-264.
- Fleet, G.H. See B.E.N. Todd. 51:65-72.
- Flerianos, I. See A. Spiropoulos. 51:233-248.
- Feuillat, M. See G. Ramirez-Ramirez. 55:22-26.
- Formas, G. See E. Bordeu. 55:104-107.
- Forneck, A., M.A. Walker, R. Blaich, M. Yvon, and F. Leclant. Interaction of phylloxera (*Daktulosphaira vitifoliae* Fitch) with grape (*Vitis* spp.) in simple isolation chambers. 52:28-34.
- Fortenberry, M. See L.G. Kovacs. 52:254-259.
- Franchel, J. See A. Bonomelli. 55:51-59.
- Francioli, S., J. Torrens, M. Riu-Aumatell, E. López-Tamames, and S. Buxaderas. Volatile compounds by SPME-GC as age markers of sparkling wines. 54:158-162.
- de Freitas, V.A.P., Y. Glories, and A. Monique. Developmental changes of procyanidins in grapes of red *Vitis vinifera* varieties and their composition in respective wines. 51:397-403.
See N. Mateus. 52:115-121.
- Friant, P. See C. van Leeuwen. 55:207-217.

- Friend, A.P., G.L. Creasy, M.C.T. Trought, and A. Lang. Use of tagging to trace capfall and development of individual *Vitis vinifera* L. cv. Pinot noir flowers. 54:313-317.
- Frivik, S.K., and S.E. Ebeler. Influence of sulfur dioxide on the formation of aldehydes in white wine. 54:31-38.
- Frøst, M.B., and A.C. Noble. Preliminary study of the effect of knowledge and sensory expertise on liking for red wines. 53:275-284.
- Fuchs, M. See L. Valat. 54:279-285.
- Fuentes-Pila, J. See C. Pérez-Hugalde. 55:335-345.
- Fugelsang, K.C., and B.W. Zoecklein. Population dynamics and effects of *Brettanomyces bruxellensis* strains on Pinot noir (*Vitis vinifera* L.) wines. 54:294-300.
See B.H. Gump. 53:325-329.
- Fukui, M., and K. Yokotsuka. Content and origin of protein in white and red wines: Changes during fermentation and maturation. 54:178-188.
See K. Yokotsuka. 53:69-77.
- Fukumoto, L. See B. Girard. 53:99-109.

G

- Gambino, G. See I. Gribaudo. 55:427-430.
- Gambutì, A. See L. Moio. 52:271-274; 55:7-12.
- Garcia, L. See A. Picinelli. 51:144-149.
- García Barroso, C. See R. Castro. 51:98-102.
- Garijo, J. See M.R. Salinas. 54:195-202.
- Garijo, P. See A.R. Gutiérrez. 52:352-356.
- Garner, D. See L. Palou. 53:110-115.
- Garzino, S. See N. Korboulewsky. 55:412-416.
- Gaudillère, J.P. See F. Larronde. 54:63-66.
- Genovese, A. See L. Moio. 55:7-12.
- Geny, L. See H. Baigorri. 52:357-363.
- Gerbaux, V., B. Vincent, and A. Bertrand. Influence of maceration temperature and enzymes on the content of volatile phenols in Pinot noir wines. 53:131-137.
- Gerós, H. See P. Silva. 55:65-72.
- Gil-Muñoz, R. See E. Gómez-Plaza. 52:266-270.
- Girard, B., L. Fukumoto, G. Mazza, P. Delaquis, and B. Ewert. Volatile terpene constituents in maturing Gewürztraminer grapes from British Columbia. 53:99-109.
See M. Cliff. 53:46-53.
See P. Delaquis. 51:42-48.
See N. Eggers. 54:92-98.
See A.G. Reynolds. 52:235-240.
- Glories, Y. See V.A.P. de Freitas. 51:397-403.
See M.L. Murat. 54:135-138.
- Glössl, J. See K.M. Sefc. 54:15-21.
- Goin, J.C. See K.L. Wilker. 55:168-173.
- Gollino, G. See E. Peterlunger. 53:14-18.
- Gómez, J.L. See J. Borrego. 53:125-130.
- Gómez-Cordovés, C. See M. Monagas. 54:163-169.
- Gómez-del-Campo, M., C. Ruiz, and J.R. Lissarrague. Effect of water stress on leaf area development, photosynthesis, and productivity in Chardonnay and Airén grapevines. 53:138-143.
- Gómez-Plaza, E., R. Gil-Muñoz, J.M. López-Roca, A. Martínez-Cutillas, and J.I. Fernández-Fernández. Phenolic compounds and color stability of red wines: Effect of skin maceration time. 52:266-270.
- Gómez Talquenca, G.S. See C. Manuel de Borbón. 55:283-285.
- Gonçalves, A.C. See N. Mateus. 52:115-121.
- Gonsalves, D. See K.S. Ling. 52:21-27.
- Gracia, O. See C. Manuel de Borbón. 55:283-285.
- Greene, S.L. See M.A. Olmstead. 52:292-303.
- Greve, L.C. See J.F. Stevenson. 55:238-245.
- Gribaudo, I., G. Gambino, and R. Vallania. Somatic embryogenesis from grapevine anthers: The optimal developmental stage for collecting explants. 55:427-430.
- Grimaldi, A., H. McLean, and V. Jiranek. Identification and partial characterization of glycosidic activities of commercial strains of the lactic acid bacterium, *Oenococcus oeni*. 51:357-364.
- Gubler, W.D. See H.L. Ypema. 51:1-6.
- Güell, C. See I. Achaerandio. 52:122-126.
See V. Pashova. 55:195-198.
- Guidoni, S., P. Allara, and A. Schubert. Effect of cluster thinning on berry skin anthocyanin composition of *Vitis vinifera* cv. Nebbiolo. 53:224-226.
- Guilloux-Benatier, M. See M. Poussier. 54:261-266.
- Guinard, J.X. See D.M. Chapman. 55:325-334.
- Gump, B.H., B.W. Zoecklein, K.C. Fugelsang, and R.S. Whiton. Comparison of analytical methods for prediction of prefermentation nutritional status of grape juice. 53:325-329.
- Gunata, Z. See T. Cabaroglu. 53:64-68.
- Guo, X., and J. Lu. Use of a pressure chamber to isolate and detect *Xylella fastidiosa* in xylem exudates of grapevines. 55:202-205.
- Gutiérrez, A.R., S. Epifanio, P. Garijo, R. López, and P. Santamaría. Killer yeasts: Incidence in the ecology of spontaneous fermentation. 52:352-356.

H

- Hall, J. See P. Delaquis. 51:42-48.
- Hall, T.W., and W.F. Mahaffee. Impact of vine shelter use on development of grape powdery mildew. 52:204-209.
- Halverson, C.A. See D.P. Siantar. 54:170-177.
- Hanami, H. See L.G. Kovacs. 52:254-259.
- Hanson, E.J. See R.J. Vos. 55:246-252.
- Harbertson, J.F., J.A. Kennedy, and D.O. Adams. Tannin in skins and seeds of Cabernet Sauvignon, Syrah, and Pinot noir berries during ripening. 53:54-59.
———, E.A. Picciotto, and D.O. Adams. Measurement of polymeric pigments in grape berry extracts and wines using a protein precipitation assay combined with bisulfite bleaching. 54:301-306.
See D. De Beer. 55:389-400.
- Hartmann, P.J., H.M. McNair, and B.W. Zoecklein. Measurement of 3-alkyl-2-methoxypyrazine by headspace solid-phase microextraction in spiked model wines. 53:285-288.
- Hatfield, J.M. See S.Y. Rogiers. 55:121-127.
- Hattendorf, M.J. See J.R. Davenport. 54:286-293.
- Heier, A., W. Blas, A. Droß, and R. Wittkowski. Anthocyanin analysis by HPLC/ESI-MS. 53:78-86.
- Heisey, A. See L. Cocolin. 52:49-53.
- Henick-Kling, T. See C.M. Egli. 52:241-247.
- Henick-Kling, T. See C.E. Shively. 52:400-401.
- Henry, R.J. See J.P. Tomkins. 52:287-291.
- Henschke, P.A. See B.E.N. Todd. 51:65-72.
- Herbert, P., P. Barros, and A. Alves. Detection of Port wine imitations by discriminant analysis using free amino acids profiles. 51:262-268.
See I. Festas. 51:150-154.
- Hill, N.R. See D.P. Siantar. 54:170-177.
- Hinrichsen, P., C. Narváez, J.E. Bowers, J.M. Boursiquot, J. Valenzuela, C. Muñoz, and C.P. Meredith. Distinguishing Carmenère from similar cultivars by DNA typing. 52:396-399.
- Hipólito-Reis, P. See C. Dallas. 54:119-124.
- Hirano, K. See S. Wang. 52:248-253.

- Holton, T.A. See J.P. Tomkins. 52:287-291.
- Hotter, G. See M. Duxbury. 55:191-194.
- Hou, H., S. Fekete, and L.G. Kovacs. New members of the stilbene synthase gene family from the *Vitis aestivalis*-derived grape cultivar Norton. 53:289-293.
- Howell, G.S. Sustainable grape productivity and the growth-yield relationship: A review. 52:165-174.
See H. Jiang. 53:210-217; 53:227-230.
See D.J. Wampfler. 55:276-278.
- Huix-Blanquera, M. See R.M. Lamuela-Raventós. 52:156-158.
- I**
- Ibacache, A. See E. Agosin. 51:404-408.
- Ibáñez, J., M.T. de Andrés, A. Molino, and J. Borrego. Genetic study of key Spanish grapevine varieties using microsatellite analysis. 54:22-30.
See J. Borrego. 53:125-130.
See J.A. Cabezas. 54:237-245.
- Ibern-Gómez, M., C. Andrés-Lacueva, R.M. Lamuela-Raventós, S. Buxaderas, V.L. Singleton, and M.C. de la Torre-Boronat. Browning of cava (sparkling wine) during aging in contact with lees due to the phenolic composition. 51:29-36.
- , C. Andrés-Lacueva, R.M. Lamuela-Raventós, C. Lao-Luque, S. Buxaderas, and M.C. de la Torre-Boronat. Differences in phenolic profile between oak wood and stainless steel fermentation in white wines. 52:159-164.
- , C. Andrés-Lacueva, R.M. Lamuela-Raventós, and A.L. Waterhouse. Rapid HPLC analysis of phenolic compounds in red wines. 53:218-221.
See C. Andrés-Lacueva. 53:147-150.
- Ignelzi, S. See A.L. Waterhouse. 51:383-389.
- Ikeda, T. See Y.T. Kong. 52:381-385.
- Imabayashi, S.I. See Y.T. Kong. 52:381-385.
- Infante, J.J. See J.J. Mesa. 51:15-21.
- Inglis, D.L. See D. Kontkanen. 55:363-370.
- Iocco, P. See L. Torregrosa. 53:183-190.
- Isaacs, R. See R.J. Mercader. 54:252-260; 55:1-6.
- J**
- Jacopin, C. See Y. Vasserot. 52:54-55.
- Jacquet, A. See R. Morlat. 54:1-7.
- Jaudzems, V.G. See S.Y. Rogiers. 55:121-127.
- Jeandet, P. See M. Adrian. 51:37-41.
See B. Borie. 55:60-64.
See C. Dartiguenave. 51:347-351, 374-378.
See G. Liger-Belair. 52:88-92; 53:151-153.
See S. Manteau. 54:267-272.
See R. Marchal. 53:308-314.
See Y. Vasserot. 52:54-55, 280-281.
- Jewell, W.T., and S.E. Ebeler. Tyrosinase biosensor for the measurement of wine polyphenolics. 52:219-222.
- Jiang, H., and G.S. Howell. Applying chlorophyll fluorescence technique to cold hardiness studies of grapevines. 53:210-217.
- . Correlation and regression analyses of cold hardiness, air temperatures, and water content of Concord grapevines. 53:227-230.
- Jiranek, V. See A. Grimaldi. 51:357-364.
- Jones, G.V., and R.E. Davis. Climate influences on grapevine phenology, grape composition, and wine production and quality for Bordeaux, France. 51:249-261.
- Jordão, A.M., J. M. Ricardo-da-Silva, and O. Laureano. Evolution of catechins and oligomeric procyanidins during grape maturation of Castelão Francês and Touriga Francesa. 52:230-234.
- Joslin, W.S. See A. Zimman. 53:93-98.
- Júdez, L. See C. Pérez-Hugalde. 55:335-345.
- Julien, A., J.L. Roustan, L. Dulau, and J.M. Sablayrolles. Comparison of nitrogen and oxygen demands of enological yeasts: Technological consequences. 51:215-222.
- K**
- Kakiuchi, T. See Y.T. Kong. 52:381-385.
- Kaku, S. See M.V. McKenry. 55:218-227.
- Kano, K. See Y.T. Kong. 52:381-385.
- Kaps, M.L. See L.G. Kovács. 52:254-259; 54:8-14.
- Karagiannidis, N., and N. Nikolaou. Influence of arbuscular mycorrhizae on heavy metal (Pb and Cd) uptake, growth, and chemical composition of *Vitis vinifera* L. (cv. Razaki). 51:269-275.
- Kaserer, H. See F. Regner. 51:7-14.
- Keck, K. See A.E. Patrick. 55:187-190.
- Keeley, K., J.E. Preece, B.H. Taylor, and I.E. Dami. Effects of high auxin concentrations, cold storage, and cane position on improved rooting of *Vitis aestivalis* Michx. Norton cuttings. 55:265-268.
- Keller, M., L.J. Mills, R.L. Wample, and S.E. Spayd. Crop load management in Concord grapes using different pruning techniques. 55:35-50
See S.Y. Rogiers. 55:121-127.
- Kenefick, S. See N. Eggers. 54:92-98.
- Kennedy, J.A., M.A. Matthews, and A.L. Waterhouse. Effect of maturity and vine water status on grape skin and wine flavonoids. 53:268-274.
See J.F. Harbertson. 53:54-59.
- Kilmartin, P.A., H. Zou, and A.L. Waterhouse. Correlation of wine phenolic composition versus cyclic voltammetry response. 53:294-302.
See D. De Beer. 55:389-400.
- King, M. See M. Cliff. 53:46-53.
See P. Delaquis. 51:42-48.
See A.G. Reynolds. 55:84-95, 96-103.
- Kirmiz, C. See D.P. Siantar. 54:170-177.
- Kliwer, W.M. See N. Kubota. 51:409-414.
- Kong, Y.T., S.I. Imabayashi, K. Kano, T. Ikeda, and T. Kakiuchi. Peroxidase-based amperometric sensor for the determination of total phenols using two-stage peroxidase reactions. 52:381-385.
- Kontian, J.K. See E. Maletić. 55:174-180.
- Kontkanen, D., D.L. Inglis, G.J. Pickering, and A. Reynolds. Effect of yeast inoculation rate, acclimatization, and nutrient addition on icewine fermentation. 55:363-370.
- Kopp, T.G. See A.G. Reynolds. 52:235-240.
- Korboulewsky, N., C. Robles, and S. Garzino. Effects of sewage sludge compost on volatile organic compounds of wine from *Vitis vinifera* cv. Red Grenache. 55:412-416.
- Koundouras, S. See C. van Leeuwen. 55:207-217.
- Kovács, L.G., P.L. Byers, M.L. Kaps, and J. Saenz. Dormancy, cold hardiness, and spring frost hazard in *Vitis amurensis* hybrids under continental climatic conditions. 54:8-14.
- , H. Hanami, M. Fortenberry, and M.L. Kaps. Latent infection by leafroll agent GLRaV-3 is linked to lower fruit quality in French-American hybrid grapevines Vidal blanc and St. Vincent. 52:254-259.
See H. Hou. 53:289-293.
See W. Qiu. 55:112-114.
- Kraeva, E. See H. Ojeda. 53:261-267.
See A.S. Renault. 51:81-87.
- Kramp, B. See J.T. Larsen. 54:246-251.
- Krisa, S. See F. Larronde. 54:63-66.

- Kretsch, J.O. See M.V. McKenry. 52:304-309, 310-316.
 Krivanek, A.F. See N. Buzkan. 54:307-312.
 Kubota, N., M.A. Matthews, T. Takahagi, and W.M. Kliewer. Budbreak with garlic preparations. 51:409-414.
 Kupina, S.A., and A.J. Shrikhande. Evaluation of a Fourier transform infrared instrument for rapid quality-control wine analyses. 54:131-134.

L

- Labavitch, J.M. See J.F. Stevenson. 55:238-245.
 Lacombe, T. See E. Maletia. 55:174-180.
 Lallement, A. See R. Marchal. 53:308-314.
 Lambert, B. See S. Manteau. 54:267-272.
 Lamikanra, O. See M.N. Musingo. 52:109-114.
 Lamuela-Raventós, R.M., M. Huix-Blanquera, and A.L. Waterhouse. Treatments for pinking alteration in white wines. 52:156-158.
 See C. Andrés-Lacueva. 53:147-150.
 See M. Ibern-Gómez. 51:29-36; 52:159-164; 53:218-221.
 Lang, A. See A.P. Friend. 54:313-317.
 Lang, N.S., See R.P. Smithyman. 52:364-375.
 Lange, L.W. See K.C. Weiss. 52:275-279.
 Lao-Luque, C. See M. Ibern-Gómez. 52:159-164.
 Larronde, F., J.P. Gaudillère, S. Krisa, A. Decendit, G. Deffieux, and J.M. Mérillon. Airborne methyl jasmonate induces stilbene accumulation in leaves and berries of grapevine plants. 54:63-66.
 Larsen, J.T., J. Nielsen, B. Kramp, M. Richelieu, P. Bjerring, M.J. Riisager, N. Arneborg, and C.G. Edwards. Impact of different strains of *Saccharomyces cerevisiae* on malolactic fermentation by *Oenococcus oeni*. 54:246-251.
 Laureano, O. See C. Dallas. 54:119-124.
 See A.M. Jordão. 52:230-234.
 Lavigne, V. See M. Murat. 52:136-139.
 Leclant, F. See A. Forneck. 52: 28-34.
 Ledebuhr, R.L. See T.J. Zabadal. 53:204-209.
 Lee, L.S. See J.P. Tomkins. 52:287-291.
 Lee, S.J., D. Rathbone, S. Asimont, R. Adden, and S.E. Ebeler. Dynamic changes in ester formation during Chardonnay juice fermentations with different yeast inoculation and initial Brix conditions. 55:346-354.
 Lefebvre, S. See C. Maury. 52:140-145; 54:105-111.
 Lefort, F., and K.K.A. Roubelakis-Angelakis. Genetic comparison of Greek cultivars of *Vitis vinifera* L. by nuclear microsatellite profiling. 52:101-108.
 See K.M. Sefc. 54:15-21.
 Le Fur, Y. See P. Piombino. 55:27-34.
 Legendre, L. See S. Manteau. 54:267-272.
 Lemaesquier, H. See G. Liger-Belair. 52:88-92.
 Lencart e Silva, F.A. See F.G. Braga. 53:41-45.
 Lepoutre, J.P. See T. Cabaroglu. 53:64-68.
 Le Quéré, J. See P. Piombino. 55:27-34.
 Letinois, I. See A.S. Renault. 51:81-87.
 Levite, D. See M. Adrian. 51:37-41.
 Liger-Belair, G., H. Lemaesquier, B. Robillard, B. Duteurtre, and P. Jeandet. The secrets of fizz in Champagne wines: A phenomenological study. 52:88-92.
 ———, R. Marchal, and P. Jeandet. Close-up on bubble nucleation in a glass of Champagne. 53:151-153.
 Lindemann, D.J. See J.J. Andraous. 55:199-201.
 Linderman, R.G., and E.A. Davis. Comparative response of selected grapevine rootstocks and cultivars to inoculation with different mycorrhizal fungi. 52:8-11.
 Lin, J. See G. Pickering. 55:153-159.
 Ling, K.S., H.Y. Zhu, N. Petrovic, and D. Gonsalves. Comparative effectiveness of ELIZA and RT-PCR for detecting grapevine leafroll-associated closterovirus-3 in field samples. 52:21-27.
 Lissarrague, J.R. See M. Gómez-del-Campo. 53:138-143.
 Litago, J. See C. Pérez-Hugalde. 55:335-345.
 Lo Giudice, D., T.K. Wolf, and B.W. Zoecklein. Effects of prohexadione-calcium on grape yield components and fruit and wine composition. 55:73-83.
 López, F. See I. Achaerandio. 52:122-126.
 See V. Pashova. 55:195-198.
 López, R. See A.R. Gutiérrez. 52:352-356.
 López-Barajas, M., E. López-Tamames, S. Buxaderas, G. Suberbiola, and M.C. de la Torre-Boronat. Influence of wine polysaccharides of different molecular mass on wine foaming. 52:146-150.
 See V. Pashova. 55:195-198.
 López-Roca, J.M. See E. Gómez-Plaza. 52:266-270.
 López-Tamames, E. See S. Francioli. 54:158-162.
 See M. López-Barajas. 52:146-150.
 Loureiro, V.B. See R.B. Ferreira. 51:22-28.
 See P.R. Mesquita. 52:324-330.
 Lu, J. See X. Guo. 55:202-205.
 See H. Mazhar. 53:87-91.
 See S. Wang. 52:248-253.
 Luvisi, D. See M.V. McKenry. 55:218-227.
 De Luis, I. See H. Baigorri. 52:357-363.
 Lyon, M.L. See A. Zimman. 53:93-98.

M

- Machado, J.M. See N. Mateus. 52:115-121.
 Magalheas, N. See R. Magalhaes. 54:56-58.
 Magalheas, R., M.A. Faria, N.M.M. Santos, J.E. Eiras Dias, N. Magalhaes, C.P. Meredith, and F. Ferreira Monteiro. Verifying the identity and parentage of Cruzado de Rabo de Ovelha with microsatellite markers. 54:56-58.
 Mahaffee, W.F. See T.W. Hall. 52:204-209.
 Main, D. See J.P. Tomkins. 52:287-291.
 Main, G.L., J. Morris, and K. Striegler. Rootstock effects on Chardonnay productivity, fruit, and wine composition. 53:37-40.
 ———, and J.R. Morris. Leaf-removal effects on Cynthiana yield, juice composition, and wine composition. 55:147-152.
 See W.A. Buescher. 52:345-351.
 See J.R. Morris. 55:423-426.
 See T.L. Walker. 54:67-71.
 Maletia E., I. Pejia, J.K. Kontia, J. Piljac, G.S. Dangl, A. Vokurka, T. Lacombe, N. Mirošević, and C.P. Meredith. Zinfandel, Dobrič and Plavic mali: The genetic relationship among three cultivars of the Dalmatian coast of Croatia. 55:174-180.
 See K.M. Sefc. 54:15-21.
 Mancini, S. See O. Failla. 55:128-138.
 Mangas, J.J. See A. Picinelli. 51:144-149.
 Mansfield, A.K., and B.W. Zoecklein. Effect of fermentation, post-fermentation, and postbottling heat treatment on Cabernet Sauvignon glycoconjugates. 54:99-104.
 ———, B.W. Zoecklein, and R.S. Whiton. Quantification of glycosidase activity in selected strains of *Brettanomyces bruxellensis* and *Oenococcus oeni*. 53:303-307.
 Mansilla, J.P. See O. Aguin. 55:108-111.

- Manteau, S., B. Lambert, P. Jeandet, and L. Legendre. Changes in chitinase and thaumatin-like pathogenesis-related proteins of grape berries during the Champagne winemaking process. 54:267-272.
- Manuel de Borbón, C., O. Gracia, and G.S. Gómez Talquenca. Mealybugs and grapevine leafroll-associated virus 3 in vineyards of Mendoza, Argentina. 55:283-285.
- Manzano, M. See L. Cocolin. 53:24-27.
- Marchal, R., L. Marchal-Delahaut, F. Michels, M. Parmentier, A. Lallement, and P. Jeandet. Use of wheat gluten as clarifying agent of musts and white wines. 53:308-314.
See G. Liger-Belair. 53:151-153.
- Marchal-Delahaut, L. See R. Marchal. 53:308-314.
- Marden, J.M. See J.R. Davenport. 54:286-293.
- Mariani, L. See O. Failla. 55:128-138.
- Mariotti, G. See M. Esti. 54:39-45.
- Marques, S. See N. Mateus. 52:115-121.
- Marr, J.C. See A.G. Reynolds. 52:336-344.
- Martin, N., A. Minard, and O. Brun. Sweetness, sourness, and total taste intensity in Champagne wine. 53:6-13.
- Martín-Álvarez, P.J. See M.A. Pozo-Bayón. 54:273-278.
- Martínez, L.E. See C.B. Agüero. 54:318-321.
- Martínez, M.C., and J.E. Pérez. The forgotten vineyard of the Asturias Principedom (north of Spain) and ampelographic description of its grapevine cultivars (*Vitis vinifera* L.). 51:365-373.
- Martinez, S. See J. Piljac. 55:417-422.
- Martínez-Cutillas, A. See E. Gómez-Plaza. 52:266-270.
- Martínez Rodríguez, M.C. See S. Boso Alonso. 55:279-282.
- Martínez-Rodríguez, A.J. See M.A. Pozo-Bayón. 54:273-278.
- Martínez-Zapater, J.M. See M.T. Cervera. 52:127-135.
See J.A. Cabezas. 54:237-245.
- Masneuf, I. See M. Murat. 52:136-139.
- Masson, E., R. Baumes, M. Moutounet, and J.L. Puech. The effect of kiln-drying on the levels of ellagitannins and volatile compounds of european oak (*Quercus petraea* Liebl.) stave wood. 51:201-214.
- Mateus, N., S. Marques, A.C. Gonçalves, J.M. Machado, and V. de Freitas. Proanthocyanidin composition of red *Vitis vinifera* varieties from the Douro Valley during ripening: Influence of cultivation altitude. 52:115-121.
- Matthews, M.A. See D.M. Chapman. 55:325-334.
See J.A. Kennedy. 53:268-274.
See N. Kubota. 51:409-414.
See J.F. Stevenson. 55:228-237, 238-245.
- Maujean, A. See C. Dartiguenave. 51:347-351, 374-378.
See C. Desportes. 52:376-380.
- Mauro, M.C. See L. Valat. 54:279-285.
See A. Bonomelli. 55:51-59.
- Maurry, C., P. Sarni-Manchado, S. Lefebvre, V. Cheynier, and M. Moutounet. Influence of fining with different molecular weight gelatins on proanthocyanidin composition and perception of wines. 52:140-145.
- . Influence of fining with plant proteins on proanthocyanidin composition of red wines. 54:105-111.
- Mazhar, H., S.M. Basha, and J. Lu. Variation in berry protein composition of Muscadine cultivars. 53:87-91.
- Mazza, G. See B. Girard. 53:99-109.
- McKenry, M.V., J.O. Kretsch, and S.A. Anwar. Interactions of selected rootstocks with ectoparasitic nematodes. 52:304-309.
- . Interactions of selected *Vitis* cultivars with endoparasitic nematodes. 52:310-316.
- , D. Luvisi, S.A. Anwar, P. Schrader, and S. Kaku. Eight-year nematode study from uniformly designed rootstock trials in fifteen table grape vineyards. 55:218-227.
See S.A. Anwar. 53:19-23.
- McLean, H. See A. Grimaldi. 51:357-364.
- McNair, H.M. See P.J. Hartmann. 53:285-288.
- Mee, D.L. See S.E. Spayd. 53:171-182.
- Meier, J. See A. Zimman. 53:93-98.
- Melton, L.D. See A.B. Reed. 55:181-186.
- Mercader, R.J., and R. Isaacs. Phenology-dependent effects of foliar injury and herbivory on the growth and photosynthetic capacity of nonbearing *Vitis labrusca* (Linnaeus) var. Niagara. 54:252-260.
- . Phenophase-dependent growth responses to foliar injury in *Vitis labruscana* Bailey var. Niagara during vineyard establishment. 55:1-6.
- Mercier, L. See A. Bonomelli. 55:51-59.
- Meredith, C.P. See C.B. Agüero. 54:318-321.
See P. Hinrichsen. 52:396-399.
See R. Magalhaes. 54:56-58.
See E. Maletia. 55:174-180.
- Mérillon, J.M. See F. Larronde. 54:63-66.
- Mesa, J.J., J.J. Infante, L. Rebordinos, J.A. Sanchez, and J.M. Cantoral. Influence of the yeast genotypes on enological characteristics of sherry wines. 51:15-21.
- Mesquita, P.R., M.A. Piçarra-Pereira, S. Monteiro, V.B. Loureiro, A.R. Teixeira, and R.B. Ferreira. Effect of wine composition on protein stability. 52:324-330.
- Metikoš-Hukovič, M. See J. Piljac. 55:417-422.
- Meyer, U.M. See F.M. Dewey. 51:276-282.
- Michels, F. See R. Marchal. 53:308-314.
- Milkus, B.N. Incidence of four NEPO viruses in Missouri vineyards. 52:56-57.
- Millán, C. See T.M. Berlanga. 55:407-411.
- Mills, D.A. See L. Cocolin. 52:49-53; 54:125-130.
See C.L. Pallmann. 52:198-203.
- Mills, L.J. See J.R. Davenport. 54:286-293.
See M. Keller. 55:35-50.
- Minard, A. See N. Martin. 53:6-13.
- Minelli, R. See O. Failla. 55:128-138.
- Mirošević, N. See E. Maletia. 55:174-180.
- Mlikota Gabler, F., and J.L. Smilanick. Postharvest control of table grape gray mold on detached berries with carbonate and bicarbonate salts and disinfectants. 52:12-20.
- Moio, L., A. Gambuti, L. Di Marzio, and P. Piombino. Differential pHmeter determination of residual sugars in wine. 52:271-274.
- , M. Ugliano, A. Gambuti, A. Genovese, and P. Piombino. Influence of clarification treatment on concentrations of selected free varietal aroma compounds and glycoconjugates in Falanghina (*Vitis vinifera* L.) must and wine. 55:7-12.
See P. Piombino. 55:27-34
- Molino, A. See J. Ibáñez. 54:22-30.
- Monagas, M., V. Núñez, B. Bartolomé, and C. Gómez-Cordovés. Anthocyanin-derived pigments in Graciano, Tempranillo, and Cabernet Sauvignon wines produced in Spain. 54:163-169.
- Monique, A. See V.A.P. de Freitas. 51:397-403.
- Monteiro, S. See R.B. Ferreira. 51:22-28.
See P.R. Mesquita. 52:324-330.
- Montenegro, M.C.B.S.M. See N. Zárata. 54:46-49.

Morlat, R., and A. Jacquet. Grapevine root system and soil characteristics in a vineyard maintained long-term with or without interrow sward. 54:1-7.

Morris, J.R., G.L. Main, and O.L. Oswald. Flower cluster and shoot thinning for crop control in French-American hybrid grapes. 55:423-426.

See W.A. Buescher. 52:345-351.

See G.L. Main. 53:37-40; 55:147-152.

See T.L. Walker. 54:67-71.

Mosccone, D. See M. Esti. 54:39-45.

Moutounet, M. See T. Doco. 50:28-32; 54:150-157.

See E. Masson. 51:201-214.

See C. Maury. 52:140-145; 54:105-111.

See S. Vidal. 51:115-121.

Muñoz, C. See P. Hinrichsen. 52:396-399.

Murada, G. See O. Failla. 55:128-138.

Murat, M.L., I. Masneuf, P. Darriet, V. Lavigne, T. Tominaga, and D. Dubourdieu. Effect of *Saccharomyces cerevisiae* yeast strains on the liberation of volatile thiols in Sauvignon blanc wine. 52:136-139.

———, T. Tominaga, C. Saucier, Y. Glories, and D. Dubourdieu. Effect of anthocyanins on stability of a key odorous compound, 3-mercaptopentanol, in Bordeaux rosé wines. 54:135-138.

Murmura, F. See A. Cichelli. 51:108-114.

Musafija-Jeknic, T. See M.A. Daeschel. 53:154-157.

Musingo, M.N., C.A. Sims, R.P. Bates, S.F. O'Keefe, and O. Lamikanra. Changes in ellagic acid and other phenols in Muscadine grape (*Vitis rotundifolia*) juices and wines during storage. 52:109-114.

N

Narváez, C. See P. Hinrichsen. 52:396-399.

Navarro, G. See S. Navarro. 52:35-40.

Navarro, S., J. Oliva, G. Navarro, and A. Barba. Dissipation of chlorpyrifos, fenarimol, mancozeb, metalaxyl, penconazole, and vinclozolin in grapes. 52:35-40.

Negueruela, A.I. See V. Pérez-Caballero. 54:59-62.

Nel, H.A., R. Bauer, G.M. Wolfardt, and L.M.T. Dicks. Effect of bacteriocins pediocin PD-1, plantaricin 423, and nisin on biofilms of *Oenococcus oeni* on a stainless steel surface. 53:191-196.

See R. Bauer. 54:86-91.

Nielsen, J. See J.T. Larsen. 54:246-251.

Nicklaus, S. See P. Piombino. 55:27-34.

Nikolaou, N. See N. Karagiannidis. 51:269-275.

Noble, A.C. See F.M. Dewey. 51:276-282.

See M.B. Frøst. 53:275-284.

See S.K. Park. 51:91-97.

Núñez, V. See M. Monagas. 54:163-169.

O

O'Connor, C.J. See A.B. Reed. 55:181-186.

Odoardi, M. See A. Cichelli. 51:108-114.

Ojeda, H., C. Andary, E. Kraeva, A. Carbonneau, and A. Deloire. Influence of pre- and postveraison water deficit on synthesis and concentration of skin phenolic compounds during berry growth of *Vitis vinifera* cv. Shiraz. 53:261-267.

Okamoto, G. See S. Wang. 52:248-253.

O'Keefe, S.F. See M.N. Musingo. 52:109-114.

Okuda, T. See K. Yokotsuka. 54:112-118.

Olineka, T.L. See C.L. Pallmann. 52:198-203.

Oliva, J. See S. Navarro. 52:35-40.

Olmstead, M.A., R.L. Wample, S.L. Greene, and J.M. Tarara. Evaluation of potential cover crops for inland Pacific Northwest vineyards. 52:292-303.

Ortega, J.M. See T.M. Berlanga. 55:407-411.

Oswald, O.L. See J.R. Morris. 55:423-426.

P Q

Pachova, V. See I. Achaerandio. 52:122-126.

Padgett-Johnson, M., L.E. Williams, and M.A. Walker. The influence of *Vitis riparia* rootstock on water relations and gas exchange of *Vitis vinifera* cv. Carignane scion under non-irrigated conditions. 51:137-143.

Palacios, S., I. Caro Pina, and L. Pérez Rodríguez. Factors influencing the oxidation phenomena of Sherry wine. 52:151-155.

Palleschi, G. See M. Esti. 54:39-45.

Palliotti, A., and A. Cartechini. Developmental changes in gas exchange activity in flowers, berries, and tendrils of field-grown Cabernet Sauvignon. 52:317-323.

———, A. Cartechini, and F. Ferranti. Morpho-anatomical and physiological characteristics of primary and lateral shoot leaves of Cabernet Franc and Trebbiano Toscano grapevines under two irradiance regimes. 51:122-130.

Pallmann, C.L., J.A. Brown, T.L. Olineka, L. Cocolin, D.A. Mills, and L.F. Bisson. Use of WL medium to profile native flora fermentations. 52:198-203.

Palou, L., C.H. Crisosto, D. Garner, L.M. Basinal, J.L. Smilanick, and J.P. Zoffoli. Minimum constant sulfur dioxide emission rates to control gray mold of cold-stored table grapes. 53:110-115.

Pardo, F. See M.R. Salinas. 54:195-202.

Parize, A. See B. Borie. 55:60-64.

Park, S.K., R.B. Boulton, and A.C. Noble. Formation of hydrogen sulfide and glutathione during fermentation of white grape musts. 51:91-97.

Parmentier, M. See R. Marchal. 53:308-314.

Pashova, V., C. Güell, E. Pueyo, M. López-Barajas, M.C. Polo, and F. López. White wine protein stabilization by a continuous process using a packed column. 55:195-198.

Patakas, A. Changes in the solutes contributing to osmotic potential during leaf ontogeny in grapevine leaves. 51:223-226.

Paterson, A.M. See V.P. Saxton. 55:288-291, 292-294.

Patrick, A.E., R. Smith, K. Keck, and A.M. Berry. Grapevine uptake of ¹⁵N-labeled nitrogen derived from a winter-annual leguminous cover-crop mix. 55:187-190.

Peinado, R. See T.M. Berlanga. 55:407-411.

Pejić I. See E. Maletić. 55:174-180.

Pellerin, P. See S. Vidal. 51:115-121.

Pérez, F.J., C. Viani, and J. Retamales. Bioactive gibberellins in seeded and seedless grapes: Identification and changes in content during berry development. 51:315-318.

Pérez, J.E. See M.C. Martínez. 51:365-373.

Pérez-Caballero, V., F. Ayala, J.F. Echávarri, and A.I. Negueruela. Proposal for a new standard OIV method for determination of chromatic characteristics of wine. 54:59-62.

Pérez-Hugalde, C., L. Júdez, J. Litago, J. Yuste, and J. Fuentes-Pila. Statistical procedure for clonal preselection of *Vitis vinifera* L. cv. Tempranillo in the Duero Valley, Spain. 55:335-345.

Pérez-Olmos, R. See N. Zárata. 54:46-49.

Pérez Rodríguez, L. See V.M. Palacios. 52:151-155.

Peršurić Đ. See D. Poljuha. 55:286-287.

Peterlunger, E., E. Celotti, G. Da Dalt, S. Stefanelli, G. Gollino, R. Zironi. Effect of training system on Pinot noir grape and wine composition. 53:14-18.

Peterson, D.G. See J.P. Tomkins. 52:287-291.

- Peterson, G.F. See D.P. Siantar. 54:170-177.
- Petrovic, N. See K.S. Ling. 52:21-27.
- Petroviæ • . See J. Piljac. 55:417-422.
- Peuke, A.D. The chemical composition of xylem sap in *Vitis vinifera* L. cv. Riesling during vegetative growth on three different Franconian vineyard soils and as influenced by nitrogen fertilizer. 51:329-339.
- Peyrot des Gachons, C., T. Tominaga, and D. Dubourdieu. Localization of s-cysteine conjugates in the berry: Effect of skin contact on aromatic potential of *Vitis vinifera* L. cv. Sauvignon blanc must. 53:144-146.
See T. Tominaga. 51:178-181.
- Piacquadio, P. See M. Servili. 51:352-356.
- Piçarra-Pereira, M.A. See R.B. Ferreira. 51:22-28.
- Picco, A.M., and M. Rodolfi. Assessments of indoor fungi in selected wineries of Oltrepo Pavese (northern Italy) and Sottoceneri (Switzerland). 55:355-362.
- Pickering, G., J. Lin, R. Riesen, A. Reynolds, I. Brindle, and G. Soleas. Influence of *Harmonia axyridis* on the sensory properties of white and red wine. 55:153-159.
See D. Kontkanen. 55:363-370.
- Picinelli, A., B. Suarez, L. Garcia, and J.J. Mangas. Changes in phenolic contents during sparkling apple winemaking. 51:144-149.
- Piçarra-Pereira, M.A. See P.R. Mesquita. 52:324-330.
- Picciotto, E.A. See J.F. Harbertson. 54:301-306.
- Piljac, J., S. Martinez, T. Stipèviæ • . Petroviæ and M. Metikoš-Hukoviæ. Cyclic voltammetry investigation of the phenolic content of Croatian wines. 55:417-422.
See E. Maletić. 55:174-180.
- Pinto, P. See M. Cunha. 54:189-194.
- Piombino, P., S. Nicklaus, Y. Le Fur, L. Moio, and J. Le Quééré. Selection of products presenting given flavor characteristics: An application to wine. 55:27-34.
See L. Moio. 52:271-274; 55:7-12.
- Pitois, C. See Y. Vasserot. 52:280-281.
- Poblet, M. See M.T. Vidal. 52:223-229.
- Poljuha, D., B. Sladonja, and Đ. Peršuriæ. Survey of five indigenous Istrain cultivars for the presence of six grape viruses. 55:286-287.
- Polo, M.C. See M.A. Pozo-Bayón. 54:273-278.
See V. Pashova. 55:195-198.
- Poni, S., F. Bernizzoni, P. Presutto, and B. Rebutti. Performance of Croatia under short-cane mechanical hedging: A successful case of adaptation. 55:379-388.
- Pons, M. See D. Roujou de Boubée. 53:1-5.
- Poussier, M., M. Guilloux-Benatier, M. Torres, E. Heras, and M. Adrian. Influence of different maceration techniques and microbial enzymatic activities on wine stilbene content. 54:261-266.
- Poznanski, E. See A. Cavazza. 55:160-167.
- Pozo-Bayón, M.A., E. Pueyo, P.J. Martín-Álvarez, A.J. Martínez-Rodríguez, and M.C. Polo. Influence of yeast strain, bentonite addition, and aging time on volatile compounds of sparkling wines. 54:273-278.
- Preece, J.E. See K. Keeley. 55:265-268.
- Presutto, P. See S. Poni. 55:379-388.
- Proctor, J.T.A. See J.E. Vanden Heuvel. 55:253-264.
- Pueyo, E. See V. Pashova. 55:195-198.
See M.A. Pozo-Bayón. 54:273-278.
- Puech, J.L. See E. Masson. 51:201-214.
- Qiu, W., S. Fekete, T. Todd, and L. Kovács. Facilitation of microshoot tip propagation of *Vitis aestivalis* var. Norton by combined application of an antioxidant and cytokinins. 55:112-114.
- R**
- Ramirez-Ramirez, G., D. Chassagne, M. Feuillat, A. Voilley, and C. Charpentier. Effect of wine constituents on aroma compound sorption by oak wood in a model system. 55:22-26.
- Ramming, D. See S.A. Anwar. 53:19-23.
- Ramón-Portugal, F. See S. Silva. 54:50-55.
- Rathbone, D. See S.J. Lee. 55:346-354.
- Rebecca, S. See L. Cocolin. 53:24-27.
- Rebordinos, L. See J.J. Mesa. 51:15-21.
- Rebutti, B. See S. Poni. 55:379-388.
- Redon, C. See A.S. Renault. 51:81-87.
- Reed, A.B., C.J. O'Connor, L.D. Melton, and B.G. Smith. Determination of sugar composition in grapevine rootstock cuttings used for propagation. 55:181-186.
- Reglinski, T. See M. Duxbury. 55:191-194.
- Regner, F., A. Stadlbauer, C. Eisenheld, and H. Kaserer. Genetic relationships among Pinots and related cultivars. 51:7-14.
- Renault, A. S., A. Deloire, I. Letinois, E. Kraeva, C. Tesniere, A. Ageorges, C. Redon, and J. Bierne. β -1,3-Glucanase gene expression in grapevine leaves as a response to infection with *Botrytis cinerea*. 51:81-87.
- Retamales, J. See F.J. Pérez. 51:315-318.
- Retzlaff, W.A. See L.E. Williams. 51:49-54.
- Reynolds, A.G., M. Cliff, B. Girard, and T.G. Kopp. Influence of fermentation temperature on composition and sensory properties of Semillon and Shiraz wines. 52:235-240.
- , C.G. Edwards, M.A. Cliff, J.H. Thorngate, and J.C. Marr. Evaluation of yeast strains during fermentation of Riesling and Chenin blanc musts. 52:336-344.
- , and D.A. Wardle. Evaluation of minimal pruning upon vine performance and berry composition of Chancellor. 52:45-48.
- , D.A. Wardle, M.A. Cliff, and M. King. Impact of training system and vine spacing on vine performance, berry composition, and wine sensory attributes of Seyval and Chancellor. 55:84-95.
- . Impact of training system and vine spacing on vine performance, berry composition, and wine sensory attributes of Riesling. 55:96-103.
See P. Delaquis. 51:42-48.
See D. Kontkanen. 55:363-370.
See G. Pickering. 55:153-159.
- Ribeiro, A. See A. Caputi. 51:415-417.
- Ricardo-da-Silva, J.M. See C. Dallas. 54:119-124.
See A.M. Jordão. 52:230-234.
- Richardson, S. See N. Eggers. 54:92-98.
- Richelieu, M. See J.T. Larsen. 54:246-251.
- Riesen, R. See G. Pickering. 55:153-159.
- Riisager, M.J. See J.T. Larsen. 54:246-251.
- Riu-Aumatell, M. See S. Francioli. 54:158-162.
- Rizzo, D.M. See K. Baumgartner. 53:197-203.
- Robillard, B. See G. Liger-Belair. 52:88-92.
- Robles, C. See N. Korboulewsky. 55:412-416.
- Rodolfi, M. See A.M. Picco. 55:355-362.
- Rodríguez, I. See M.T. Cervera. 52:127-135.
- Rodríguez, J.G. See C.B. Agüero. 54:318-321.
- Rodríguez-Torres, I. See J.A. Cabezas. 54:237-245.
- Rogiers, S.Y., J.M. Hatfield, V.G. Jaudzems, R.G. White, and M. Keller. Grape berry cv. Shiraz epicuticular wax and transpiration during ripening and preharvest weight loss. 55:121-127.
- Roginsky, V. See D. De Beer. 55:389-400.
- Rost, T.L. See J.F. Stevenson. 55:228-237, 238-245.

- Roubelakis-Angelakis, K.K.A. See F. Lefort. 52:101-108.
- Roujou de Boubée, D., A.M. Cumsille, M. Pons, and D. Dubourdieu. Location of 2-methoxy-3-isobutylpyrazine in Cabernet Sauvignon grape bunches and its extractability during vinification. 53:1-5.
- Roustan, J.L. See A. Julien. 51:215-222.
- Ruffner, H.P. See L.P. Dreier. 51:340-346.
- Ruiz, C. See M. Gómez-del-Campo. 53:138-143.

S

- Sablayrolles, J.M. See A. Julien. 51:215-222.
- Saenz, J. See L.G. Kovács. 54:8-14.
- Sainz, M.J. See O. Aguin. 55:108-111.
- Salinas, M.R., J. Garijo, F. Pardo, A. Zalacain, and G.L. Alonso. Color, polyphenol, and aroma compounds in rosé wines after pre-fermentative maceration and enzymatic treatments. 54:195-202.
- Sanchez, J.A. See J.J. Mesa. 51:15-21.
- Sánchez-Díaz, M. See H. Baigorri. 52:357-363.
- Santamaría, M.P. See A.R. Gutiérrez. 52:352-356.
- Santiago Blanco, J.L. See S. Boso Alonso. 55:279-282.
- Santos, L. See I. Festas. 51:150-154.
- Santos, N.M.M. See R. Magalhaes. 54:56-58.
- Sarni-Manchado, P. See C. Maury. 52:140-145; 54:105-111.
- Saucier, C. See M.L. Murat. 54:135-138.
- Saxton, V.P., G.L. Creasy, A.M. Paterson, and M.C.T. Trought. Experimental method to investigate and monitor bird behavior and damage in vineyards. 55:288-291.
- . Response of blackbirds (*Turdus merula*) and silvereyes (*Zosterops lateralis*) to geranoil and 2-methoxy-3-isobutylpyrazine. 55:292-294.
- Schiefelbein, J.W. See P. Thomas. 53:231-234.
- Schrader, P. See M.V. McKenry. 55:218-227.
- Schreiner, R.P. Mycorrhizal colonization of grapevine rootstocks under field conditions. 54:143-149.
- Schubert, A. See S. Guidoni. 53:224-226.
- Sciancalepore, V. See M. Servili. 51:352-356.
- Scienza, A. See O. Failla. 55:128-138.
- Sefc, K. M., H. Steinkellner, F. Lefort, R. Botta, A. da Câmara Machado, J. Borrego, E. Maletic, and J. Glössl. Evaluation of the genetic contribution of local wild vines to European grapevine cultivars. 54:15-21.
- Servili, M., G. De Stefano, P. Piacquadio, and V. Sciancalepore. A novel method for removing phenols from grape must. 51:352-356.
- Shalliker, R.A. See S.S. Clare. 55:401-406.
- Sharpe, N. See M. Duxbury. 55:191-194.
- Shirley, J. R. See A.L. Waterhouse. 51:383-389.
- Shively, C.E., and T. Henick-Kling. Comparison of two procedures for assay of free amino nitrogen. 52:400-401.
- Shrikhande, A.J. See S.A. Kupina. 54:131-134.
- Siantar, D.P., C.A. Halverson, C. Kirmiz, G.F. Peterson, N.R. Hill, and S.M. Dugar. Ochratoxin A in wine: Survey by antibody- and polymeric-based SPE columns using HPLC/fluorescence detection. 54:170-177.
- Siler, C.E. See W.A. Buescher. 52:345-351.
- Silva, P., H. Cardoso, and H. Gerós. Studies on the wine spoilage capacity of *Brettanomyces/Dekkera* spp. 55:65-72.
- Silva, S., F. Ramón-Portugal, P. Andrade, S. Abreu, M. de Fatima Teixeira, and P. Strehaiano. Malic acid consumption by dry immobilized cells of *Schizosaccharomyces pombe*. 54:50-55.
- Simonetti, M.S. See A. Cichelli. 51:108-114.
- Sims, C.A. See M.N. Musingo. 52:109-114.
- Singleton, V.L. See M. Ibern-Gómez. 51:29-36.
See K. Yokotsuka. 52:93-100.
- Skurray, G. See S.S. Clare. 55:401-406.
- Sladonja, B. See D. Poljuha. 55:286-287.
- Smilanick, J.L. See F. Mlikota Gabler. 52:12-20.
See L. Palou. 53:110-115.
- Smith, B.G. See A.B. Reed. 55:181-186.
- Smith, R. See A.E. Patrick. 55:187-190.
- Smithyman, R.P., R.L. Wample, and N.S. Lang. Water deficit and crop level influences on photosynthetic strain and blackleaf symptom development in Concord grapevines. 52:364-375.
- Soleas, G. See G. Pickering. 55:153-159.
- Spayd, S.E., J.M. Tarara, D.L. Mee, and J.C. Ferguson. Separation of sunlight and temperature effects on the composition of *Vitis vinifera* cv. Merlot berries. 53:171-182.
See M. Keller. 55:35-50.
See J.M. Tarara. 51:182-188.
- Spiropoulos, A., J. Tanaka, I. Flerianos, and L.F. Bisson. Characterization of hydrogen sulfide formation in commercial and natural wine isolates of *Saccharomyces*. 51:233-248.
- Stadlbauer, A. See F. Regner. 51:7-14.
- Stefanelli, S. See E. Peterlunger. 53:14-18.
- Steinkellner, H. See K.M. Sefc. 54:15-21.
- Stender, H. See L. Connell. 53:322-324.
- Stevenson, J.F., M.A. Matthews, and T.L. Rost. Grapevine susceptibility to Pierce's disease I: Relevance of hydraulic architecture. 55:228-237.
- , M.A. Matthews, L.C. Greve, J.M. Labavitch, and T.L. Rost. Grapevine susceptibility to Pierce's disease II: Progression of anatomical symptoms. 55:238-245.
- Stipèevia T. See J. Piljac. 55:417-422.
- Stoll, G.S. See L.P. Dreier. 51:340-346.
- Strehaiano, P. See S. Silva. 54:50-55.
- Striegler, K. See G. Main. 53:37-40.
- Suarez, B. See A. Picinelli. 51:144-149.
- Suberbiola, G. See M. López-Barajas. 52:146-150.
- Subramanian, V., K.K.S. Buck, and D.E. Block. Use of decision tree analysis for determination of critical enological and viticultural processing parameters in historical databases. 52:175-184.
- Sullivan, J.A. See J.E. Vanden Heuvel. 55:253-264.

T

- Takahagi, T. See N. Kubota. 51:409-414.
- Takayanagi, T., T. Uchibori, and K. Yokotsuka. Characteristics of yeast polygalacturonases induced during fermentation on grape skins. 52:41-44.
See K. Yokotsuka. 54:112-118.
- Tanaka, J. See A. Spiropoulos. 51:233-248.
- Tarara, J.M., and J.C. Ferguson. Device for simulating high rates of sap flow in grapevines. 52:260-265.
- , J.C. Ferguson, and S.E. Spayd. A chamber-free method of heating and cooling grape clusters in the vineyard. 51:182-188.
See M.A. Olmstead. 52:292-303.
See S.E. Spayd. 53:171-182.
- Taylor, B.H. See K. Keeley. 55:265-268.
- Teissedre, P., See C. Cabrera-Vique. 51:103-107.
- Teixeira, A.R. See R.B. Ferreira. 51:22-28.
See P.R. Mesquita. 52:324-330.
- Tesniere, C. See A.S. Renault. 51:81-87.

- Thomas, M.R. See L. Torregrosa. 53:183-190.
- Thomas, P., and J.W. Schiefelbein. Improved method for purification of RNA from stem tissue of grapevine and its use in mRNA profiling. 53:231-234.
- Thorngate, J.H. See A.G. Reynolds. 52:336-344.
- Threlfall, R.T. See W.A. Buescher. 52:345-351.
See T.L. Walker. 54:67-71.
- Todd, B.E.N., G.H. Fleet, and P.A. Henschke. Promotion of autolysis through the interaction of killer and sensitive yeasts: Potential application in sparkling wine production. 51:65-72.
- Todd, T. See W. Qiu. 55:112-114.
- Tominaga, T., R. Baltenweck-Guyot, C. Peyrot des Gachons, and D. Dubourdieu. Contribution of volatile thiols to the aromas of white wines made from several *Vitis vinifera* grape varieties. 51:178-181.
See M. Murat. 52:136-139; 54:135-138.
See C. Peyrot des Gachons. 53:144-146.
- Torrea Goñi, D., and C. Ancín Azpilicueta. Influence of yeast strain on biogenic amines content in wines: Relationship with the utilization of amino acids during fermentation. 52:185-190.
- de la Torre-Boronat, M.C. See C. Andrés-Lacueva. 53:147-150.
See M. Ibern-Gómez. 51:29-36; 52:159-164.
See M. López-Barajas. 52:146-150.
- Torregrosa, L., P. Iocco, and M.R. Thomas. Influence of *Agrobacterium* strain, culture medium, and cultivar on the transformation efficiency of *Vitis vinifera* L. 53:183-190.
- Torrens, J. See S. Francioli. 54:158-162.
- Torres, M. See M. Poussier. 54:261-266.
- Tomkins, J.P., D.G. Peterson, T.J. Yang, D. Main, E.F. Ablett, R.J. Henry, L.S. Lee, T.A. Holton, D. Waters, and R.A. Wing. Grape (*Vitis vinifera* L.) BAC library construction, preliminary STC analysis, and identification of clones associated with flavonoid and stilbene biosynthesis. 52:287-291.
- Tregoat, O. See C. van Leeuwen. 55:207-217.
- Trioli, G. See A. Cavazza. 55:160-167.
- Trought, M.C.T. See A.P. Friend. 54:313-317.
See V.P. Saxton. 55:288-291, 292-294.
- Turbow, S.B., G.H. Wehmeier, and D.E. Block. Comparison of enzymatic and ISE methods for ammonia measurements in untreated red and white juices and wines. 53:158-162.

U V

- Uchibori, T. See T. Takayanagi. 52:41-44.
- Ugliano, M. See L. Moio. 55:7-12.
- Valat, L., M. Burrus, M. Fuchs, and M. Mauro. Review of techniques to inoculate grapevines with grapevine fanleaf virus: Lessons and perspectives. 54:279-285.
- Valenzuela, J. See P. Hinrichsen. 52:396-399.
- Vallania, R. See I. Gribaudo. 55:427-430.
- Vanden Heuvel, J.E., J.T.A. Proctor, J.A. Sullivan, and K.H. Fisher. Influence of training/trellising system and rootstock selection on productivity and fruit composition of Chardonnay and Cabernet franc grapevines in Ontario, Canada. 55:253-264.
- Vanee, G.R. See T.J. Zabadal. 53:204-209.
- van Leeuwen, C., P. Friant, X. Choné, O. Tregoat, S. Koundouras, and D. Dubourdieu. Influence of climate, soil, and cultivar on terroir. 55:207-217.
- van Vuuren, H.J.J. See D.J. Erasmus. 55:371-378.
- Vasconcelos, M., and S. Castagnoli. Leaf canopy structure and vine performance. 51:390-396.
- Vasserot, Y., C. Jacopin, and P. Jeandet. Effect of bottle capacity and bottle-cap permeability to oxygen in dimethylsulfide formation in Champagne wines during aging on lees. 52:54-55.
———, C. Pitois, and P. Jeandet. Protective effect of a composite cork stopper on Champagne wine pollution with 2,4,6-trichloroanisole. 52:280-281.
- Viani, C. See F.J. Pérez. 51:315-318.
- Vidal, M.T., M. Poblet, M. Constantí, and A. Bordonas. Inhibitory effect of copper and dichlofluanid on *Oenococcus oeni* and malolactic fermentation. 52:223-229.
- Vidal, S., T. Doco, M. Moutounet, and P. Pellerin. Soluble polysaccharide content at initial time of experimental must preparation. 51:115-121.
- Vilaríño, A. See O. Aguin. 55:108-111.
- Vincent, B. See V. Gerbaux. 53:131-137.
- Villa, A. See M.A. Daeschel. 53:154-157.
- Vlassides, S. and D.E. Block. Evaluation of cell concentration profiles and mixing in unagitated wine fermentors. 51:73-80.
- Voilley, A. See G. Ramirez-Ramirez. 55:22-26.
- Vokurka, A. See E. Maletić. 55:174-180.
- Volpe, G. See M. Esti. 54:39-45.
- Vos, R.J., T.J. Zabadal, and E.J. Hanson. Effect of nitrogen application timing on N uptake by *Vitis labrusca* in a short-season region. 55:246-252.
- Vuchot, P. See T. Doco. 54:150-157.

W

- Walker, M.A. See N. Buzkan. 54:307-312.
See A. Forneck. 52:28-34.
See M. Padgett-Johnson. 51:137-143.
- Walker, T.L., J.R. Morris, R.T. Threlfall, and G.L. Main. Control of Cynthiana wine attributes using ion exchange on different prefermentation treatments. 54:67-71.
- Wampfler, D.J., and G.S. Howell. Simplified method for detection and quantification of 2-methoxy-3-isobutylpyrazine in wine. 55:276-278.
- Wample, R.L. See M.A. Olmstead. 52:292-303.
See M. Keller. 55:35-50.
See R.P. Smithyman. 52:364-375.
- Wang, S., G. Okamoto, K. Hirano, J. Lu, and C. Zhang. Effects of restricted rooting volume on vine growth and berry development of Kyoho grapevines. 52:248-253.
- Wardle, D.A. See A.G. Reynolds. 52:45-48; 55:84-95, 96-103.
- Waterhouse, A.L., S. Ignelzi, and J.R. Shirley. A comparison of methods for quantifying oligomeric proanthocyanidins from grape seed extracts. 51:383-389.
See D. De Beer. 55:389-400.
See M. Ibern-Gómez. 53:218-221.
See J.A. Kennedy. 53:268-274.
See P.A. Kilmartin. 53:294-302.
See R.M. Lamuela-Raventós. 52:156-158.
See A. Zimman. 53:93-98; 55:139-146.
- Waters, D. See J.P. Tomkins. 52:287-291.
- Weekley, A.J., P. Bruins, and M.P. Augustine. Nondestructive method of determining acetic acid spoilage in an unopened bottle of wine. 53:318-321.
- Wehmeier, G.H. See S.B. Turbow. 53:158-162.
- Weiss, K.C., L.W. Lange, and L.F. Bisson. Small-scale fining trials: Effect of method of addition on efficiency of bentonite fining. 52:275-279.
———, and L.F. Bisson. Effect of bentonite treatment of grape juice on yeast fermentation. 53:28-36.

- White, R.G. See S.Y. Rogiers. 55:121-127.
- Whiton, R.S., and B.W. Zoecklein. Optimization of headspace solid-phase microextraction for analysis of wine aroma compounds. 51:379-382.
- . Determination of ethyl carbamate in wine by solid-phase microextraction and gas chromatography/mass spectrometry. 53:60-63.
- . Evaluation of glycosyl-glucose analytical methods for various glycosides. 53:315-317.
See B.H. Gump. 53:325-329.
See A.K. Mansfield. 53:303-307.
- Wigglesworth, T. See N. Eggers. 54:92-98.
- Wilker, K.L., M.R. Dharmadhikari, and J.C. Goin. Effect of sweetening treatments on white wine aroma and composition. 55:168-173.
- Williams, L.E., W.A. Retzlaff, W. Yang, P.J. Biscay, and N. Ebisuda. Effect of girdling on leaf gas exchange, water status, and non-structural carbohydrates of field-grown *Vitis vinifera* L. (cv. Flame Seedless). 51:49-54.
See M. Padgett-Johnson. 51:137-143.
- Wing, R.A. See J.P. Tomkins. 52:287-291.
- Wittkowski, R. See A. Heier. 53:78-86.
- Wolf, T.K. See E.R. Capps. 51:319-328.
See S.A. Finger. 53:116-124.
See D. Lo Giudice. 55:73-83.
- Wolfaardt, G.M. See H.A. Nel. 53:191-196.
- Wu, Y. See M.A. Daeschel. 53:154-157.

Y

- Yajima, M., and K. Yokotsuka. Volatile compound formation in white wines fermented using immobilized and free yeast. 52:210-218.
See K. Yokotsuka. 54:112-118.
- Yang, T.J. See J.P. Tomkins. 52:287-291.
- Yang, W. See L.E. Williams. 51:49-54.
- Yokotsuka, K., and M. Fukui. Changes in nitrogen compounds in berries of six grape cultivars during ripening over two years. 53:69-77.
- , and V.L. Singleton. Effects of seed tannins on enzymatic decolorization of wine pigments in the presence of oxidizable phenols. 52:93-100.
- , T. Takayanagi, T. Okuda, and M. Yajima. Production of sweet table wine by termination of alcohol fermentation using an antimicrobial substance from paprika seed. 54:112-118.
See M. Fukui. 54:178-188.
See T. Takayanagi. 52:41-44.
See M. Yajima. 52:210-218.

- Ypema, H.L., and W.D. Gubler. The distribution of early season grapevine shoots infected by *Uncinula necator* from year to year: A case study in two California vineyards. 51:1-6.

- Yuksel, D. See M. Cliff. 53:46-53.
- Yuste, J. See C. Pérez-Hugalde. 55:335-345.
- Yvon, M. See A. Forneck. 52: 28-34.

Z

- Zabadal, T.J., G.R. Vanee, T.W. Dittmer, and R.L. Ledebuhr. Evaluation of strategies for pruning and crop control of Concord grapevines in southwest Michigan. 53:204-209.
See R.J. Vos. 55:246-252.
- Zalacain, A. See M.R. Salinas. 54:195-202.
- Zárate, N., A.N. Araújo, M.C.B.S.M. Montenegro, and R. Pérez-Olmos. Sequential injection analysis of free and total potassium in wines using potentiometric detection and microwave digestion. 54:46-49.
- Zhang, C. See S. Wang. 52:248-253.
- Zhu, H.Y. See K.S. Ling. 52:21-27.
- Zimman, A., W.S. Joslin, M.L. Lyon, J. Meier, and A.L. Waterhouse. Maceration variables affecting phenolic composition in commercial-scale Cabernet Sauvignon winemaking trials. 53:93-98.
- , and A.L. Waterhouse. Incorporation of malvidin-3-glucoside into high molecular weight polyphenols during fermentation and wine aging. 55:139-146.
- Zironi, R. See E. Peterlunger. 53:14-18.
- Zoecklein, B.W. See K.C. Fugelsang. 54:294-300.
See B.H. Gump. 53:325-329.
See P.J. Hartmann. 53:285-288.
See D. Lo Giudice. 55:73-83.
See A.K. Mansfield. 53:303-307; 54:99-104.
See R.S. Whiton. 51:379-382; 53:60-63, 315-317.
- Zoffoli, J.P. See L. Palou. 53:110-115.
- Zou, H. See P.A. Kilmartin. 53:294-302.

Subject Index

Volumes 51, 52, 53, 54, 55
(2000, 2001, 2002, 2003, 2004)

A

- Abcisic acid. training system. 52:357-363.
xylem sap. 51:329-339.
- Abstracts. ASEV 55th annual meeting (2004). 295A-323A.
ASEV 54th annual meeting (2003). 214A-236A.
ASEV 53rd annual meeting (2002). 53:240A-260A.
ASEV Eastern section 29th annual meeting (2004). 55:431A-437A.
ASEV Eastern section 27th annual meeting (2002). 54:139A-142A.
ASEV Eastern section 26th annual meeting (2001). 53:235A-239A.
ASEV Japan chapter annual meeting (2001). 53:330A-333A.
- Acetaldehyde. degradation of procyanidins. 54:119-124.
in sherry wines. 51:15-21.
- Acetic acid. icewine. 55:363-370, 371-378.
wine spoilage. 53:318-321.
- Acid(s). See specific acids.
- Aging. biological aging of sherry. 51:98-102.
fino sherry. 51:98-102.
sparkling wine. 51:29-36.
- Agrobacterium*. genetic transformation. 53:183-190.
- Airén grapevines. water stress. 53:138-143.
- AJEV guide to authors. 52:60-65; 53:334-341; 54:322-329; 55:438-445.
- Aldehydes. white wine. 54:31-38.
- Amino acid(s). biogenic amines. 52:185-190.
composition in grape juice and must. 51:227-232.
contribution to buffering capacity of wines. 51:347-351, 352-356.
Port wine. 51:262-268.
- Ammonia measurement. 53:158-162.
- Ampelography. Albariño accessions. 55:279-282.
Albillo accessions. 52:127-135.
Dalmatian coast. 55:174-180.
Vitis. 51:370-378.
- Amplified fragment length polymorphism (AFLP). characterization of
Albillo accessions. 52:127-135.
- Analysis. See also specific analysis.
arginine. 51:227-232.
biosensor. 54:39-45.
closed-loop stripping. 54:92-98.
Fourier transform infrared (FTIR). 54:131-134.
HPLC. survey of ochratoxin A. 54:170-177.
metal content in wine. 51:131-136.
potassium. 54:46-49.
polymeric pigments, anthocyanins and tannin. 54:301-306.
solid-phase extraction determination of mono- and diglycerides.
51:415-417.
- Anthocyanin(s). analysis. 54:301-306.
by HPLC. 53:218-221.
by HPLC/ESI-MS. 53:78-86. by MALDI. 50:199-203.
composition. effect of cluster thinning. 53:224-226.
determination by electrospray ionization. 51:55-64.
effect on stability of odorous compound in Bordeaux wines.
54:135-138.
in Spanish wines. 54:163-169.
polymeric pigment. 55:139-146.
review of copigmentation. 52:67-87.
- Antibodies. wine protein analyses. 51:22-28.
- Antioxidant(s). from grape seed extract. 51:383-389.
- Arabinogalactan(s). 51-56; 51:115-121.
modification during aging. 54:150-157.
- Arbuscular mycorrhizae. 51:269-275; 55:108-111.
- Arginine. 51:227-232.
- Armillaria mellea*. root. 53:197-203.
- Aroma, wine. See also Sensory characteristics of wine.
analysis by closed-loop stripping. 54:92-98.
compounds. influence of fermentation temperature. 52:235-240.
in Pisco. 51:404-408.
effect of anthocyanins on in Bordeaux wine. 54:135-138.
effect of clarification. 55:7-12.
 β -glycosidase. 51:362-369.
headspace analysis. 51:379-382.
malolactic cultures. effects on Chancellor. 51:42-48.
Oenococcus oeni. 51:362-369.
potential of Muscat grapes for pisco production. 51:404-408.
precursors. 51:404-408.
sorption by oak wood. 55:22-26.
- Artificial neural networks analysis. 51:108-114.
- Aspergillus niger*. 51:276-282.
- Assay. arginine. 51:227-232.
resveratrol. 51:37-41.
- Autochthonous grapevine cultivars. 51:370-378.
- Autolysis. 51:65-72.
- Authors guide. 52:60-65; 53:334-341; 54:322-329; 55:438-445.

B

- BAC. end sequencing. 52:287-291.
library. 52:287-291.
- Bacteriocin. effect on *Oenococcus oeni*. 53:191-196.
control of growth. 54:86-91.
- Bentonite. adsorption of protein. 52:122-126; 54:178-188.
effect on volatile compounds of sparkling wines. 54:273-278.
effect on yeast. 53:28-36.
method of addition, effect of. 52:275-279.
- Berry, grape. See also Grape(s), Table grapes.
composition. climate effects on. 51:249-261.
effect of training system and vine spacing. 55:84-95, 96-103.
leaf canopy structure effects on. 51:390-396.
minimal pruning effect on. 52:45-48.
development. effect of flower characteristics. 54:313-317.
girdling effects on. 51:49-54.
gibberellin content. 51:315-318.
growth. 52:317-323.
maturity. 55:128-138.
ripening. 52:331-335.
nitrogen. 53:69-77.
shriveled. 55:121-127.
tannin. 53:54-59.
rooting-zone restriction. 52:248-253.
temperature. 51:182-188.
- Biofilm. *Oenococcus oeni*. 53:191-196.
- Biogenic amines in wines. influence of yeast strain. 52:185-190.
- Biosensor. alcoholic fermentation. 54:39-45.
measurement of polyphenolics. 52:219-222.
- Birds. behavior and damage. 55:288-291.
response to 2-methoxy-3-isobutylpyrazine. 55:292-294.
- Blackleaf. Concord vines. 52:364-375.
- Blending. optimization. 52:386-395.
- Bogazkere. volatile composition. 53:64-68.

- Botrytis cinerea*. β -1,3-glucanase gene expression in infected leaves. 51:81-87.
pH control. 52:12-20.
quantification by ELISA. 51:276-282.
table grapes. 53:110-115.
- Bottle-cap. permeability in Champagne wines. 52:54-55.
- Brettanomyces bruxellensis*. glycosidase activity. 53:303-307.
Dekkera spp., identification of. 52:241-247.
detection of. 53:322-324.
ethanol tolerance. 55:65-72.
population dynamics in Pinot noir. 54:294-300.
volatile phenols. 53:131-137.
- Browning. sparkling wine. 51:29-36.
- Bubbles. formation in Champagne. 52:88-92.
nucleation in Champagne. 53:151-153.
- Budbreak. control. 51:409-414.
delayed. 55:269-275.
- Buffering capacity of tartaric and malic acids. 51:347-351, 352-356.
- Bunch rot. See *Botrytis cinerea*.
- Bunch stem necrosis. 51:319-328.
- ### C
- Cabernet franc. DNA typing. 52:396-399.
- Cabernet Sauvignon grapevines. See also Grapevine(s).
2-methoxy-3-isobutylpyrazine. 53:1-5.
- Cabernet Sauvignon wine. anthocyanins in. 54:163-169.
2-methoxy-3-isobutylpyrazine. 53:1-5.
- Cadmium uptake in vines. 51:269-275.
- Calcium. berry. 52:331-335.
budbreak control. 51:409-414.
- Canopy management. See also Grapevine(s).
chamber-free method for heating and cooling clusters. 51:182-188.
Chancellor. 52:45-48; 55:84-95.
cluster zone leaf removal. 51:390-396.
effect on sensory analysis. 55:325-334.
lateral shoot length. 51:390-396.
Merlot berries. 53:171-182.
Riesling. 55:96-103.
Seyval. 55:84-95.
shoot tipping. 51:390-396.
- Carbonic maceration. resveratrol. 55:401-406.
- Carmenère. DNA typing. 52:396-399.
- Catechin(s). in seeds and skins. 51:397-403.
evolution during grape maturation. 52:230-234.
influence of altitude. 52:115-121.
- Cava. browning. 51:29-36.
- Champagne wines. bubble formation. 52:88-92.
bubble nucleation. 53:151-153.
dimethylsulfide formation. 52:54-55.
pathogenesis-related proteins. 54:267-272.
protective effect of composite cork on pollution with trichloroanisole. 52:280-281.
taste intensity. 53:6-13.
- Chancellor wine. 51:42-48.
- Chardonnay. rootstock. 53:37-40.
- Chardonnay. clonal evaluation. 54:203-206.
- Chemical composition of wine. determination. 51:108-114.
- Chitinase. Champagne. 54:267-272.
- Chitosan. effect on phenolic content. 55:191-194.
- Chlorophyll fluorescence. in blackleaf-affected Concord vines. 52:364-375.
cold hardiness. 53:210-217.
- 5-Chlorosalicylic. effect on phenolic content. 55:191-194.
- Chromatography. high-performance liquid. polyphenol concentrations in wines. 51:144-149.
- Cider. 51:144-149.
- Clarification. gluten. 53:308-314.
aroma compounds. 55:7-12.
- Climate. 51:249-261.
terrior. 55:207-217.
- Clonal. evaluation. Chardonnay. 54:203-206.
Merlot. 54:207-210.
selection. 55:335-345.
- Cluster. heating and cooling. 51:182-188.
thinning. anthocyanin composition. 53:224-226.
leaf canopy structure effects on. 51:390-396.
- Cold hardiness. chlorophyll fluorescence technique. 53:210-217.
Concord. 53:227-230.
hybrid. 54:8-14.
- Color. See also Anthocyanin, Browning, Wine.
effect of leaf removal. 55:147-152.
review of copigmentation. 52:67-87.
rosé wines. 54:195-202.
stability. effect of skin maceration time. 52:266-270.
wine chromatic characteristics. 54:59-62.
- Compost. effect on volatile compounds. 55:412-416.
- Concord grapevines. chlorophyll fluorescence. 52:364-375; 53:210-217.
cold hardiness. 53:227-230.
pruning and crop control. 53:204-209.
- Condensed tannins. influence of gelatins on proanthocyanidins. 52:140-145.
- Continuous fermentation. yeast population. 53:24-27.
- Cooperage. 51:201-214.
ellagitannins in kiln-dried oak. 51:201-214.
- Copigmentation. red wine color, review of. 52:67-87.
- Copper. content in wine. 51:131-136.
role in wine oxidation. 54:73-85.
- Copper chelate regenerable carrier for removal of phenols from must. 51:357-361.
- Cork(s). p-trichloroanisole. 52:280-281.
- Cover crops. 52:292-303.
Festuca. 54:1-7.
nitrogen uptake. 55:187-190.
- Crop control. thinning. 53:204-209.
- Crop yield. horticultural oil. 53:116-124.
influence of viticultural practices. 55:253-264.
- Cyanamides. effects on budbreak. 51:409-414.
- Cyclic voltammetry. phenolics. 53:294-302; 55:389-400, 417-422.
- Cysteinylated precursors. liberation by yeast. 52:136-139.
- Cytokinin. Norton. 55:112-114.
- ### D
- Daktulosphaira vitifoliae*. See Phylloxera.
- Deacidification. must with *S. pombe*. 54:50-55.
- Decision tree analysis. determination of processing parameters. 52:175-184.
- Defoaming agent. 51:415-417.
- Defoliation. *V. labrusca*. 54:252-260.
V. labruscana. 55:1-6.
- Dessèchement de la rafle. 51:319-328.
- Differential pH meter. determination of sugar. 52:271-274.
- Dimethylsulfide. formation in Champagne wines. 52:54-55.
- Discriminant analysis. Port wine. 51:262-268.
sherry. 55:407-411.
- Disease. grapevine. See specific disease.
- Distilled beverages. Pisco. 51:404-408.
effect of pectinesterase. 55:199-201.
- ### E
- Effervescence. in champagne. 50:317-323; 53:151-153.
- Electrode. carbon paste. 52:381-385.
- Electrospray ionization. 51:55-64.

- Electrothermal atomization-atomic absorption spectrometry for determination of manganese content. 51:103-107.
- ELISA test. botrytis quantification. 51:276-282.
detection of virus. 52:21-27, 56-57.
- Ellagic acid. changes during storage. 52:109-114.
- Epicatechin. concentrations in red wines. 49:23-34; 51:397-403.
- Epicuticular wax. 52:317-323.
- Ethyl carbamate. 51:227-232.
determination of. 53:60-63.
- Ethylphenol. Pinot noir. 54:294-300.
- Ethylguaiaicol. Pinot noir. 54:294-300.
- Evapotranspiration. 51:340-346.
- F**
- Fermentation. arrested by paprika seed antimicrobial substance. 54:112-118.
biosensor. 54:39-45.
buffering capacity. 51:347-351, 352-356.
kinetics. 51:73-80.
malolactic. See also Malolactic fermentation.
effects on Chancellor wine. 51:42-48.
oxygen demands of yeasts. 51:215-222.
restarting. 51:168-177; 55:160-167.
sluggish. lactic acid bacteria/yeast effects on. 51:168-177.
yeast nitrogen demands. 51:168-177, 215-222.
spontaneous. 52:352-356.
starter cultures. 51:42-48.
stationary phase. 51:215-222.
stuck. 51:168-177, 215-222; 52:345-351.
temperature. influence on wine composition. 52:235-240.
volatile sulfur compounds. 51:91-97.
yeast-assimilable nitrogenous compounds. 51:168-177, 215-222.
- Fertilization, nitrogen. effect on bunch stem necrosis. 51:319-328.
Vitis labrusca. 55:246-252.
- Filtration. measurement of wine filterability. 52:191-197.
- Fining. effect of method of addition of bentonite. 52: 275-279.
influence of gelatins on proanthocyanidins. 52:140-145.
plant proteins. 54:105-111.
treatments for pinking. 52:156-158.
- Fino sherry. hyperoxidation of must during aging. 51:98-102.
- Flavanols. 51:397-403.
- Flavonoids. stilbene biosynthesis. 52:287-291.
- Flavor, wine. See Wine, Sensory characteristics of wine, Aroma, specific wine.
- Foam stability. influence of polysaccharides. 52:146-150.
- Forecasting. wine production by pollen analysis. 54:189-194.
- Formol titration. 52:400-401.
- Fourier transform infrared analysis. wine. 54:131-134.
- Free amino nitrogen (FAN). 52:400-401.
- French-American hybrid. shoot thinning. 55:423-426.
- Fruit. See Berry, Grape, Table Grapes.
- Fruit composition. effect of sunlight exposure and temperature. 51:1-7.
- Fumigation. mycorrhizal fungi. 52:8-11.
- Fungus. winery contamination. 55:355-362.
- G**
- Garlic paste for budbreak control. preparations for control of budbreak. 51:409-414.
- Garnacha. microsatellite analysis. 54:237-245.
- Gas chromatography. See Chromatography.
- Gelatin. influence on proanthocyanidins. 52:140-145.
- Genetic(s). analysis of related cultivars. 51:7-14.
relationships of grape cultivars. 51:7-14.
transformation. 53:183-190.
- Gibberellins. 51:315-318.
- β -1,3-Glucanase gene expression in grapevine leaves. 51:81-87.
- β -Glucosidase. activities of *Oenococcus oeni*. 51:362-369.
- Glutathione. formation during fermentation of white musts. 51:91-97.
- Glycosides. analysis of. 53:315-317.
Cabernet Sauvignon. 54:99-104.
effect of clarification. 55:7-12.
- Glycosyl-glucose. analysis of. 53:315-317.
- Graciano. anthocyanins in. 54:163-169.
- Grape(s). See also Berry, Grapevine, Table grapes.
anthocyanins. 51:55-64.
BAC library. 52:287-291.
bunch rot. quantification by ELISA. 51:276-282.
composition. climate effects on. 51:249-261.
manganese content. 51:103-107.
protein characterization. 51:22-28.
seeds. oligomeric procyanidins in extracts. 51:383-389.
skins. anthocyanins. 51:390-396.
gibberellins. 51:315-318.
growth-yield relationship. 52:165-174.
maturity. polyphenol. 53:268-274.
phloem unloading during ripening. 51:340-346.
seeds. procyanidin changes. 51:397-403.
sugar accumulation during ripening. 51:340-346.
- Grapevine(s). See also specific cultivar.
ampelography. 51:370-378.
anatomical symptoms of Pierce's disease. 55:238-245.
Aspergillus niger. quantification by ELISA. 51:276-282.
autochthonous grapevine cultivars. 51:370-378.
balance. review of. 52:165-174
botrytis bunch rot. β -1,3-glucanase gene expression. 51:81-87
quantification by ELISA. 51:276-282.
budbreak. control. 51:409-414.
bunchstem necrosis. 51:319-328.
cadmium uptake. 51:269-275.
carbohydrate. accumulation. 51:49-54.
carotenoids. 51:122-130.
chlorophyll. relationship to irradiance regime. 51:122-130.
cluster. heating and cooling. 51:182-188.
thinning. 55:423-426.
vine performance. 51:390-396.
cover crop. 55:187-190.
defense mechanisms. 55:51-59.
dessèchement de la rafle. 51:319-328.
disease. See specific disease.
domestication. 54:15-21.
effect of elicitors. 55:60-64.
evapotranspiration. 51:340-346.
fertilization. See Fertilization.
garlic preparations for control of budbreak. 51:409-414.
gas exchange. 51:122-130; 51:137-143.
genetic relationships. 51:7-14.
gibberellins. 51:315-318.
girdling. 51:49-54.
heavy metal toxicity. 51:269-275.
hydraulic architecture. 55:228-237.
hydrogen cyanamide preparations for control of budbreak. 51:409-414.
improved rooting. 55:265-268.
irradiance. 51:122-130.
lead uptake. 51:269-275.
leaf. age. 51:390-396
gas exchange. 51:49-54; 122-130.
 β -1,3-glucanase gene expression. 51:81-87
ontogeny. 51:223-226.
leafroll. detection by ELISA and RT-PCR. 52:21-27.
methyl jasmonate. 54:63-66.
microshoot tip propagation. 55:112-114.
modelling. 51:340-346.
mycorrhizae. 51:269-275.
nitrogen. fertilization. 51:319-328.
reserves. 51:122-130.
nutrient. accumulation. 51:269-275.
analysis. 51:319-328.
variable rate application. 54:286-293.

- osmotic potential. 51:223-226, 340-346.
 palo negro. 51:319-328.
Penicillium. quantification by ELISA. 51:276-282.
 phenology. 51:249-261; 55:128-138.
 photosynthesis. 51:49-54.
 powdery mildew. 51:1-6.
 pruning. 55:35-50.
 sensory evaluation 55:325-334.
 mechanical hedging. 55:379-388.
 RAPD. genetic analysis among Pinot cultivars. 51:7-14.
 root growth enhancement. 55:108-111.
 rooting-zone restriction. 52:248-253.
 rootstock. influence on water relations and gas exchange. 51:137-143.
 sugar composition. 55:181-186.
 shading. See Canopy management.
 shanking. 51:319-328.
 shoot(s). powdery mildew infection. 51:1-6.
 thinning. 55:423-426.
 soil nutrients. 51:329-339.
 solar radiation. 51:182-188.
 somatic embryogenesis. 55:427-430.
 soybean oil. 55:269-275.
 Stiehlähme. 51:319-328.
 stomatal. density. 51:122-130. sugar(s). accumulation during ripening. 51:340-346.
 tolerance to injury. 55:1-6.
 virus. grapevine fanleaf virus. 54:279-285.
 incidence in Missouri vineyards. 52:56-57.
 water relations. rootstock influence on. 51:137-143.
 water potential. girdling effects on. 51:49-54.
 waterberry. 51:319-328.
 wood carbohydrate reserves. 51:390-396.
 xylem sap. chemical composition. 51:329-339.
 yield. 55:35-50, 379-388.
 effects of prohexadione-calcium. 55:73-83.
 effect of leaf removal. 55:147-152.
 influence of rootstock selection. 55:253-264.
 influence of training/trellising system. 55:253-264.
- Grapevine fanleaf virus. inoculation of grapevines, review of. 54:279-285.
 Gray mold. pH control. 52:12-20.
 Guide to authors. 52:60-65; 53:334-341; 54:322-329; 55:438-445.
 Gewürztraminer grapes. terpene. 53:99-109.
- H**
- Harmonia axyridis*. taint. 55:153-159.
 Headspace solid-phase microextraction analysis of headspace compounds. 51:379-382.
 Health. antioxidant activity of grape seed extract. 51:379-382.
 manganese content of grapes and wines from France. 51:103-107.
 Heat. treatment of wine. 54:99-104.
 Heavy metal toxicity in vines. 51:269-275.
 Herbicide. 54:1-7.
 High-performance liquid chromatography. See Chromatography.
 Historical databases. decision tree analysis. 52:175-184.
 Horticultural oil. wine grapes, effects on. 53:116-124.
 HPLC. See Chromatography.
 Hydrogen cyanamides. preparations for budbreak control. 51:409-414.
 Hydrogen sulfide formation during fermentation. 51:91-97, 233-248.
 Hyperoxidation. 51:98-102.
- I**
- Icewine. acetic acid. 55:371-378.
 fermentation. 55:363-370.
 sensory analysis. 53:46-53.
 Immobilized yeast. volatile compound formation. 52:210-218.
 Immunoblotting. wine protein characterization. 51:22-28.
 Ion exchange. Cynthiana. 54:67-71.
 Iron. content in wine. 51:131-136.
 role in wine oxidation. 54:73-85.
 Irradiance regimes. 51:122-130.
 Isozymes. characterization of Albillo accessions. 52:127-135.
- J**
- Japanese beetle. defoliation. 54:252-260.
 Juice, grape. arginine. 51:227-232.
 concentrate. 52:345-351.
 ethyl carbamate. 51:227-232.
- K**
- Killer yeasts. 51:65-72.
 Kiln-drying of oak. 51:201-214.
- L**
- Lead uptake in vines. 51:269-275.
 Leafroll virus. latent infection and fruit quality. 52:254-259.
 mealybug. 55:283-285.
 Linear discriminant analysis of wine. 51:108-114.
 Lysozyme analysis. 53:154-157.
- M**
- Maceration. phenolic compounds and color stability, effect on. 52:266-270.
 phenols, effect on. 53:93-98.
 prefermentation in rosé production. 54:195-202.
 Malic acid. buffering of model wine solutions. 51:347-351, 352-356.
 Malolactic fermentation. Chancellor wines. 51:42-48.
 impact of *Saccharomyces cerevisiae*. 54:246-251.
 inhibitory effect of copper and dichlofluanid. 52:223-229.
 Malvasia. microsatellite analysis. 53:125-130.
 Manganese content of grapes and wines. 51:103-107, 131-136.
 Mannoproteins. aging on lees. 54:150-157.
 review in wine. 54:211-213.
 Mealybug. grapevine virus. 55:283-285.
Meloidogyne spp. 52:310-316.
 rootstock resistance. 53:19-23.
 3-Mercaptohexan-1-ol. in Bordeaux rosé wine. 54:135-138.
 3-Mercaptohexanol. 55:115-120.
 Merlot. composition of berries. sunlight and temperature effects. 53:171-182.
 clonal evaluation. 54:207-210.
 DNA typing. 52:396-399.
 stilbenes. 54:261-266.
Mesocriconema xenoplax. 52:304-309.
 Metals determination in wine. 51:131-136.
 2-Methoxy-3-isobutylpyrazine. 53:1-5; 55:276-278.
 birds. 55:292-294.
 Methyl bromide. fumigation. 55:218-227.
Metschnikowia. native flora fermentations. 52:198-203.
 Microsatellite. analysis. Argentinian cultivars. 54:318-321.
 Dalmatian coast. 55:174-180.
 European cultivars. 54:15-21.
 markers. 50:236-242, 243-246.
 Portuguese variety. 54:56-58.
 Spanish varieties. 54:22-30, 237-245.
 V. vinifera. 53:125-130.
 Minimal pruning. effect on vine performance. 52:45-48.
 Monastrell. rosé wines. 54:195-202.
 Multiple mass spectrometry. anthocyanin analysis. 51:55-64.
 Muscadine grapes. cellulase characterization. 50:19-24.
 protein. 53:87-91.
 Muscat Bailey A. yeast polygalacturonases. 52:41-44.
 Muscat grapes. aromatic composition. 51:404-408.

- Must, grape. arginine. 51:227-232.
ethyl carbamate. 51:227-232.
pectic polysaccharides. 51:115-121.
phenol removal from white musts. 51:357-361.
polysaccharides. 51:115-121.
xyloglucans. 51:115-121.
- Mycorrhizae. 51:269-275.
colonization of rootstocks. 54:143-149.
- Mycorrhizal fungi. comparative response of rootstocks. 52:8-11.
- N**
- Nebbiolo. cluster thinning. 53:224-226.
- Necrosis. See also Grapevine.
nitrogen source effects on. 51:319-328.
- Nematodes. ectoparasitic. 52:304-309.
endoparasitic. 52:310-316.
resistance. 53:19-23.
- Neural networks. blending. 52:386-395.
- Nitrogen. analytical methods. 53:325-329.
concentration in vines. 51:122-130.
demands of yeasts during fermentation. 51:168-177, 215-222.
effect of cover crop. 55:187-190.
grape berries. 53:69-77.
management in *V. labruscana*. 54:286-293.
- NOPA. 52:400-401.
- Norton. improved rooting. 55:265-268.
stilbene synthase. 53:289-293.
- Nuclear microsatellites. genetic comparison of Greek cultivars. 52:101-108.
- Nutrient. analysis. 51:319-328.
management in *V. labruscana*. 54:286-293.
uptake. 51:269-275.
- Nutrition. See Grapevine, mineral nutrition.
- O**
- Oak. See also Barrel, Aging.
aroma compound sorption. 55:22-26.
comparison to stainless steel. 52:159-164.
ellagitannin content. 51:201-214.
kiln drying. 51:201-214.
Quercus petraea. 51:201-214.
- Ochratoxin A. survey in wines. 54:170-177.
- Öküzgözü grapes. volatile composition. 53:64-68.
- Oenococcus oeni*. 51:362-369.
bacteriocin. 53:191-196.
effect on stilbenes. 54:261-266.
glycosidase activity. 53:303-307.
impact of *Saccharomyces cerevisiae*. 54:246-251.
inhibitory effect of copper and dichlofluanid. 52:223-229.
- Olien. defoaming agent. 51:415-417.
- Oligomeric procyanidins in grape seed extracts. 51:383-389.
- Osmotic adjustment of leaf tissue. 51:223-226.
- Oxidation. review of. 54:73-85.
sherry wine. 52:151-155.
- Oxygen. bottle-cap permeability and dimethylsulfide formation. 52:54-55.
demand of yeasts during fermentation. 51:215-222.
reaction mechanisms. 54:73-85.
- P Q**
- Palo negro. 51:319-328.
- Partial least squares. decision tree analysis. 52:175-184.
- Pathogenesis-related proteins. Champagne. 54:267-272.
- Pectic polysaccharides. 51:115-121.
- Pectinesterase. methanol concentration. 55:199-201.
- Peptide(s). nucleic acid analysis. *Brettanomyces*. 53:322-324.
organoleptic. 52:376-380.
- Pesticide(s). in grapes. dissipation of. 52:35-40.
inhibition of malolactic fermentation. 52:223-229.
in wines. multiresidue analysis. 50:435-442.
- pH. degradation of procyanidins. 54:119-124.
- Phenol(s). See also Polyphenols.
analysis. 53:218-221.
changes during storage. 52:109-114.
comparison of oak and stainless steel. 52:159-164.
polymeric pigment. 55:139-146.
removal from white musts. 51:357-361.
volatile. *Brettanomyces*. 53:131-137.
- Phenolic(s). analytical methods. 55:389-400.
compounds. 3-mercaptohexanol. 55:115-120.
water deficit in Shiraz. 53:261-267.
Croatian wine. 55:417-422.
cyclic voltammetry response. 53:294-302.
effect of chitosan and 5-chlorosalicylic acid. 55:191-194.
maceration effect. 53:93-98.
Pinot noir. 53:14-18.
sparkling wine. 51:29-36; 51:144-149; 53:147-150.
- Phloem unloading. 51:340-346.
- Photosynthesis. girdling effects on. 51:49-54.
horticultural oil effects on. 53:116-124.
water deficit and crop level influences on. 52:364-375.
- Phylloxera. interaction with grape in isolation chamber. 52:28-34.
- Phytoalexins. methyl jasmonate. 54:63-66.
- Pierce's disease. 55:202-205.
anatomical symptoms. 55:238-245.
hydraulic architecture. 55:228-237.
PCR detection of *Xylella*. 54:307-312.
- Pinking. treatments for. 52:156-158.
- Pigments. analysis. 54:301-306.
Cabernet Sauvignon. 54:99-104.
effect of seed tannins. 52:93-100.
production of. 53:41-45.
- Pinot noir grapevines. genetic relationships. 51:7-14.
berry development. 54:313-317.
trellising system. 53:14-18.
- Pinot noir wines. *Brettanomyces*. 54:294-300.
volatile phenols. 53:131-137.
- Pisco. 51:404-408; 55:104-107.
- Planococcus ficus*. grape virus. 55:283-285.
- Plant growth regulators. 51:315-318; 55:73-83.
- Plavac mali. microsatellite analysis. 55:174-180.
- Pollen. forecasting wine production. 54:189-194.
- Polyamines. training system. 52:357-363.
- Polygalacturonase. berry. 52:331-335.
induced during fermentation. 52:41-44.
- Polymerase chain reaction (PCR). detection of virus. 52:21-27.
identification of yeasts. 52:49-53.
- Polymeric pigments. 55:389-400.
- Polyphenol(s). See also Phenols.
biosensor analysis. 52:219-222.
effect of skin maceration time. 52:266-270.
flavor interaction. 55:13-21.
oligomeric. from grape seed extracts. 51:383-389.
polymeric pigment. 55:139-146.
sensor. 52:381-385.
- Polyphenoloxidase. enzymatic decolorization. effects of seed tannins. 52:93-100.
- Polysaccharides. content in must. 51:115-121.
influence on wine foaming. 52:146-150.
- Polyvinylpyrrolidone (PVPP). treatments for pinking. 52:156-158.
- Portuguese wines. composition. 52:324-330.
- Port wine. detection of imitations. 51:262-268.
- Potassium. bitartrate. sequential injection analysis. 54:46-49.

- Powdery mildew. 51:1-6.
 impact of vine shelter on. 52:204-209.
- Pratylenchus* sp. 52:310-316.
- Proanthocyanidin(s). composition in red wines. 51:397-403.
 developmental changes in seeds during grape development. 51:397-403.
 influence of altitude. 52:115-121.
- Procyanidins. 51:397-403.
 degradation kinetics. 54:119-124.
 evolution during grape maturation. 52:230-234.
- Prohexadione-calcium. effect on composition. 55:73-83.
- Protease(s). activity during fermentation. 51:155-167.
- Protein(s). adsorption by bentonite. 52:122-126; 54:178-188.
 fermenting must proteins. 51:155-167.
 Muscadine grapes. 53:87-91.
 pathogenesis-related in Champagne. 54:267-272.
 plant, as fining agent. 54:105-111.
 stability. 52:324-330.
- Pruning. crop load management. 55:35-50.
 evaluation. 53:204-209.
- Pyrazines. solid-phase microextraction. 53:285-288.
- Quercus*. See Oak.
- ### R
- Red wine. See also Wine and specific wine.
 phenolic compounds. 53:218-221.
 sensory expertise. 53:275-284.
 volatile composition. 53:64-68.
- Redox stability. sherry wine. 52:151-155.
- Residual sugars. determination of. 52:271-274
- Resveratrol. concentration in wine. 51:37-41.
 effect of elicitors. 55:60-64.
 effect of pomace-contacting method. 55:401-406.
 evaluation of assay methods. 51:37-41.
 sparkling wine. 53:147-150.
- Rhamnogalactans. 51:115-121.
- Ribonucleic acid (RNA). purification from grape. 53:231-234.
- Ripening. See Berry.
- Rootstock(s), grapevine. Chardonnay. 53:37-40.
 colonization by vesicular-arbuscular mycorrhizae. 54:143-149.
 comparative response with mycorrhizal fungi. 52:8-11.
 effects of mycorrhizal inoculation. 55:108-111.
 hybrid propagation. 55:181-186.
 influence on water relations and gas exchange. 51:137-143.
 nematode fumigation. 55:218-227.
 nematode resistance. 53:19-23.
- Rose chafer. defoliation. 54:252-260.
- ### S
- Saccharomyces cerevisiae*. biogenic amines. 52:185-190.
 effect on stilbenes. 54:261-266.
 hydrogen sulfide formation. 51:233-248.
 impact on *Oenococcus oeni*. 54:246-251.
 liberation of volatile thiols. 52:136-139.
 sulfide formation. 51:233-248.
- Sap-flow. device for simulating high rates of. 52:260-265.
- Sauvignon blanc. S-cysteine conjugates. 53:144-146.
- Sauvignon blanc wines. liberation of volatile thiols. 52:136-139.
 2-methoxy-3-isobutylpyrazine, extractability of. 53:1-5.
- Schizosaccharomyces pombe*. immobilized yeast. 54:50-55.
- S-Cysteine conjugates. skin contact. 53:144-146.
- Seed tannins. effects on enzymatic decolorization. 52:93-100.
- Sensory. polyphenols. 52:381-385.
- Sensory analysis. blends. 52:386-395.
 Champagne wine taste. 53:6-13.
 descriptive analysis. 55:27-34.
 effect of compost. 55:412-416.
 effect of crop yield. 55:325-334.
 effect of *Harmonia axyridis*. 55:153-159.
 effect of sweetening treatments. 55:168-173.
 expertise. preference mapping. 53:275-284.
 icewine. 53:46-53.
- Sensory characteristics of wine. See also specific characteristics.
 effect of polyphenol compounds. 55:13-21.
 starter culture effects on. 51:42-48.
- Sensory evaluation. pisco. 55:104-107.
 preference mapping. 53:275-284.
 product selection. 55:27-34.
 yeast strains. 52:336-344.
- Sessile oak. ellagitannin content. 51:201-214.
- Shading. See Canopy management.
- Sherry. discriminant analysis. 55:407-411.
 oxidation. 52:151-155.
 velum formation by flor yeasts. 51:15-21.
- Shiraz grapevines. water deficit. 53:261-267.
- Simple sequence repeat (SSR). cultivar identification. 52:396-399.
- Shoot(s), grapevine. lateral shoot length. 51:390-396.
 tipping. 51:390-396.
- Shot berries. Pinot noir. 54:313-317.
- Sluggish fermentation. icewine. 55:363-370.
 yeast-assimilable nitrogenous compounds. 51:168-177, 215-222.
- Soil. management practices. 54:1-7.
 nutrients. effects on xylem sap. 51:329-339.
 polluted. 51:269-275.
- Solar radiation. grape ripening. 55:128-138.
- Solid-phase microextraction (SPME). effect of polyphenol compounds. 55:13-21.
 headspace analyses for aroma compounds. 51:379-382.
 2-methoxy-3-isobutylpyrazine. 55:276-278.
 pyrazines. 53:285-288.
 sparkling wines. 54:158-162.
 yeast ester. 55:346-354.
- Sorbate analysis. 53:154-157.
- Source:sink relationships. girdling effects on. 51:49-54.
 injury tolerance. 55:1-6.
- Sparkling wines. autolysis. 51:65-72.
 browning. 51:29-36.
 bubble formation. 52:88-92.
 effect of aging time on volatile compounds. 54:273-278.
 phenolic compounds. 53:147-150.
 volatile compounds during aging. 54:158-162.
- SPME. See solid-phase microextraction.
- Stabilization, wine. effect of method of addition of bentonite. 52:275-279.
 packed column. 55:195-198.
- Stainless steel. comparison to oak. 52:159-164.
- Stiellähme. 51:319-328.
- Stilbenes. concentrations of *trans*- and *cis*-isomers. 51:37-41.
 effect of elicitors. 55:60-64.
 effect of maceration on. 54:261-266.
 methyl jasmonate. 54:63-66.
 synthase. multigene family. 53:289-293.
- Stomatal density. 52:317-323.
- Stuck fermentation. 51:168-177, 215-222.
 restart. 55:160-167.
- Sucrose accumulation in grapes. 51:340-346.
- Sugar(s). accumulation in ripening grape berries. 51:340-346.
- Sulfate reduction in *Saccharomyces*. 51:233-248.
- Sulfur dioxide. aldehydes. 54:31-38.
 effect on yeast. 54:125-130.
 table grapes. 53:110-115.
- Sunlight exposure. effects on berry growth and composition. 51:1-7.
- Sweet wine. arrest of fermentation. 54:112-118.

T

- Table grapes. pH control of gray mold. 52:12-20.
sulfur dioxide. 53:110-115.
- Tannin(s). analysis. 54:301-306.
berry ripening. 53:54-59.
in grape seed. 51:383-389.
removal by plant proteins. 54:105-111.
- Tartaric acid. buffering of model wine solutions. 51:347-351, 352-356.
production of calcium tartrate. 53:41-45.
- Taste. Champagne wine. 53:6-13.
- Temperature. degradation of procyanidins. 54:119-124.
- Tempranillo. anthocyanins in. 54:163-169.
clonal selection. 55:335-345.
grapevines. training system. 52:357-363.
- Terpenes. Gewürztraminer grapes. 53:99-109.
- Terror. influence of climate, soil, and cultivar. 55:207-217.
- Thermovinification. resveratrol. 55:401-406.
- Thiols. contribution to white wine aroma. 51:178-181.
- Torrentes. microsatellite analysis. 53:125-130.
- Total soluble solids. 51:73-80.
- Training system, grapevine. See also Canopy management, Trellising system.
reproductive development. 52:357-363.
- Transpiration. sap flow. 52:260-265.
berry shrivel. 55:121-127.
- Trellising system. Pinot noir. 53:14-18.
- Trichloroanisole. effect of composite cork on Champagne. 52:280-281.
- Trihydroxystilbene. See Resveratrol.
- Tylenchulus* sp. 52:310-316.
- Tyrosinase. biosensor for polyphenolics. 52:219-222.

U V

- Uncinula necator*. 51:1-6; 52:204-209.
- UV-C irradiation exposure. grapevine. 55:51-59.
- Vesicular-arbuscular mycorrhizae. rootstock colonization. 54:143-149.
- Vine. See Grapevine.
- Vine shelter. impact on powdery mildew. 52:204-209.
- Vineyards. bird damage. 55:288-291.
evaluation techniques. 52:292-303.
- Virus. See specific virus.
survey of six grape viruses. 55:286-287.
- Vitis aestivalis*. effect of leaf removal. 55:147-152.
improved rooting. 55:265-268.
ion exchange. 54:67-71.
- Vitis amurensis*. cold hardiness. 54:8-14.
- Vitis labrusca*. defoliation. 54:252-260.
effect of nitrogen application. 55:246-252.
- Vitis labruscana*. nutrient management. 54:286-293.
- Vitis riparia* rootstock. 51:137-143.
- Vitis rotundifolia*. changes in phenols during storage. 52:109-114.
- Vitis vinifera*. autochthonous cultivars. 51:370-378.
ampelography. 51:370-378.
climate effects on. 51:249-261.
cover crops. 52:292-303.
cultivar identification. 52:396-399; 54:22-30.
developmental changes. 52:317-323.
genetic comparison of Greek cultivars. 52:101-108.
genetic relationships of grape cultivars. 54:15-21.
genetic transformation. 53:183-190.
 β -1,3-glucanase gene expression in *botrytis*-infected leaves. 51:81-87.
leaf. ontology. 51:223-226.
osmotic adjustment of leaf tissue. 51:223-226.
powdery mildew. 51:1-6.
root disease. 53:197-203.

- survey of viruses. 55:286-287.
variability. 55:279-282.
variety identification. 54:318-321.

- Volatile(s). age markers of sparkling wine. 54:158-162.
analysis by closed-loop stripping. 54:92-98.
immobilized yeast. 52:210-218.
phenols. *Brettanomyces*. 53:131-137.
sparkling wines. 54:273-278.
sulfur compounds. in wine. 51:91-97.
thiols. 51:178-181.
liberation in Sauvignon blanc wine. 52:136-139.

W

- Water potential. girdling effects on. 51:49-54.
- Water deficit. berry composition. 53:261-267.
polyphenol. 53:268-274.
terror. 55:207-217.
- Water stress. Airén productivity. 53:138-143.
blackleaf development. 52:364-375.
photosynthetic strain. 52:364-375.
- Waterberry. 51:319-328.
- White wine. See Wine, specific wine.
- Wine(s). See also specific wine.
acidity. 51:347-351, 352-356.
aging. polymeric pigment. 55:139-146.
aging on lees. 54:150-157.
amino acids. 51:347-351, 352-356.
analysis. methods validation and laboratory proficiency. 53:163-169.
international units. 53:222-223.
apple. 51:144-149.
arginine. 51:227-232.
aroma. See also Sensory characteristics of wine.
aromatic composition. 51:379-382.
headspace analysis. 51:379-382.
Oenococcus oeni. 51:362-369.
varietal. 51:178-181.
by-products. 53:41-45.
chemical classification. 51:108-114.
clarification. gluten. 53:308-314.
classification. neural networks. 51:108-114.
climate effects on quality. 51:249-261.
colloid content and fouling. 52:191-197.
color. See also Color.
chromatic characteristics. 54:59-62.
composition. 52:324-330.
copper content. 51:131-136.
defoaming agent. 51:415-417.
distillates. Pisco. 51:404-408.
ethyl carbamate. 51:227-232.
fermentation. See Fermentation, Alcoholic fermentation, Malolactic fermentation.
flavor. See also Flavor, Sensory characteristics of wine.
forecasting production. 54:189-194.
glycoconjugates. 51:362-369.
high alcohol. 52:345-351.
hydrogen sulfide. 51:91-97, 233-248.
iron content. 51:131-136.
malic acid determination. 51:347-351, 352-356.
malolactic fermentation. See Fermentation, Malolactic fermentation.
manganese content. 51:103-107, 131-136.
metal content. 51:131-136.
nickel content. 51:131-136.
oak. aging. See Aging.
peptides. organoleptic characterization. 52:376-380.
phenolic(s). See also Phenolics.
removal from white must. 51:357-361.
polyphenols. 51:397-403.
Port. detection of imitations. 51:262-268.
proanthocyanidin(s). transfer from grape cluster to wine. 51:397-403.
protein. 54:178-188.
activity during fermentation. 51:155-167.
characterization by immunoblotting. 51:22-28.

- resveratrol. analysis. 51:37-41.
 rootstock influence on water relations and gas exchange. 51:137-143.
 rosé. composition. 54:195-202.
 sensory. analysis. See Aroma, Sensory analysis, Flavor, Sensory characteristics of wine.
 sherry. aging. 51:98-102.
 velum formation by flor yeasts. 51:15-21.
 sluggish fermentation. 51:168-177.
 soluble solids. 51:73-80.
 sparkling. See also Sparkling wines.
 apple. 51:144-149.
 autolysis by interaction of killer and sensitive yeasts. 51:65-72.
 browning. 51:29-36.
 phenols during aging. 51:29-36; 51:144-149.
 spoilage. *Brettanomyces/Dekkera* spp. 55:65-72.
 pediocin. 54:86-91.
 stabilization. packed column. 55:195-198.
 stilbenes. 51:37-41.
 stuck fermentations. 51:168-177.
 sweetening treatments. 55:168-173.
 tannins. 51:397-403.
 thiol contribution to varietal aroma. 51:178-181.
 varietal aroma. 51:178-181.
 volatile components. sulfur compounds. 51:91-97.
 thiols. 51:178-181.
 yeast. See Yeast(s), specific yeast.
 Winery. fungal contamination. 55:355-362.
 laboratory fungal contamination proficiency testing. 53:163-169.

X

- Xiphinema americanum*. 52:304-309; 55:218-227.
Xiphinema index. 52:304-309.
Xylella fastidiosa. isolation and detection. 55:202-205.
 PCR detection of in grapevine tissue. 54:307-312.
 Xyloglucans in must. 51:115-121.

Y Z

- Yeast(s). See also specific yeast.
 arginine assimilations. 51:227-232.
 assimilable nitrogen. 52:400-401.
 bentonite, effect of. 53:28-36.
 cell concentration profiles. 51:73-80.
 effect of paprika seed antimicrobial substance. 54:112-118.
 effect of sulfur dioxide. 54:125-130.
 ester. 55:346-354.
 ethanol tolerance. *Brettanomyces*. 55:65-72.
 flor. discriminant analysis. 55:407-411.
 velum formation in sherry. 51:15-21.
 genotypic selection. 51:15-21.
 icewine. 55:371-378.
 identification of indigenous yeasts. 52:49-53.
 killer. incidence in spontaneous fermentation. 52:352-356.
 to promote autolysis. 51:65-72.
 macromolecules. 54:211-213.
 effect on aroma compounds. 55:22-26.
 molecular methods. 53:24-27.
 molecular strain identification. 51:15-21.
 natural fermentation profiling. 52:198-203.
 nutrient requirements during fermentation 51:215-222; 227-232.
 production. 52:336-344.
 role in stuck and sluggish fermentations. 51:155-167.
 sensory evaluation. 52:336-344.
 starter culture effects on. 51:42-48.
 strain(s). evaluation during fermentation. 52:336-344.
 strain effect on volatile compounds of sparkling wines. 54:273-278.
 viable but nonculturable. 54:125-130.
 wild. activity during fermentation. 51:155-167.
 Yield, grapevine. See Canopy management.
 Zinc content in wine. 51:131-136.